

## Toshiba mini NB305 Detailed Product Specification<sup>1</sup>

|                                 |                                   |                          |
|---------------------------------|-----------------------------------|--------------------------|
| <b>Model Name:</b> NB305-N411BN | <b>Part Number:</b> PLL3AU-00F015 | <b>UPC:</b> 883974383276 |
|---------------------------------|-----------------------------------|--------------------------|

### Operating System<sup>C1 2</sup>

- Genuine Windows<sup>®</sup> 7 Starter 32-bit

### Processor<sup>3</sup> and Graphics<sup>4</sup>

- Intel<sup>®</sup> Atom<sup>™</sup> processor N450
  - 1.66GHz, 512KB L2 Cache
- Intel<sup>®</sup> NM10 Express Chipset
- Intel<sup>®</sup> Graphics Media Accelerator 3150 with OMB-384MB dynamically allocated shared graphics memory

### Memory<sup>5</sup>

- Configured with 1GB DDR2 (max 2GB)
- 1 main memory slot. Slot is occupied.

### Storage Drive<sup>6</sup>

- 250GB (5400 RPM) Serial ATA hard disk drive
- TOSHIBA Hard Drive Impact Sensor (3D sensor)

### Display<sup>7</sup>

- 10.1" diagonal widescreen TruBrite<sup>®</sup> LED backlit display at 1024 x 600 native resolution (WSVGA)

### Sound

- Built-in stereo speaker

### Input Devices

- Standard US keyboard
- TouchPad<sup>™</sup> pointing device with multi-touch control

### Communications

- Webcam and microphone integrated
- 10/100 Ethernet
- Wi-Fi<sup>®</sup> Wireless networking (802.11b/g/n)<sup>8</sup>
- Bluetooth<sup>®</sup> version 2.1 plus Enhanced Data Rate (EDR)

### Expandability

- Memory Card Reader
  - Secure Digital, Secure Digital High Capacity, Multi Media Card [shared slot]

### Ports

- Video
  - RGB (monitor) output port
- Audio
  - Microphone input port
  - Headphone output port
- Data
  - 3 USB v2.0 ports (2 USB + 1 Left side port with USB Sleep and Charge<sup>9</sup>)
  - RJ-45 LAN port
- Security
  - Slot for Security Lock

### Physical Description

- Texture Finish in Java Brown
- Dimensions (W x D x H): 10.47" x 7.57" x 1.43"
- Weight: Starting at 2.60 lbs., depending upon configuration<sup>10</sup>

### Battery<sup>11</sup>

- 6 cell (5800 mAh) Lithium Ion battery pack
- Battery Life Rating (measured by MobileMark<sup>™</sup> Productivity 2007)
  - Included 6-cell battery: 11 hours, 5 minutes

### Power

- 30W (19V x 1.58A) Auto sensing ,100-240V/50-60Hz AC Adapter
- Dimensions (W x D x H): 3.66" x 1.57" x 1.1"
- Weight: starting at .44 lbs.

### Environmental Specifications

- This product is RoHS<sup>12</sup> compatible

- Energy Star<sup>®</sup> Qualified
- EPEAT<sup>™</sup> Gold Compliant

|                                    | Operating            | Non-operating        |
|------------------------------------|----------------------|----------------------|
| Temperature <sup>13</sup>          | 5° to 35° C          | -20° to 60° C        |
| Relative Humidity (non-condensing) | 20% to 80%           | 10% to 95%           |
| Thermal Gradient                   | 15° C per hour (max) | 20° C per hour (max) |
| Altitude (relative to sea level)   | 0 to 3,000 meters    | 0 to 10,000 meters   |
| Shock                              | 10G                  | 60G                  |
| Vibration                          | 0.5G                 | 1.0G                 |

### 1 YEAR STANDARD LIMITED WARRANTY for Mini Notebook Computers<sup>14</sup>

- Includes International Limited Warranty for obtaining service when traveling outside the United States.

### Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard<sup>®</sup>, On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com).

### Accessories

For additional and most updated accessories, please visit [www.accessories.toshiba.com](http://www.accessories.toshiba.com)

### Memory Upgrade

| Part Number  | Description                           |
|--------------|---------------------------------------|
| PA3513U-1M2G | Toshiba DDR2 533MHz 2GB memory module |

### Power

| Part Number  | Description                                                        |
|--------------|--------------------------------------------------------------------|
| PA3743U-1ACA | Toshiba 30W Global AC Adapter                                      |
| PA3734U-1BRS | Toshiba Primary High Capacity Li Ion Battery Pack (6 cell), Silver |

### Expansion

| Part Number  | Description                                                  |
|--------------|--------------------------------------------------------------|
| PA3761U-1DV2 | Toshiba USB Portable DVD SuperMulti Drive                    |
| PA3627U-1ETC | Toshiba USB 2.0 4-Port Hub                                   |
| PA3575U-1PRP | Toshiba dynadock U Universal USB Docking Station (DVI & VGA) |

### Storage

| Part Number  | Description                                    |
|--------------|------------------------------------------------|
| PA3556U-1M2G | Toshiba USB 2GB Flash Drive, ReadyBoost        |
| PA3556U-1M4G | Toshiba USB 4GB Flash Drive, ReadyBoost        |
| PA3556U-1M8G | Toshiba USB 8GB Flash Drive, ReadyBoost        |
| HDDR320E04XW | Toshiba External USB Hard Drive, 320GB (White) |
| HDDR500E04XL | Toshiba External USB Hard Drive, 500GB (Blue)  |
| HDDR640E04XR | Toshiba External USB Hard Drive, 640GB (Red)   |

### Carrying Case

| Part Number  | Description                                         |
|--------------|-----------------------------------------------------|
| PA1469U-1CMN | Toshiba Dual Function Hardshell Case                |
| PA1473U-1NBK | Toshiba 10.1" Neoprene Sleeve, Black                |
| PA1444U-1CS2 | Toshiba 12" Envoy Ballistic Polyester Carrying Case |

### Bluetooth

| Part Number  | Description                                                |
|--------------|------------------------------------------------------------|
| PA3573U-1ETA | Toshiba Bluetooth Optical Tilt-Wheel Mouse, Black & Silver |

PA3573U-1ETB Toshiba Bluetooth Optical Tilt-Wheel Mouse, Black & Red

## Input

| Part Number  | Description                                        |
|--------------|----------------------------------------------------|
| PA3765U-1ETR | Toshiba USB Optical Retractable Mini Mouse (Brown) |

## Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at <http://www.pcsupport.toshiba.com>

## Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS")  
9740 Irvine Boulevard  
Irvine CA 92618

ToshibaDirect website: <http://www.toshibadirect.com>  
TAIS website for resellers: <http://sell.toshiba.com>  
TAIS PC Support website: <http://pcsupport.toshiba.com>

ConfigFree and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

### <sup>C1</sup> **64-bit computing:**

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

<sup>1</sup> **Product Series Legal Footnote.** The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at [pcsupport.toshiba.com](http://pcsupport.toshiba.com).

**Product Offering Legal Footnote.** Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

<sup>2</sup> **Operating System.** Also see **64-Bit Computing** Legal Footnote, if applicable.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

**Offers.** Offer terms, duration and product availability all subject to change without notice

<sup>3</sup> **Processor (Central Processing Unit).** Also see **64-Bit Computing** Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

1. use of certain external peripheral products
2. use of battery power instead of AC power
3. use of certain multimedia, computer generated graphics or video applications
4. use of standard telephone lines or low speed network connections
5. use of complex modeling software, such as high end computer aided design applications
6. use of several applications or functionalities simultaneously
7. use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86°F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model – please visit the Toshiba website at [www.pcsupport.toshiba.com](http://www.pcsupport.toshiba.com) for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

<sup>4</sup> **Graphics (Graphics Processing Unit).**

GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

**Total Available Graphics Memory** is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

<sup>5</sup> **Memory (Main System).** Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

<sup>6</sup> **Storage Drive Capacity.** Computer (Internal) HDD Capacity. One Gigabyte (GB) means  $10^9 = 1,000,000,000$  bytes and One Terabyte (TB) means  $10^{12} = 1,000,000,000,000$  bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of  $1\text{ GB} = 2^{30} = 1,073,741,824$  bytes and  $1\text{ TB} = 2^{40} = 1,099,511,627,776$  bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

<sup>7</sup> **Display.** Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen will dim and you may not be able to increase the brightness of the screen while on battery power.

<sup>8</sup> **Wireless.** Wireless connectivity and some features may require you to purchase additional software, external hardware or services. Availability of public wireless LAN access points may be limited. The transmission speed over the wireless LAN and the distance over which wireless LAN can reach may vary depending on surrounding electromagnetic environment, obstacles, access point design and configuration, and client design and software/hardware configurations. The actual transmission speed will be lower than the theoretical maximum speed. To use the Atheros SuperAG™ or SuperG™ wireless function, if available, your client and access point must support the corresponding feature. Performance of these functions may vary depending on the format of data transmitted.

<sup>9</sup> **USB Sleep & Charge.** The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

<sup>10</sup> **Weight.** Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

<sup>11</sup> **Battery Life Rating.** Measured by MobileMark® 2007. MobileMark is a trademark of the Business Applications Performance Corporation. Rating based on either MobileMark Productivity 2007 modeling a user performing common mobile office activities or Reader 2007 modeling a user reading documents. See "Detailed Specifications" for test used. Details of MobileMark 2007 testing are available at [www.bapco.com](http://www.bapco.com). Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

<sup>12</sup> **RoHS.** This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

<sup>13</sup> **Temperature (Environmental) Conditions.** All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

<sup>14</sup> **Warranty.** The terms and conditions of Toshiba's standard limited warranty are available at [www.warranty.toshiba.com](http://www.warranty.toshiba.com).