

# 24" Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Left hinge




- <p>Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.</p>
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
  - Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
  - Internal ice maker with boost for busy times

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

|        |          |
|--------|----------|
| Height | 84 "     |
| Width  | 23 3/4 " |
| Depth  | 24 "     |



## FEATURES & BENEFITS

- Variable Temperature Zones**
- Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.
- Mix & Match**

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

**Clever Energy**

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

**Appealing Illumination**

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

**Design Quality**

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

**Easy Install**

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

**Perfect Fit**

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

## SPECIFICATIONS

Accessories (included)

|                                                             |            |                                         |                                                       |          |
|-------------------------------------------------------------|------------|-----------------------------------------|-------------------------------------------------------|----------|
| Joiner kit                                                  | AJ-RS84LR  | Consumption                             | Sabbath mode                                          | •        |
|                                                             |            | Energy rating                           | Variable temperature zones                            | 2        |
|                                                             |            | Energy usage                            |                                                       |          |
|                                                             |            | In-use energy carbon emissions estimate |                                                       |          |
| Accessories (sold separately)                               |            |                                         | Power requirements                                    |          |
| Door panel stainless steel Left hinge 84"                   | RD2484L4D  |                                         | Rated current                                         | 10 A     |
| Door panel stainless steel Right hinge 84"                  | RD2484R4D  |                                         | Supply frequency                                      | 60 Hz    |
| Handle kit Classic                                          | AHCLRDSF   | Features                                | Supply voltage                                        | 115 V    |
| Handle kit Contemporary round, aluminium                    | AHSRDSF    | Adjustable door shelves                 |                                                       |          |
| Handle kit Contemporary square fine, aluminium              | AHD5RDSF   | Adjustable glass cantilevered shelves   |                                                       |          |
| Handle kit Contemporary square fine, black                  | AHD5RDSFB  | Door alarm                              |                                                       |          |
| Handle kit Professional round flush                         | AHP3RDSF   |                                         | Product dimensions                                    |          |
| Handle kit Professional round flush, Brass off-stands       | AHP3RDSFBA |                                         | Depth                                                 | 24 "     |
| Handle kit Professional round flush, Dark Copper off-stands | AHP3RDSFDC | Freezer Features                        | Height                                                | 84 "     |
| Joiner Kit                                                  | AJ-RS84LR  | Automatic ice maker                     | Width                                                 | 23 3/4 " |
| Stainless steel door panel                                  | RD2484L4D  | Bottle chill                            |                                                       |          |
| Toe kick stainless steel 24"                                | AKRS2404   | Door alarm                              | Warranty                                              |          |
| Toe kick stainless steel 42"                                | AKRS4204   | Fast freeze                             | Parts and labor                                       | 2 years  |
| Toe kick stainless steel 48"                                | AKRS4804   | Freezer bins                            | Sealed system parts only                              | 5 years  |
| Toe kick stainless steel 54"                                | AKRS5404   | Ice Boost                               |                                                       |          |
| Toe kick stainless steel 60"                                | AKRS6004   | LED bin lighting                        |                                                       |          |
| Toe kick stainless steel 66"                                | AKRS6604   | LED ceiling lighting                    |                                                       |          |
| Toe kick stainless steel 72"                                | AKRS7204   | LED side lighting                       | SKU                                                   | 26124    |
| Toe kick stainless steel 78"                                | AKRS7804   | SmartTouch interface at counter height  |                                                       |          |
| Toe kick stainless steel 84"                                | AKRS8404   |                                         |                                                       |          |
|                                                             |            | Performance                             |                                                       |          |
|                                                             |            | ActiveSmart™ Foodcare                   |                                                       |          |
|                                                             |            | Adaptive defrost                        |                                                       |          |
|                                                             |            | Dual evaporator                         |                                                       |          |
|                                                             |            | Frost free                              |                                                       |          |
|                                                             |            | Inverter controlled compressor          |                                                       |          |
| Capacity                                                    |            |                                         | Other product downloads available at fisherpaykel.com |          |
| Total gross capacity                                        | 11.9 cu ft |                                         |                                                       |          |
| Volume                                                      | 11.9 cu ft |                                         |                                                       |          |
| Volume freezer                                              | 11.9 cu ft |                                         |                                                       |          |

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DWG Integrated Column Freezer
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Panel Preparation
- [↓](#) 2D-DXF Integrated Column Freezer
- [↓](#) Energy Label
- [↓](#) Service & Warranty
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - EN
- [↓](#) Installation Guide
- [↓](#) Installation Guide Toe Kick
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - FR
- [↓](#) Guide d'installation FR
- [↓](#) Installation Guide FR
- [↓](#) Installation Guide
- [↓](#) Planning Guide Professional Style Dial/Handle Accessories
- [↓](#) Planning Guide EN
- [↓](#) Revit Freezer
- [↓](#) Rhino Freezer
- [↓](#) Rhino Freezer
- [↓](#) Rhino Freezer
- [↓](#) Rhino Freezer
- [↓](#) Rhino Freezer
- [↓](#) Sketchup Freezer
- [↓](#) Sketchup Freezer
- [↓](#) Sketchup Freezer
- [↓](#) Sketchup Freezer
- [↓](#) Sketchup Freezer
- [↓](#) User Guide EN
- [↓](#) User Guide Integrated Refrigerator Freezer EN
- [↓](#) Guide d'utilisation FR
- [↓](#) User Guide FR
- [↓](#) Guide d'utilisation FR
- [↓](#) User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)