



The Future Unfolds

Next-Gen Control

Total Solution Guide

Company Profile

#1
Global KVM
Market Leader

45+
Years of
Excellence

5
Product
Lines

200+
Global Award
Winner

36
Global Sales
Offices

30+
Global Showrooms

650+
Patents Awarded

155M
2024 Total
Revenue (USD)

1.7K
Employees
Worldwide

About ATEN

ATEN International Co., Ltd. (TWSE: 6277), established in 1979, is the leading provider of AV/IT connectivity and management solutions. Offering integrated KVM, professional AV, USB, rack, and intelligent power solutions, ATEN products connect, manage, and optimize AV/IT equipment in corporate, government, education, healthcare, manufacturing, broadcasting media, and transportation environments.

Established	1979
Publicly Traded	2003 (TWSE: 6277)
Headquarters	Taiwan
Worldwide Presence	Australia, Belgium, China, Indonesia, India, Japan, Mexico, Poland, Romania, South Africa, South Korea, the U.K., the U.S., and Türkiye
R&D Centers	Canada, China, Taiwan
Manufacturing Facilities	China, Taiwan, Thailand
Website	www.aten.com

Global Reach, Local Touch



Why ATEN?

1

No. 1 KVM Global Market Leader

- ATEN ranks 1st in the global KVM market share*
- Full range of Enterprise, SMB, and SOHO KVM switch solutions and services

AV/IT

Tailor-made AV/IT Products and Service

- Control, monitor, and maintain audio, visuals, and IT infrastructure
- 45+ years of dedication to AV / IT connectivity and management solutions



End-to-End Design, Reliable Manufacturing

- Extensive R&D capabilities with in-house ASIC / FPGA IC design capabilities
- Three manufacturing sites in Asia provide reliable quantities and quality



Global Service, Local Support

- 30+ showrooms for hands-on product demos
- 36 global sales offices / 12+ RMAs for real-time support

* Source : IHS Markit KVM Switches and Serial Consoles Report

ATEN Product Portfolio

KVM Solutions

Professional AV Solutions

USB Solutions

Power Distribution & Racks


AI Solutions



Application Focus



Control Rooms



Data Centers / Server Rooms



Meeting Rooms



Office Desks



More Applications

Contact Us



www.aten.com

ATEN INTERNATIONAL CO., LTD.
3F, No.125, Sec. 2, Datung Road,
Sijhih District, New Taipei City 221, Taiwan
Phone: +886-2-8692-6789
Email: marketing@aten.com

Broadcast Center


Live Broadcast with Boundless Vision



Relevant Materials to look more:

Top 4 Features

- **Ultra-Low Latency Transmission:** Ensure real-time precision for broadcast workflows with zero-latency KVM over IP performance. (KX9980)
- **Long-Distance 4K Signal Delivery:** Transmit True 4K video and control signals with ultra-low latency over 300 m to 10 km via fiber. (CE980/CE990)
- **Enhanced Game Commentary Setup:** Quad-view functionality enables dynamic monitoring and smooth commentary integration. (VP2420, UC3310)
- **Smart Sports Insights Hub:** Deliver live sports commentary with split-screen viewing and synchronized data display for interactive analysis. (KA8585, KG0032)



Top Pick for You



KX9980T / KX9980R

5K DisplayPort Dual Display KVM over IP Transmitter / Receiver



VP2420

4 x 2 True 4K HDMI Presentation Switch with Multi View



VK320 + VK102

8" Touch Panel + Tabletop Kit (EU, 2-Gang)



UC3310

CAMLIVE MX UVC Camera Seamless Matrix



CE980 upcoming

USB True 4K DisplayPort/HDMI Optical KVM Extender (True 4K @ 300 m)



CE990 upcoming

USB True 4K DisplayPort/HDMI Optical KVM Extender (True 4K @ 10 km)

datavideo
Powering the Next Era of Broadcast Integration.

ViewSonic

Smarter control room seating with agile KVM over IP flexibility and stunning 4K precision



Datavideo SE3200



Datavideo RMC-300A



DataVideo PTC-285
DataVideo PTC-305



ViewSonic VP2768A

Control Room


Seamless Control, All-in-One Visualization



Solution Guide or landing page for more reference:

Top 4 Features

- Networked AV IP Surveillance**
Stream ultra-clear video with H.265 compression across scalable surveillance zones via standard network infrastructure. (VE8662)
- Quad-View Centralized Control**
Manage up to four 4K sources per workstation with seamless switching and Boundless Operation for intuitive command. (KE8980MR)
- All-in-One 4K Visualization**
Achieve pixel-perfect visualization with modular 36-in/20-out scalability, 4K60 4:4:4 clarity, and flexible layout control. (VW3620)
- Immersive, Customizable Video Walls**
Build dynamic video wall environments with independent displays and tailored backgrounds for impactful presentations. (VW3620)



Top Pick for You



KE8980MR upcoming

4K HDMI and DisplayPort Quad-Display KVM over IP Receiver with Multi-Viewer and Virtual Machine Access



VE8662

True 4K HDMI H.265 over IP Transceiver with PoE



VW3620

36 x 20 Modular Video Wall Processor



VK330 + VK304

10.1" Touch Panel + Tabletop Kit (75 x 75 mm)



VE781030

30 m True 4K HDMI Active Optical Cable (True 4K@30 m)



Precision control and vivid visualization for next-generation control rooms.



X Series- Micro LED All-in-One Screen



Smarter control room seating with agile KVM over IP flexibility and stunning 4K precision



ViewSonic VP2768A

Evolving Impact & Engagement



➤ Top 4 Features

-
- The diagram illustrates a multi-view video wall system architecture. It features a large 5K display at the top, which is divided into sections showing a baseball player and a baseball. Below the display, a series of ATEN VE8962R and VE8962T switchers are connected via HDMI and Network (blue lines) to a central processing unit. The central unit is labeled 'Abgen NX Series' and 'Unparalleled visual experience'. The system is composed of several key components:
- Video Wall:** A large display at the top showing a baseball player and a baseball.
 - Switchers:** A series of ATEN VE8962R and VE8962T switchers connected via HDMI and Network lines.
 - Central Processing Unit:** A unit labeled 'Abgen NX Series' and 'Unparalleled visual experience'.
 - Legend:**
 - 1 VE8962T x5
 - 2 ES0154P
 - 3 4K Source x5
 - ViewSonic CDE92UW:** 21:9 Ultrawide 92" 5K Commercial-Grade Digital Display.
- The diagram shows a complex network of connections between the display, switchers, and the central processing unit, highlighting the system's capability to handle multiple video sources and display them on a large-scale video wall.

A black ATEN KVM switch device. It features a small LCD screen on the front panel displaying '001'. Below the screen are several buttons. To the right of the screen, there is a label that reads 'ATEN' and 'KVM SWITCH'. On the right side of the device, there are multiple ports, including a USB port and a KVM port. The device is mounted on a base with four screws.

A black, rectangular KVM switch with a textured surface. It features a label on top that reads "ATEN" and "KVM SWITCH". The device has several ports on the sides, including BNC connectors and a DVI port. It is designed for switching between multiple video sources and a single monitor.

**True 4K HDMI / USB
HDBaseT 3.0-Lite
Transceiver with PoH**




ViewSonic CDE92UW

Personal
Workstation /
Flex Work /
Post-Production
Essentials

Amplify Desktop Productivity with KVM + Multiport Dock

➤ Top 4 Features

- Supports up to 4K @ 120 Hz high refresh rates
- USB 3.2 Gen 1 compliant with data transfer rates up to 5 Gbps
- Extend to two 4K Display with Multi-Stream Transport (MST)
- 100W Power Delivery with PD 3.0



Top Pick for You



CS1942DPA upcoming

2-Port USB 3.0 8K
DisplayPort Dual Display
KVMP™ Switch



CS52DP

2-Port USB-C DisplayPort
Hybrid Cable KVM Switch



UH3240

11-in-1 USB-C Multiport Dock
with Power Pass-Through



US3311

2-Port 4K DisplayPort USB-C
KVM Switch with Power
Pass-through | Duo Flex
(8K, USB 3.2 / 4.0, Thunderbolt
4 Compatible)



2L-7D02DP

2 m DisplayPort
rev.1.4 Cable



2L-7D02H21

1.8 m Ultra High Speed
HDMI™ Cable



Unifying 5K clarity and agile desktop KVM switching for ultimate workstation performance.



ViewSonic VP2788

Sever
Room


Digitalized Server Room Management with Eco-Efficiency



Solution Guide for more reference:

Top 4 Features

- **Digital KVM over IP:** Secure, centralized access to servers via all-digital transmission. (KG0032)
- **32-Channel Remote Access:** Supports up to 32 simultaneous KVM-over-IP connections. (KG0032)
- **4K Extension over Cat 6:** Transmit 3840 x 2160 @ 30Hz up to 100m with near-zero latency. (KE Series)
- **Panel Array Mode™ Live+:** Monitor all video ports in real time with multiscreen layout. (KE Series)
- **ORV3-Ready Rack:** Supports 48V Bus Bar and Power Shelf for modern data centers. (ORV3 Rack)



Top Pick for You



KG0032

32-Port KVM over IP
OmniBus Gateway



KG8950T

USB 4K HDMI KVM
DigiProcessor



KG9950T

USB 4K DisplayPort KVM
DigiProcessor



SN1132CO

32-Port Serial Console Server
with Dual Power / SFP



ORV3-SD

OCP Racks



PG8308B

30A/32A 8-Outlet 1U
Outlet-Metered & Switched
eco PDU



PG98330G

30A/32A 30-Outlet 3-Phase
Outlet-Metered & Switched
eco PDU



PE4102 upcoming

2-Outlet Eco PDU
Power Controller

VIP
Conference
Suite


Drive Efficiency. Control Every Meeting



Solution Guide for more reference:

Top 4 Features

- **Smart Room Booking & Guidance:** Enable real-time scheduling, room status, and wayfinding for efficient space use. (VR610 + VK430 + VK401)
- **Seamless Meeting Content Sharing:** Switch and share via HDMI, VGA, USB-C, or wirelessly with BYOM support. (VP2021 + VP201)
- **Clear Audio Control:** Connect and manage mics, speakers, and amps with centralized volume and source control. (AS106 + AP212 + AP901)
- **4K AV-over-IP Distribution:** Stream True 4K HDMI to multiple remote displays instantly. (VE8662)
- **One-Touch Smart Automation:** Trigger presets or control devices using keypads or sensors. (VK211)



Top Pick for You



VE8662

True 4K HDMI H.265 over IP Transceiver with PoE



VK211

RS-232/Contact to USB Keyboard Converter



VP2420

4 x 2 True 4K HDMI Presentation Switch with Multi View



VP201 upcoming

USB-C Wireless Conference Dongle for PresentON® Series



VR610

Room Booking System - infoPlayer



AS106

6.5" Coaxial Ceiling Loudspeaker



AP212

2 x 120W Power Amplifier with DSP



AP901

2-CH Dante Expansion Card for AP Series



Elevating meetings with seamless control, stunning visuals, and intuitive collaboration



Integrated control and crystal-clear speaker tracking for next-generation collaboration.



TeamJoin™ TRS10-UB



CDE4600-L



VC-TR60A



VC-TR40



CamConnect Pro

Web Conferencing


One Solution for 4K Switching, Capture & Mixing.



Solution Guide for more reference:

Top 4 Features

- **4K Video Switching & Mixing:** Combine up to 4 USB 4K sources with synced audio into one stream.
- **Easy Pro AV Setup:** Plug-and-play with optional rackmount for clean installations.
- **Matrix Multi-View Display:** Show multiple 4K sources in split-screen for side-by-side comparison.
- **Integrated Control Support:** Control via RS-232/RS-485 or app for AV automation.



Top Pick for You



UC3430

CAMLIVE™ PRO 4K 4-Input HDMI to USB Video Switcher



UC3310

CAMLIVE MX UVC Camera Seamless Matrix



US3384i

8 x 4 USB 3.2 Gen 1 Sharing Switch



UCE33100

4-Port USB 3.2 Gen 1 Cat 6A Extender (up to 100 m)



UE3415F upcoming

10 m / 15 m USB-C 3.2 Gen 2 Full-Featured Active Optical Cable



UC232AF

USB to RS-232 Adapter (FTDI/1.2 m)

Lumens®

Elevate online meetings with seamless AI tracking and crystal-clear video streaming



VC-TR30

ViewSonic®

Clearer communication, smarter collaboration — all in 4K.



VX3276-4K-mhd

AI
voice

Localized AI Voice — Real-Time, On-Premise Ready



[For more information](#)

➤ Top 4 Features

- **Taiwanese TTS Language Support:** Supports Mandarin, Taiwanese Hokkien, and Modern Literal Taiwanese for localized Text-to-Speech (TTS) applications.
- **On-Premises Voice Generation for Data Security:** Enables voice generation on edge devices without internet access. When integrated with an API, it ensures real-time performance and robust data protection.
- **Real-time TTS AI Voice Generation:** Converts text to speech instantly, enabling AI to respond in real time with natural, human-like voice.
- **Effortless AI Voice Customization:** Creates a fully customized AI voice with just 30 minutes of recorded audio—ideal for building a distinct brand identity.

➤ 多元應用，超越你對 AI 語音的想像

AI Voice 不僅超越傳統的文字轉語音（TTS）服務，更以逼真的語音表現讓您感受到如同真人的情緒與語調。其卓越的聲優品質，為您的產品和內容增添真實感和情感，幫助企業在市場中脫穎而出。

ETtoday
新聞雲

康健
CommonHealth
Magazine 雜誌

TAIWAN BAR

康耐德股份有限公司
ConnectAI Cloud

RCM 超越智能科技
股份有限公司

Top Pick for You

On-premises voice generators, TTS service, AI voice Customization service, Taiwanese TTS with Input Support for Taiwanese Hokkien and Modern Literal Taiwanese



AI YOUR
PODCASTS

