



EQUIPMENT GUIDE 2020

MINI SPLITS • AIR CONDITIONERS • PTACS • DEHUMIDIFIERS





CONTENTS

MINI SPLITS

- Comfort Series Indoor/Outdoor Heat Pump Systems 3-4
- Premier Series Outdoor Hyper Pro Systems.5
- Premier Series Indoor Hyper Pro Systems6
- Premier Series Cassette Systems.7
- Premier Series Ducted Systems8
- Premier Series Ceiling & Floor Systems.9
- Premier Series Console Systems10
- Premier Series Outdoor Heat Pump Multi-Zone Units 11
- Premier Series Outdoor Hyper Pro Multi-Zone Units 12
- Premier Series Single-Zone Mini Split Compatibility Guide. . . . 13
- Multi-Zone Mini Split Compatibility Guide14
- Heat Pump Multi-Zone Match Rules15
- Hyper Pro Multi-Zone Match Rules16

AIR CONDITIONERS

- Portable Air Conditioners17
- Through the Wall Air Conditioners18-19
- Window Air Conditioners20
- Packaged Terminal Air Conditioners21
- Portable Dehumidifiers22

ACCESSORIES

- Controllers23
- Wall Sleeves23
- Grilles23



NEW! BARCODE SCANNING

Now you can quickly shop for any product in this catalog simply by scanning the product barcode with the eFamous app! Don't have eFamous? Visit famous-supply.com/orderonline/ to sign up. Download eFamous from the App Store or Google Play.

INDOOR/OUTDOOR HEAT PUMP **MINI SPLIT SYSTEM**



Indoor unit



Outdoor unit

FEATURES

- Comfort Series
- Compatible with Heat Pump Wall Mount only
- Two-way draining
- Green Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan
- heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Compatible with BZ33-WCON1



COMFORT SERIES

Indoor Unit	BZ33-HP09WALL1-C .3473331	BZ33-HP12WALL1-C .3473353	BZ33-HP18WALL2-C .3473404	BZ33-HP24WALL2-C .3473406
Width (In)	28-2/5	31-1/2	38	42-1/2
Depth (In)	7-2/5	7-2/5	8-1/2	8-9/10
Height (In)	11-2/5	11-7/10	12-1/2	13-1/5
Weight (Lb)	22.7	24.91	32.19	39.68



Outdoor Unit	BZ33-HP09OUT1-C .3473335	BZ33-HP12OUT1-C .3473359	BZ33-HP18OUT2-C .3473405	BZ33-HP24OUT2-C .3473407
Width (In)	30-3/10	31-1/2	31-1/2	33-1/5
Depth (In)	11-4/5	13-1/10	13-1/10	14-3/10
Height (In)	21-4/5	21-4/5	21-4/5	27-3/5
Weight (Lb)	71.87	76.28	85.76	112.22



COOLING

Capacity (BTU/H)	9,000	12,000	18,000	24,000
Range (BTU/H)	3,600-10,300	3,700-13,000	4,500-18,500	6,850-24,500
Input (W)	782	1,020	1,645	2,500
Current (A)	6.8	8.87	7.35	11
EER (BTU/W)	11.5	10.5	11	9.5
SEER (BTU/W)	19	19	19	17

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,500-10,900	3,600-13,500	4,600-19,000	7,200-25,000
Input (W)	925	1,026	1,700	2,200
Current (A)	8.1	8.93	7.4	9.6
COP (W/W)	3.11	3.43	3.1	3.2
HSPF4 (BTU/W)	10	9.5	10	9.5
HSPF5 (BTU/W)	7.8	7.8	8	8

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power	115V, 1 Phase	115V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

INDOOR/OUTDOOR HEAT PUMP **MINI SPLIT SYSTEM**



Indoor unit



Outdoor unit

FEATURES

- Comfort Series
- Compatible with Heat Pump Wall Mount only
- Two-way draining
- Green Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan
- heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Compatible with BZ33-WCON1



COMFORT SERIES

Indoor Unit	BZ33-HP30WALL2-2-C .3478327	BZ33-HP36WALL2-C .3473408	BZ33-HP36WALL2-2 .3478328
Width (In)	46-7/10	49-3/5	46-7/10
Depth (In)	10-1/10	11-1/10	10-1/10
Height (In)	13-2/5	14-1/4	13-2/5
Weight (Lb)	50.26	55.6	50.26



Outdoor Unit	BZ33-HP30OUT2-C .3478321	BZ33-HP36OUT2-C .3473409	BZ33-HP36OUT2-C .3473409
Width (In)	37-1/4	37-1/4	37-1/4
Depth (In)	16-1/10	16-1/10	16-1/10
Height (In)	31-9/10	31-9/10	31-9/10
Weight (Lb)	148.81	153.22	153.22



COOLING

Capacity (BTU/H)	30,000	36,000	36,000
Range (BTU/H)	8,800-31,760	10,100-36,500	10,400-36,520
Input (W)	2,605	4,235	4,185
Current (A)	11.5	18.5	18.5
EER (BTU/W)	11.5	8.5	8.6
SEER (BTU/W)	19.8	16	16

HEATING

Capacity (BTU/H)	30,000	36,000	36,000
Range (BTU/H)	8,900-31,970	10,400-37,500	10,400-37,560
Input (W)	3,410	3,835	4,135
Current (A)	15	16.7	18.3
COP (W/W)	2.58	2.75	2.55
HSPF4 (BTU/W)	9.4	10	8.5
HSPF5 (BTU/W)	8	8.4	7

SPECIFICATIONS

Lineset (In)	3/8 x 5/8	3/8 x 5/8	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

HYPER PRO OUTDOOR MINI SPLIT SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Hyper Pro Wall Mounts, Cassettes, Ducted, and Ceiling/Floor Systems
- Two-way draining
- Heating operation down to -22°F
- Green Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Low Ambient cooling down to -22°F
- Up to 100% capacity at 5°F

Outdoor Unit	BZ33-HYP09HPOUT2-P .3473411	BZ33-HYP12HPOUT2-P .3473412	BZ33-HYP18HPOUT2-P .3473413	BZ33-HYP24HPOUT2-P .3478319
Width (In)	31-1/2	31-1/2	33-1/4	37-1/4
Depth (In)	13-1/10	13-1/10	14-3/10	16-1/10
Height (In)	21-4/5	21-4/5	27-3/5	31-9/10
Weight (Lb)	93.7	93.7	115.1	148.81



COOLING

Capacity (BTU/H)	9,000	12,000	17,000	24,000
Range (BTU/H)	3,100-12,000	3,730-12,500	6,100-18,500	7,150-24,500
Input (W)	620	960	1,360	1,920
Current (A)	2.7	4.2	5.95	8.4
EER (BTU/W)	14.5	13	12.5	13
SEER (BTU/W)	25	22.5	20	20.5

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,000-12,500	3,660-13,500	6,300-19,500	7,500-29,740
Input (W)	835	975	1,685	2,500
Current (A)	3.6	4.2	7.4	17.8
COP (W/W)	3.83	3.55	3.13	10.9
HSPF4 (BTU/W)	11.2	12	10.3	11.5
HSPF5 (BTU/W)	9	9.9	8.8	9.6

SPECIFICATIONS

Lineset	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	—
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

HYPER PRO INDOOR MINI SPLIT SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor, Multi-Zone Heat Pump and Hyper Pro Multi-Zone
- Two-way draining
- Heating operation down to -22°F
- Low ambient cooling down to -22°F
- Green Fin anti-corrosive coating
- Auto restart function
- Crank case & base pan heater included
- Auto defrost
- 24-hour timer
- Wireless remote control included
- Compatible with BZ33-WCON1

Indoor Unit	BZ33-HYP09WALL2-P .3473419	BZ33-HYP12WALL2-P .3473420	BZ33-HYP18WALL2-P .3473423	BZ33-HYP24WALL2-P .3473426
Width (In)	32-9/10	32-9/10	39	46-7/10
Depth (In)	7-4/5	7-4/5	8-3/5	10-1/10
Height (In)	11	11	12-2/5	13-2/5
Weight (Lb)	25.35	26.68	34.83	50.3



COOLING

Capacity (BTU/H)	9,000	12,000	17,000	24,000
Range (BTU/H)	3,100-12,000	3,730-12,500	6,100-18,500	7,150-24,500
Input (W)	620	960	1,360	1,920
Current (A)	2.7	4.2	5.95	8.4
EER (BTU/W)	14.5	13	12.5	13
SEER (BTU/W)	25	22.5	20	20.5

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,000-12,500	3,660-13,500	6,300-19,500	7,500-29,740
Input (W)	835	975	1,685	2,500
Current (A)	3.6	4.2	7.4	2,500
COP (W/W)	3.83	3.55	3.13	10.9
HSPF4 (BTU/W)	11.2	12	10.3	11.5
HSPF5 (BTU/W)	9	9.9	8.8	9.6

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	—
Thermostat	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

CASSETTE SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- 360° air flow
- Electrical box within unit
- Optional fresh air intake
- 24-hour timer
- Auto restart function
- Green Fin anti-corrosive coating
- Built-in drain pump
- Independent vane control
- Wireless remote control included
- Front grill sold separately
- Compatible with BZ33-WCON1 and BZ33-WCON2

Indoor Unit	BZ33-CASS09-P .3473427	BZ33-CASS12-P .3473429	BZ33-CASS18-P .3473430	BZ33-CASS24-P .3473434
Body Width (In)	22-1/5	22-2/5	22-2/5	33
Body Depth (In)	22-1/5	22-2/5	22-2/5	33
Body Height (In)	10-1/4	10-1/4	10-1/4	8
Body Weight (Lb)	41.88	41.88	46.3	52.91



Grill†	BZ33-GRILL1 .3473437	BZ33-GRILL1 .3473437	BZ33-GRILL1 .3473437	BZ33-GRILL2 .3473438
Grill Width (In)	25-1/2	25-1/2	25-1/2	37-2/5
Grill Depth (In)	25-1/2	25-1/2	25-1/2	37-2/5
Grill Height (In)	2	2	2	2-1/10
Grill Weight (Lb)	9.92	9.92	9.92	17.64



COOLING

Capacity (BTU/H)	9,000	12,000	16,000	24,000
Range (BTU/H)	3,250-9,500	3,850-13,000	5,650-18,000	7,300-24,200
SEER (BTU/W)	19.5	19.0	19.0	19.0
EER (BTU/W)	13.0	12.5	12.5	11.0

HEATING

Capacity (BTU/H)	10,000	12,000	18,000	24,000
Range (BTU/H)	3,050-10,500	4,000-14,890	5,200-20,000	7,100-29,000
HSPF4 (BTU/W)	10.0	10.0	9.6	10.5
HSPF5 (BTU/W)	8.1	8.2	8.3	9.0

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2	3/8 x 5/8
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Controller	Wireless Remote	Wireless Remote	Wireless Remote	Wireless Remote
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

†Sold separately.

DUCTED SYSTEM



PREMIER SERIES

FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- Auto defrost
- 24-hour timer
- Auto restart function
- Optional fresh air intake
- Green Fin anti-corrosive coating
- Variable static pressure control
- BZ33-WCON1 Included
- Compatible with BZ33-WCON2

Indoor Unit	BZ33-DIDU9-P .3473440	BZ33-DIDU12-P .3473441	BZ33-DIDU18-P .3473443
Width (In)	27-3/5	27-1/2	34-7/10
Depth (In)	17-7/10	17-7/10	28-1/2
Height (In)	7-9/10	7-9/10	8-1/4
Weight (Lb)	48.2	48.3	66



COOLING

Capacity (BTU/H)	9,000	12,000	16,500
Range (BTU/H)	3,500-11,990	4,000-12,350	5,700-19,000
SEER (BTU/W)	23.0	20.5	19.6
EER (BTU/W)	13.5	12.5	12.5

HEATING

Capacity (BTU/H)	10,000	12,000	19,000
Range (BTU/H)	3,160-14,960	3,950-15,230	5,900-22,930
HSPF4 (BTU/W)	12.0	11.0	11.0
HSPF5 (BTU/W)	10.0	9.5	9.3

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 1/2	1/4 x 1/2
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Controller	Wired Remote	Wired Remote	Wired Remote
Warranty	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

CEILING & FLOOR SYSTEM



PREMIER SERIES

Indoor Unit	BZ33-IFMU18-P .3473448
Width (In)	42
Depth (In)	9-1/4
Height (In)	26-3/5
Weight (Lb)	65.48



FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- Optional fresh air intake
- 24-hour timer
- Auto restart function
- Green Fin anti-corrosive coating
- Two-way draining
- Wireless remote control included
- Compatible with BZ33-WCON1 and BZ33-WCON2

COOLING

Capacity (BTU/H)	17,000
Range (BTU/H)	5,270-18,000
SEER (BTU/W)	18.5
EER (BTU/W)	12.5

HEATING

Capacity (BTU/H)	18,000
Range (BTU/H)	5,040-18,900
HSPF4 (BTU/W)	10.0
HSPF5 (BTU/W)	8.7

SPECIFICATIONS

Lineset (In)	1/4 x 1/2
Power Supply	208/230V, 1 Phase
Controller	Wireless Remote
Warranty	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

CONSOLE SYSTEM



PREMIER SERIES

Indoor Unit	BZ33-ICM12-P .3473446
Width (In)	27-1/2
Depth (In)	8-1/4
Height (In)	23-3/5
Weight (Lb)	42.77



FEATURES

- Premier Series
- Compatible with Single-Zone Hyper Pro Outdoor Units
- Heat Pump and Hyper Pro Multi-Zone Compatible
- 24-hour timer
- Auto restart function
- Green Fin anti-corrosive coating
- Wireless remote control included
- Compatible with BZ33-WCON1

COOLING

Capacity (BTU/H)	12,000
Range (BTU/H)	3,600-12,600
SEER (BTU/W)	19.4
EER (BTU/W)	12.5

HEATING

Capacity (BTU/H)	12,000
Range (BTU/H)	3,800-13,500
HSPF4 (BTU/W)	10.5
HSPF5 (BTU/W)	9.2

SPECIFICATIONS

Lineset (In)	1/4 x 1/2
Power Supply	208/230V, 1 Phase
Controller	Wireless Remote
Warranty	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

OUTDOOR HEAT PUMP **MULTI-ZONE UNIT**



FEATURES

- Premier Series
- Multi-zone compatibility
- Space-saving installation
- Crank case & base pan heater included
- No branch box required
- Port adapters included
- Dual fan in BZ33HP364Z2 and BZ33HP485Z2 only



PREMIER SERIES

Outdoor Unit	BZ33-HP182Z2-P .3473414	BZ33-HP273Z2-P .3473415	BZ33-HP364Z2-P .3473416	BZ33-HP485Z2-P .3473417
Width (In)	33-1/4	37-1/4	37-1/4	37-1/2
Depth (In)	14-3/10	16-1/10	16-1/10	16-3/10
Height (In)	27-3/5	31-9/10	31-9/10	52-1/2
Weight (Lb)	114.64	160.94	167.55	255.07



COOLING

Capacity (BTU/H)	18,000	28,000	36,000	48,000
EER (BTU/W)	12.5	12.5	11.5	12.5
SEER (BTU/W)	22.5	23	22.5	22.4

HEATING

Capacity (BTU/H)	19,000	28,000	36,000	48,000
COP (W)	3.6	3.9	3.4	3.6
HSPF4 (BTU/W)	10.3	10.3	10.2	10.2
HSPF5 (BTU/W)	8.8	8.5	8.7	8.3

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 3/8	4 x 1/4 or 3 x 3/8 or 1 x 1/2	5 x 1/4 or 3 x 3/8 or 2 x 1/2
Zone Compatibility	2	3	4	5
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

HYPER PRO OUTDOOR MULTI-ZONE UNIT



PREMIER SERIES

FEATURES

- Premier Series
- Multi-zone compatibility
- Space-saving installation
- Crank case & base pan heater included
- No branch box required
- Port adapters included
- Heating and cooling operation down to -22°F
- Up to 100% rated capacity at 5°F
- Dual fan in BZ33-HYP36HP4Z2 and BZ33-HYP48HP5Z2 models only

Outdoor Unit	BZ33-HYP18HP2Z2-P .3481265	BZ33-HYP27HP3Z2-P .3481263	BZ33-HYP36HP4Z2-P .3481262	BZ33-HYP48HP5Z2-P .3494048
Width (In)	37-1/4	37-1/4	37-1/2	37-1/2
Depth (In)	14	16-1/10	16-3/10	16-3/10
Height (In)	31-9/10	31-9/10	52-1/2	52-1/2
Weight (Lb)	160.94	167.55	255.07	269.84



COOLING

Capacity (BTU/H)	19,000	28,000	36,000	48,000
EER (BTU/W)	12.5	13	13.5	11.6
SEER (BTU/W)	21.5	22	21.5	21.5

HEATING

Capacity (BTU/H)	20,000	28,000	36,000	49,000
Input (W)	1,724	2,345	2,777	4,000
Current (A)	7.5	10.2	12.1	17.8
COP (W)	3.4	3.5	3.8	3.59
HSPF4 (BTU/W)	9.8	10.4	10.5	10.3
HSPF5 (BTU/W)	8.5	9	8.5	8.6

SPECIFICATIONS

Lineset (In)	1/4 x 3/8	1/4 x 3/8	4 x 1/4 or 3 x 3/8 or 1 x 1/2	5 x 1/4 or 3 x 3/8 or 2 x 1/2
Zone Compatibility	2	3	4	5
Power Supply	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase	208/230V, 1 Phase
Refrigerant	R410A	R410A	R410A	R410A
Warranty	Yes*	Yes*	Yes*	Yes*

*5 year warranty on parts. 7 year warranty on compressor.

SINGLE-ZONE MINI SPLIT COMPATIBILITY GUIDE

OUTDOOR UNITS

	BZ33-HP09OUT1-C	BZ33-HP12OUT1-C	BZ33-HP18OUT2-C	BZ33-HP24OUT2-C	BZ33-HP30OUT2-C	BZ33-HP36OUT2-C	BZ33-HP09HPOUT2-P	BZ33-HP12HPOUT2-P	BZ33-HP18HPOUT2-P	BZ33-HP24OUT2-P
BZ33-CASS09-P							●			
BZ33-CASS12-P								●		
BZ33-CASS18-P									●	
BZ33-CASS24-P										●
BZ33-DIDU9-P							●			
BZ33-DIDU12-P								●		
BZ33-DIDU18-P									●	
BZ33-HP09WALL1-C	●									
BZ33-HP12WALL1-C		●								
BZ33-HP18WALL2-C			●							
BZ33-HP24WALL2-C				●						
BZ33-HP30WALL2-2					●					
BZ33-HP36WALL2-C						●				
BZ33-HP36WALL2-2						●				
BZ33-HYP09WALL2-P							●			
BZ33-HYP12WALL2-P								●		
BZ33-HYP18WALL2-P									●	
BZ33-HYP24WALL2-P										●
BZ33-ICM12-P								●		
BZ33-IFMU18-P									●	

INDOOR UNITS

MULTI-ZONE MINI SPLIT **COMPATIBILITY GUIDE**

OUTDOOR HYPER PRO MULTI-ZONE SYSTEMS

OUTDOOR HEAT PUMP MULTI-ZONE SYSTEMS

	BZ33-HP182Z2-P	BZ33-HP273Z2-P	BZ33-HP364Z2-P	BZ33-HP485Z2-P	BZ33-HP18HP2Z2-P	BZ33-HP27HP3Z2-P	BZ33-HP36HP4Z2-P	BZ33-HYP48HP5Z2-P
BZ33-CASS09-P	●	●	●	●	●	●	●	●
BZ33-CASS12-P	●	●	●	●	●	●	●	●
BZ33-CASS18-P		●	●	●		●	●	●
BZ33-CASS24-P			●	●			●	●
BZ33-DIDU09-P	●	●	●	●	●	●	●	●
BZ33-DIDU12-P	●	●	●	●	●	●	●	●
BZ33-DIDU18-P		●	●	●		●	●	●
BZ33-HYP09WALL2-P	●	●	●	●	●	●	●	●
BZ33-HYP12WALL2-P	●	●	●	●	●	●	●	●
BZ33-HYP18WALL2-P	●	●	●	●	●	●	●	●
BZ33-HYP24WALL2-P			●	●			●	●
BZ33-ICM12-P			●	●			●	●
BZ33-IFMU18-P		●	●	●		●	●	●

INDOOR UNITS

HEAT PUMP MULTI-ZONE **MATCH RULES**

OUTDOOR UNIT	INDOOR UNIT	2-ZONE	3-ZONE	4-ZONE	5-ZONE
BZ33-HP182Z2-P	Wall Mount: 9K / 12K	9 + 9	—	—	—
	Cassette/Duct/Console: 9K / 12K	9 + 12	—	—	—
		12 + 12	—	—	—
BZ33-HP273Z2-P	Wall Mount: 9K / 12K / 18K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K	9 + 9	9 + 9 + 9	—	—
		9 + 12	9 + 9 + 12	—	—
		9 + 18	9 + 9 + 18	—	—
		12 + 12	9 + 12 + 12	—	—
		12 + 18	12 + 12 + 12	—	—
		18 + 18	—	—	—
BZ33-HP364Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K	9 + 9	9 + 9 + 9	9 + 9 + 9 + 9	—
		9 + 12	9 + 9 + 12	9 + 9 + 9 + 12	—
		9 + 18	9 + 9 + 18	9 + 9 + 9 + 18	—
		9 + 24	9 + 12 + 12	9 + 9 + 12 + 12	—
		12 + 12	9 + 12 + 18	9 + 9 + 12 + 18	—
		12 + 18	9 + 18 + 18	9 + 12 + 12 + 12	—
		12 + 24	12 + 12 + 12	12 + 12 + 12 + 12	—
		18 + 18	12 + 12 + 18	—	—
		—	12 + 18 + 18	—	—
		—	12 + 12 + 24	—	—
BZ33-HP485Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K	9 + 18	9 + 9 + 9	9 + 9 + 9 + 9	9 + 9 + 9 + 9 + 9
		9 + 24	9 + 9 + 12	9 + 9 + 9 + 12	9 + 9 + 9 + 9 + 12
		12 + 12	9 + 9 + 18	9 + 9 + 9 + 18	9 + 9 + 9 + 9 + 18
		12 + 18	9 + 9 + 24	9 + 9 + 9 + 24	9 + 9 + 9 + 9 + 24
		12 + 24	9 + 12 + 12	9 + 9 + 12 + 12	9 + 9 + 9 + 12 + 12
		18 + 18	9 + 12 + 18	9 + 9 + 12 + 18	9 + 9 + 9 + 12 + 18
		18 + 24	9 + 12 + 24	9 + 9 + 12 + 24	9 + 9 + 9 + 18 + 18
		24 + 24	9 + 18 + 18	9 + 9 + 18 + 18	9 + 9 + 12 + 12 + 12
		—	9 + 18 + 24	9 + 9 + 18 + 24	9 + 9 + 12 + 12 + 18
		—	9 + 24 + 24	9 + 12 + 12 + 12	9 + 12 + 12 + 12 + 12
		—	12 + 12 + 12	9 + 12 + 12 + 18	9 + 12 + 12 + 12 + 18
		—	12 + 12 + 18	9 + 12 + 12 + 24	12 + 12 + 12 + 12 + 12
		—	12 + 12 + 24	9 + 12 + 18 + 18	—
		—	12 + 18 + 18	9 + 18 + 18 + 18	—
		—	12 + 18 + 24	12 + 12 + 12 + 12	—
		—	12 + 24 + 24	12 + 12 + 12 + 18	—
		—	18 + 18 + 18	12 + 12 + 12 + 24	—
		—	18 + 18 + 24	12 + 12 + 18 + 18	—

HYPER PRO MULTI-ZONE MATCH RULES

OUTDOOR UNIT	INDOOR UNIT	2-ZONE	3-ZONE	4-ZONE	5-ZONE
BZ33-HYP18HP2Z2-P	Wall Mount: 9K / 12K	9 + 9	—	—	—
	Cassette/Duct/Console: 9K / 12K	9 + 12	—	—	—
		12 + 12	—	—	—
BZ33-HYP27HP3Z2-P	Wall Mount: 9K / 12K / 18K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K	9 + 9	9 + 9 + 9	—	—
		9 + 12	9 + 9 + 12	—	—
		9 + 18	9 + 9 + 18	—	—
		12 + 12	9 + 12 + 12	—	—
		12 + 18	12 + 12 + 12	—	—
		18 + 18	—	—	—
BZ33-HYP36HP4Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K	9 + 9	9 + 9 + 9	9 + 9 + 9 + 9	—
		9 + 12	9 + 9 + 12	9 + 9 + 9 + 12	—
		9 + 18	9 + 9 + 18	9 + 9 + 9 + 18	—
		9 + 24	9 + 12 + 12	9 + 9 + 12 + 12	—
		12 + 12	9 + 12 + 18	9 + 9 + 12 + 18	—
		12 + 18	9 + 18 + 18	9 + 12 + 12 + 12	—
		12 + 24	12 + 12 + 12	12 + 12 + 12 + 12	—
		18 + 18	12 + 12 + 18	—	—
		—	12 + 18 + 18	—	—
		—	12 + 12 + 24	—	—
BZ33-HYP48HP5Z2-P	Wall Mount: 9K / 12K / 18K / 24K Cassette/Duct/Ceiling & Floor/Console: 9K / 12K / 18K / 24K	9 + 18	9 + 9 + 9	9 + 9 + 9 + 9	9 + 9 + 9 + 9 + 9
		9 + 24	9 + 9 + 12	9 + 9 + 9 + 12	9 + 9 + 9 + 9 + 12
		12 + 12	9 + 9 + 18	9 + 9 + 9 + 18	9 + 9 + 9 + 9 + 18
		12 + 18	9 + 9 + 24	9 + 9 + 9 + 24	9 + 9 + 9 + 9 + 24
		12 + 24	9 + 12 + 12	9 + 9 + 12 + 12	9 + 9 + 9 + 12 + 12
		18 + 18	9 + 12 + 18	9 + 9 + 12 + 18	9 + 9 + 9 + 12 + 18
		18 + 24	9 + 12 + 24	9 + 9 + 12 + 24	9 + 9 + 9 + 18 + 18
		24 + 24	9 + 18 + 18	9 + 9 + 18 + 18	9 + 9 + 12 + 12 + 12
		—	9 + 18 + 24	9 + 9 + 18 + 24	9 + 9 + 12 + 12 + 18
		—	9 + 24 + 24	9 + 12 + 12 + 12	9 + 12 + 12 + 12 + 12
		—	12 + 12 + 12	9 + 12 + 12 + 18	9 + 12 + 12 + 12 + 18
		—	12 + 12 + 18	9 + 12 + 12 + 24	12 + 12 + 12 + 12 + 12
		—	12 + 12 + 24	9 + 12 + 18 + 18	—
		—	12 + 18 + 18	9 + 18 + 18 + 18	—
		—	12 + 18 + 24	12 + 12 + 12 + 12	—
		—	12 + 24 + 24	12 + 12 + 12 + 18	—
		—	18 + 18 + 18	12 + 12 + 12 + 24	—
		—	18 + 18 + 24	12 + 12 + 18 + 18	—

PORTABLE AIR CONDITIONERS



Cooling unit



Cooling/Heating unit

**COOLING FROM 550 TO 700 SQ. FT.
12,000 TO 14,000 BTU/H**

FEATURES

- 3-in-1 or 4-in-1 comfort: cools, dehumidifies and vents; heating available on BZ3314PHP only
- Easy mobility
- Comfort sleep setting
- Programmable timer
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ3312PAC .3494058	BZ3314PHP .3494065
Width (In)	14	18-2/5
Depth (In)	13-1/2	15-3/5
Height (In)	27-7/10	30
Weight (Lb)	64	86.7



PERFORMANCE

Cooling (BTU/H)	12,000	14,000
Heating (BTU/H)	—	11,000
EER	8.9	9.9
Room (Sq Ft)	550	700

ELECTRICAL

Power Supply	115V~60Hz	115V~60Hz
Plug Type	5-15P	5-15P

FEATURES

Remote Control	●	●
Venting Kit	●	●
Fan Speeds	3	3
Cooling Settings	3	3
Comfort Sleep	●	●
Timer	●	●
Venting Kit	●	●
Warranty*	●	●
Certifications	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

THROUGH THE WALL AIR CONDITIONERS



**COOLING FROM 300 TO 700 SQ. FT.
8,300 TO 14,000 BTU/H**

FEATURES

- 3-in-1 comfort: cools, dehumidifies and vents
- Quick install
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ338TWAC1 .3468722	BZ3310TWAC1 .3468726	BZ3310TWAC2 .3468727	BZ3312TWAC1 .3468730	BZ3312TWAC2 .3468732	BZ3314TWAC2 .3468738
Width (In)	24-1/5	24-1/5	24-1/5	24-1/5	24-1/5	24-1/5
Depth (In)	20-3/10	20-3/10	20-3/10	20-3/10	20-3/10	20-3/10
Height (In)	14-1/2	14-1/2	14-1/2	14-1/2	14-1/2	14-1/2
Weight (Lb)	78	80	80.5	89.5	87.1	85.5



PERFORMANCE

Cooling (BTU/H)	8,300	10,000	10,000	12,000	12,000	14,000
Heating (BTU/H)	—	—	—	—	—	—
CEER	10.6	10.6	10.6	10.5	10.5	9.3
EER	10.6	10.6	10.6	10.5	10.5	9.3
Room (Sq Ft)	300-350	400-450	400-450	450-550	450-550	550-700

ELECTRICAL

Power Supply	115V~60Hz	115V~60Hz	230/208V~60Hz	115V~60Hz	230/208V~60Hz	230/208V~60Hz
Plug Type	5-15P	5-15P	6-15P	5-15P	6-15P	6-15P

FEATURES

Remote Control	●	●	●	●	●	●
Energy Saver	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●
Auto Restart	●	●	●	●	●	●
Sleep Mode	●	●	●	●	●	●
Filter Monitor	●	●	●	●	●	●
Timer	●	●	●	●	●	●
Fan Speeds	3	3	3	3	3	3
Slide-out Chassis	●	●	●	●	●	●
Washable Filter	●	●	●	●	●	●
Warranty*	●	●	●	●	●	●
Certifications	cULus	cULus	cULus	cULus	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

THROUGH THE WALL AIR CONDITIONERS



**COOLING FROM 300 TO 700 SQ. FT.
8,000 TO 14,000 BTU/H**

FEATURES

- 4-in-1 comfort: cools, heats, dehumidifies and vents
- Quick install
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ338TWHC1 .3468723	BZ3312TWHC2 .3468734	BZ3314TWHC2 .3468740
Width (In)	24-1/5	24-1/5	24-1/5
Depth (In)	20-3/10	20-3/10	20-3/10
Height (In)	14-1/2	14-1/2	14-1/2
Weight (Lb)	78	89.3	90.6



PERFORMANCE

Cooling (BTU/H)	8,000	12,000	14,000
Heating (BTU/H)	4,200	10,600	10,600
CEER	9.6	9.5	9.3
EER	9.6	9.5	9.3
Room (Sq Ft)	300-350	450-550	550-700

ELECTRICAL

Power Supply	115V~60Hz	230/208V~60Hz	230/208V~60Hz
Plug Type	5-15P	6-20P	6-20P

FEATURES

Remote Control	●	●	●
Energy Saver	●	●	●
ENERGY STAR®	—	—	—
Auto Restart	●	●	●
Sleep Mode	●	●	●
Filter Monitor	●	●	●
Timer	●	●	●
Fan Speeds	3	3	3
Slide-out Chassis	●	●	●
Washable Filter	●	●	●
Warranty*	●	●	●
Certifications	cULus	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

WINDOW AIR CONDITIONERS



**COOLING FROM 150 TO 1,500 SQ. FT.
6,000 TO 25,000 BTU/H**

FEATURES

- 3-in-1 comfort: cools, dehumidifies and vents
- Quick install
- Air conditioning condensate slinger
- Wireless remote controller included

Unit	BZ336WAC1 .3468752	BZ3310WAC1 .3468754	BZ3312WAC1 .3468755	BZ3315WAC1 .3468756	BZ3318WAC2 .3468757	BZ3325WAC2 .3468758
Width (In)	18-1/2	19	19	23-3/5	23-3/5	26-1/2
Depth (In)	15-3/4	21-1/2	21-1/2	25-2/5	25-2/5	26-1/2
Height (In)	13-2/5	14-7/10	14-3/5	18	18	18-3/5
Weight (Lb)	48.5	63.9	75	118	129	151.5



PERFORMANCE

Cooling (BTU/H)	6,000	10,000	12,000	15,100	18,000	25,000
Heating (BTU/H)	—	—	—	—	—	—
CEER	12.1	12	12	11.8	11.8	10.3
EER	12.2	12	12	11.9	11.8	10.3
Room (Sq Ft)	150-250	400-450	450-550	550-700	700-1,000	1,400-1,500

ELECTRICAL

Power Supply	115V~60Hz	115V~60Hz	115V~60Hz	115V~60Hz	230/208V~60Hz	230/208V~60Hz
Plug Type	5-15P	5-15P	5-15P	5-15P	6-15P	6-20P

FEATURES

Remote Control	●	●	●	●	●	●
Energy Saver	●	●	●	●	●	●
ENERGY STAR®	●	●	●	●	●	●
Auto Restart	●	●	●	●	●	●
Sleep Mode	●	●	●	●	●	●
Filter Monitor	●	●	●	●	●	●
Timer	●	●	●	●	●	●
Fan Speeds	3	3	3	3	3	3
Slide-out Chassis	●	●	●	●	●	●
Washable Filter	●	●	●	●	●	●
Warranty*	●	●	●	●	●	●
Certifications	cCSAus	cCSAus	cULus	cULus	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

PACKAGED TERMINAL AIR CONDITIONERS



**COOLING & HEATING FROM 250 TO 700 SQ. FT.
7,200 TO 14,700 BTU/H**

FEATURES

- 4-in-1 comfort: cools, heats, dehumidifies and vents
- Quiet operation
- Auxiliary mode selection
- Power cord
- Designed to fit in most existing PTAC sleeves

Unit	BZ33-PTACHP7 .3473457	BZ33-PTACHP9 .3473458	BZ33-PTACHP12 .3473459	BZ33-PTACHP15 .3473460
Width (In)	42	42	42	42
Depth (In)	21	21	21	21
Height (In)	16	16	16	16
Weight (Lb)	115.52	112.88	125.44	126.54



PERFORMANCE

Cooling (BTU/H)	7,200	9,000	12,000	14,700
Heating (BTU/H)	7,800	10,900	10,900	10,900
EER	13.1	11.4	10.5	10.6
Room (Sq Ft)	250-300	300-350	450-550	550-700

ELECTRICAL

Power Supply	208/230V~60Hz	208/230V~60Hz	208/230V~60Hz	208/230V~60Hz
Plug Type	6-15P	6-20P	6-20P	6-20P

FEATURES

Remote Control	—	—	—	—
Energy Saver	—	—	—	—
ENERGY STAR®	—	—	—	—
Auto Restart	●	●	●	●
Auto Defrost	●	●	●	●
Sleep Mode	—	—	—	—
Filter Monitor	—	—	—	—
Timer	—	—	—	—
Fan Speeds	3	3	3	3
Slide-out Chassis	●	●	●	●
Washable Filter	●	●	●	●
Warranty*	●	●	●	●
Certifications	AHRI, cULus	AHRI, cULus	AHRI, cULus	AHRI, cULus

*1 year warranty on parts. 5 year warranty on compressor.

PORTABLE DEHUMIDIFIERS



35 OR 50 PINT MOISTURE REMOVAL

FEATURES

- Refrigerant leakage detector
- Water level indicator
- Omni-directional caster
- Can drain with standard garden hose

Unit	BZ3335DEH1 .3480494	BZ3350DEH1 .3480492
Width (In)	15-2/5	15-2/5
Depth (In)	11	11
Height (In)	24-1/4	24-1/4
Weight (In)	42.33	43.87



PERFORMANCE

Dehumidification (Pt/Day)	35	50
EEV (L/kW hr)	1.8	1.8

ELECTRICAL

Power Supply	115V~60Hz	115V~60Hz
Plug Type	5-15P	5-15P

FEATURES

LED Display	●	●
Control Type	Electronic	Electronic
Auto Restart	●	●
Auto Defrost	●	●
Auto Shut-off	●	●
ENERGY STAR®	●	●
Drain Hose Connection	●	●
Drain Hose	—	—
Fan Speeds	2	2
Fan Type	Turbo	Turbo
Remote Control	—	—
Timer	●	●
Casters	●	●
Bucket Type	Removable	Removable
Bucket Fill Indicator	●	●
Warranty	●	●
Certifications	cULus	cULus

*1 year warranty on parts. 5 year warranty on compressor.

ACCESSORIES




CONTROLLERS

Unit	BZ33-WCON1 .3496301	BZ33-WCON2 .3496307
Description	Wired Controller	Wired Controller, Programmable
Compatibility	Indoor Wall Mount, Cassette, Ducted, Ceiling & Floor, Console	Cassette, Ducted, Ceiling & Floor



WALL SLEEVES

Unit	BZ33814UWS .3468729	BZ33-PTACWS .3473461
Description	Wall Sleeve, White	Wall Sleeve, White
Compatibility	Through the Wall	PTAC
Width (In)	25-6/10	42
Depth (In)	15-3/10	14-4/5
Height (In)	17-1/2	16



GRILLES

Unit	BZ33-PTACGRILL1 .3473462	BZ33-PTACGRILL2 .3473463
Description	Standard Grille, White	Extruded Architectural Grille, Grey
Compatibility	PTAC	PTAC
Width (In)	41-3/5	41-4/5
Depth (In)	2/5	1
Height (In)	15-3/5	15-1/4



Customer Support Center

Available 8am-6pm
800-362-9532

CUSTOMER SUPPORT TEAMS over 800 years of combined experience.

Building Products
330-475-8233

Industrial
330-968-2420

Geothermal
330-968-0860

HVAC
330-475-8230

Hydronics
330-968-2291

Multi-Family
330-968-0704

Plumbing
330-475-8231

Akron 
330-434-5194
166 N. Union St., Akron, OH 44304
After Hours Emergency: 330-697-1085

Ashtabula 
440-992-2116
4625 Foster Ave., Ashtabula, OH 44004
After Hours Emergency: 440-228-3603

Bedford Heights 
216-285-2900
26201 Richmond Rd., Bedford Heights, OH 44146
After Hours Emergency: 330-219-7749

Bethel Park
412-835-8043
3131 Industrial Blvd., Bethel Park, PA 15102
After Hours Emergency: 412-527-6846

Byesville 
740-421-4758
354 West Main (Rt. 209), Byesville, OH 43723
After Hours Emergency: 740-398-8653

Canton
330-456-4508
1215 McKinley Ave., SW. Canton, OH 44707
After Hours Emergency: 330-933-5598

Cleveland East 
216-881-5700
6420 Woodland Ave., Cleveland, OH 44104
After Hours Emergency: 216-570-8974

Cleveland West 
216-529-1010
11200 Madison Ave., Cleveland, OH 44102
After Hours Emergency: 216-570-8974

Columbus East 
614-294-3500
1356 Cleveland Ave., Columbus, OH 43211
After Hours Emergency: 614-582-7832

Columbus West RDC 
614-503-0875
4300 Roberts Rd., Columbus, OH 43228
After Hours Emergency: 614-582-7832

Fremont 
419-332-2636
641 South Front St., Fremont, OH 43420
After Hours Emergency: 419-455-5996

Lorain 
440-245-6874
125 East 20th St., Lorain, OH 44052
After Hours Emergency: 440-343-2010

Mansfield 
419-524-0411
83 Smith Ave., Mansfield, OH 44905
After Hours Emergency: 419-571-4828

Melwood 
412-622-8100
434 Melwood Ave., Pittsburgh, PA 15213
After Hours Emergency: 412-310-8228

New Kensington
724-335-8343
419 Hileman Dr., New Kensington, PA 15068
After Hours Emergency: 412-527-6831

Newark 
740-345-9617
25 South 11th St., Newark, OH 43055
After Hours Emergency: 740-219-9623

North Hills
412-366-3143
331 Rochester Rd., Pittsburgh, PA 15237
After Hours Emergency: 330-604-7372

Pittsburgh RDC 
724-404-4021
72 E. Hillis St., Youngwood, PA 15697
After Hours Emergency: 724-221-0149

Sandusky 
419-625-5354
1341 Olds St., Sandusky, OH 44870
After Hours Emergency: 419-656-0566

Sebring CDC
330-851-4007
350 Courtney Rd., Sebring, OH 44672
After Hours Emergency: 330-414-4720

Steubenville 
740-282-0951
934 W. Adams St., Steubenville, OH 43952
After Hours Emergency: 304-914-1689

Toledo 
419-478-0343
220 Matzinger Rd., Toledo, OH 43612
After Hours Emergency: 419-392-2669

Uniontown 
724-437-9806
85 Pittsburgh St., Uniontown, PA 15401
After Hours Emergency: 724-323-2811

Warren 
330-369-2563
2436 Niles Rd., SE. Warren, OH 44484
After Hours Emergency: 330-509-9437

Washington 
724-225-8330
1110 W. Chestnut St., Washington, PA 15301
After Hours Emergency: 330-604-7372

Wheeling 
304-232-3310
2300 Market St., Wheeling, WV 26003
After Hours Emergency: 304-830-1324

Youngstown 
234-706-3525
886 E. Midlothian Blvd., Youngstown, OH 44502
After Hours Emergency: 330-301-1040

Famous Supply Outlet Store

Open every Friday 8AM - 4:30PM

26200 Richmond Rd., Bedford Heights, OH 44146
Located across the street from our
Bedford Heights branch

STUDIO 
KITCHEN | BATH | HOME
by Famous Supply

Cleveland 
Kitchen & Bath: 216-223-3052
Window & Door: 216-356-4212
4701 Richmond Rd. Cleveland, OH 44128

Columbus 
Kitchen & Bath: 614-503-0875
4300 Roberts Rd. Columbus, OH 43228



Famous University Classroom



Showroom

famous-supply.com

Like and Follow Famous Supply!

