



A035-V1.0

YS Digital Video Recorder System

Quick Guide

CUSTOMER SUPPORT

Amazon: Love@Hiseeu.com

Aliexpress: Support@Hiseeu.com

Web: www.hiseeu.com

Tel: + 1 917 688 2228/1 855 66 009 99

Note: This manual may contain some incorrect information, even though it was published with our carefully proofreading. The new updates will be added to the next release without notice. Your valuable advice is really appreciated.

Thank You

Dear Valued Customer,

Greeting from Hiseeu Team! Thank you for choosing our products and hope everything going well with you and your family. Any difficulties during operating the system, please feel free to contact us, we will always try our best to assist you.

If you are satisfied with our product, could you please take a moment to share your experience on Amazon? Your positive feedback means a lot to us and can encourage us to go further.

And if unfortunately, our products didn't meet your expectation, please feel free to contact us for support, we will do whatever we can to address your concerns. **Before your return item to Amazon, for your security concerns, please restore the system (Referring Page 26). It will erase your personal information (video footage, snapshot, email account, etc.)**

On behalf of all colleagues in Hiseeu, we sincerely appreciate your trust and support. Your advice is important to us, we always endeavor to assist our customers with the best of our service!

Thanks again and wish you all the best.

Yours Sincerely,

All staff in Hiseeu

Website: www.hiseeu.com

E-mail: Hiseeu_email:Love@Hiseeu.com

Tel: 1 917 688 2228/1 855 66 009 99

Skype: [Johnny@Hiseeu.com](https://www.skype.com/en/contacts/hiseeu)

♥ We also prepared free extra camera to reward the customers purchasing from us, please feel free to contact us and redeem the free gift! ♥

Applicable Models

This manual is applicable to the models listed in the following table.
(Some might not be listed in the following table)

Model Number	Amazon ASIN	Item name
AK-8AHB915-N-CT	B0816DWCD5	8CH Bullet Camera System
AK-8AHB915A-CT-4	B0BJPV5MC3	8CH Bullet Camera System
AK-8AHBC29-CT	B0C2CZTLSB	16CH Bullet and Dome Camera System
AK-4AHB915-1T	B07D3SYFKH	Bullet Camera System
AK-4AHC215-AT-4	B0BHWMFSNC	Dome Camera System
Some might not be not listed		

The additional (compatible) camera and XVR listed in the following table.

Model Number	Amazon ASIN	Item name
AHD5	B0CB81BZ18	5MP Mini PT Camera
2AHD5	B0CB81KJ5R	5MP Mini PT Camera 2PCS
AHB915-4	B0B619WNS6	5MP Bullet Camera
AHB915A-4	B0BK6WJ934	5MP Bullet Camera
US-AHC215	B07PYN423J	5MP Dome Camera
YXVR-8/YXVR-16	B0C8TKQWPD/B0C8TFRR93	5MP 8/16 Channal XVR
BNC-DC-30M	B0837P74KQ	100FT BNC Cable
DC12V-1F-4M-24	B09SG7S24F	1-to-4 Power Splitter Cable
DC12V-2F-8M-4	B09SG9Y2C8	1-to-8 Power Splitter Cable
12V 2A-24	B07GP1DX4N	12V 2A Power Supply Adapter
Some might not be not listed		

Please Email us at Email : Love@Hiseeu.com for Free additional camera or BNC Cable.

Table of Contents

Safety Caution	01
Packing List	02
Product Overview	03
Hard Drive Installation	04
System Connections	05
Start Up Your Device	07
Network Setting	12
Common Alarm Configuration	13
Motion Detection	13
Smart Motion Detection	14
Privacy Mask	14
VCA Behavior Search	15
Record Setting	16
Regular Recording	17
Motion Detection Recording	17
Smart Motion Detection Recording	18
Playback	19
Common Playback	19
VCA Smart Motion Detection Playback	20
Backup Video to USB Device	21
Pan/Tilt Function	23
Reset XVR Password	24
Modify XVR Password	24
Retrieve XVR Password	25
Restore to Factory Settings	26
Setup on Mobile APP “Guard Viewer”	27
Enable Alarm Notifications	32
Share Device with Others	32
Pan/Tilt Function	35
Setup on PC Client “Guard Station”	36
Local View	36
Remote View	39
Pan/Tilt Function	41
FAQ	42

Safety Caution

- Please read this user manual carefully to ensure that you can use the device correctly and safely. This manual is suitable for many models.

- All examples and pictures used in the manual are from one of the models for reference purpose.

There may be several technically incorrect places or printing errors in this manual. The updates will be added into the new version of this manual. The contents of this manual are subject to change without notice.

- This device should be operated only from the type of the power source indicated on the marking label. The voltage of the power must be verified before using the same. Kindly remove the cables from the power source if the device is not to be used for a long period of time.

- Use the device under the required safety power range, or it will cause power supply short circuit and device stop working.

- Use the navigation menu or the power switch to shut down, do not directly unplug the power. A sudden power failure may cause device damage and data loss.

- Do not install this device near any heat sources such as radiators, heat registers, stoves or other devices that produce heat.


- Do not install this device near water. Clean only with a dry cloth.

- Do not block any ventilation openings and ensure proper ventilation around the machine.


- Do not power off the device at normal recording condition.

- This machine is for indoor use only. Do not expose the machine in rain or moist environment. In case any solid or liquid get inside the machine's case, please turn off the device immediately and get it checked by a qualified technician.
- Do not try to repair the device by yourself without technical aid or approval.
- When this product is in use, the relevant contents of Microsoft, Apple and Google will be involved in. The pictures and screenshot in this manual are only used to explain in the usage of our product. The ownerships of trademarks, logos and other intellectual properties related to Microsoft, Apple and Google shall belong to the above-mentioned companies.

PACKING LIST



DVR
(Hard Drive not included)



DC 12V/2A Power Adapter
(DC 12V/3A for 16 channel DVR)



USB Mouse



Quick Guide




Screws
(For Hard Drive)


※If there is any part missing or damaged, please contact Hiseeu support.

XVR Diagram

Type 1: 8 ports TVI XVR



Type 2: 16 ports TVI XVR







- 1 BNC Video Input : Connect to Camera (AHD/TVI/CVI/CVBS)
- 2 HDMI Output: Connect to Monitor with HDMI Port
- 3 Ethernet Port: Connect to Wi-Fi Router/PoE Switch through Ethernet cable
- 4 DC In: Connect to Power Adapter
- 5 USB Ports: USB Mouse/ USB Flash Drives for backing up the video
- 6 VGA Output: Connect to Monitor with VGA Port
- 7 Audio Input: No supported by the cam without audio function
- 8 Audio Output: No supported by the cam without audio function

HARD DRIVE INSTALLATION AND SYSTEM CONNECTIONS

Hard Drive Installation

❶ IMPORTANT:


- ❶ To record videos and play the historical videos, the installation of the Hard Disk Drive is a must. Otherwise,you can only watch the live video.
- ❷ This DVR doesn't include hard disk drive.
- ❸ This DVR system works with a 2.5" and 3.5" SATA Hard Drive.The Hard Drive should be formatted after it's installed.

<p>Step 1:</p> <p>Unscrew the screws and remove the upper cover of the DVR.</p>	
<p>Step 2:</p> <p>Connect the SATA power cable and data cable of the DVR to the corresponding ports of the Hard Disk Drive.</p>	
<p>Step 3:</p> <p>Hold the Hard Drive and the DVR together,carefully turn them over, then align the screw holes on the Hard Drive with the screw holes on the DVR housing.</p>	
<p>Step 4:</p> <p>Fix the Hard Disk Drive and DVR housing with the provided screws, then assemble the upper cover of the DVR.</p>	


System Connections

Do not fix the TVI camera before you can view the image on the monitor and confirm the ideal position to install it.


- 1. Plug a power adapter into the XVR and the socket to power on the XVR.



- 2. Connect a monitor to the HD Output or VGA Output on the XVR with an HDMI cable or VGA cable (not included).




- 3. Connect the Ethernet Cable with the XVR and your router.




4. Connect the TVI camera with the BNC Cable.



5. Connect the Blue Video Connector to the BNC Video Input on the XVR, and connect the Red Power Connector to the Male Connector of the Power Cable Splitter.




6. Connect the Female Connector of the Power Cable Splitter with another power adapter. Then plug the power adapter into the socket to power on the camera.



Start Up Your Device



To start your device:
Check the power supply is plugged into an electrical outlet. It is HIGHLY recommended that an Uninterruptable Power Supply (UPS) be used in conjunction with the device.

1. Select a Language



2. Login in

User name is **admin**, password is **123456** by default.



Once login with default password, you are requiring to set a strong password for your security concerns.

3. Set a New Password

Old Password: 123456

New Password: Create a new password (Recommend Included Numbers, Letters and Special Characters)

Confirm: Input the new password again

Email: It is recommended to enter your email address used to reset password. If you forget the password in the future, you can use your email to reset it.

Change Password

Username

admin

Old Password

Password

Strong

Confirm

☒ Email

love@hiseeu.com

The passwords you entered do not match

Apply

4. Set Pattern

Set a pattern to unlock the XVR, make it's easy to access XVR locally, no need to type in password every time.

Please draw unlock pattern and confirm it.

Set Pattern

Please draw unlock pattern


☐ Don't show again

Skip


5. System Wizard

After the device starts up, the wizard will guide you through the initial settings, including date and time settings, network settings, HDD initializing, and IP camera detecting.

If you prefer to setup manually, please click on “Exit”



Date and Time



- Please enable “DHCP”, the XVR will obtain IP address automatically after you connect XVR to Router by network cable.
- Internet connection is necessary, if you want to remote access XVR from mobile APP or PC Client.

Wizard

1 Wizard 2 Time 3 TCP/IP

Select NIC NIC1

☒ Enable DHCP


IP Address 192 . 168 . 1 . 7

Subnet Mask 255 . 255 . 255 . 0


IP Default Gateway 192 . 168 . 1 . 1

Previous OK Exit

6. Live View



Right-click the mouse to bring out the menu, and click on "Menu" can navigate to the system control panel.



7. Icon Explain



1. PTZ control	2. Manual Recording	3. Instant Playback
4. Digital Zoom	5. Image Config	6. Snapshot
7. OSD(On Screen Display)	8. Audio On/Off	9. Camera Details



1. Menu	2. Multi-Window	3. Previous Screen
4. Next Screen	5. Start Sequence	6. Playback



1. Camera Info	2. Alarm Status	3. Network Status
4. Date & Time	5. Lock/Hide Tool Bar	



: Motion Detected




: Recording

Network Setting

- The XVR system can work without internet. Basic function like local live view, playback, backup, etc.
- Internet connection is only necessary if you want to remote access XVR from mobile APP or PC Client.
- Please **hard-wired** XVR to router by network cable (Not wirelessly)

1. Please navigate to **Network> Basic> TCP/IP**. Enable “DHCP”



2. Enable “P2P” for remote view





If the Device Status is “**Network connected...**” means device is online and ready for remote view, please refer to page “**27**” to setup on the mobile APP “Guard Viewer” If the Device Status is “Offline” please check the network connection first, if the problem remains, please feel free to contact us at Email (Hiseeu: Love@Hiseeu.com)

Common Alarm Configuration

Motion Detection

Motion detection detects the object motion in a specified rectangular area during a period. You need to set a detection area, sensitivity of detection for the camera to decide whether to report a motion detection alarm when it detects motion.




1. Please navigate to **Alarm> Motion> Enable** 
2. You can left-click and drag the mouse in camera preview image to customize the detection area.




- Motion Detection(Alarm) and Smart Motion Detection(VCA) Can't Configure at The Same Time.
- If you can't configure motion detection(Alarm), please ensure the smart motion detection was disabled.

Smart Motion Detection

Smart Motion Detection detects motor vehicles, non-motor vehicles and pedestrians in configured area.



1. Please navigate to “Alarm” > "Smart Motion Detection”
2. Enable 
3. Click on “ ” to draw the alarm area (Max 4 point, double click to finish), to delete the area, click on “ ”.




You can enable or disable “Motor Vehicle” or “Pedestrian” as needed. The sensitivity is adjustable.

Privacy Mask

On certain occasions, you may need to set a mask area on the camera image to protect privacy, for example, the keyboard of an ATM machine. When camera's position is changed, the Privacy Mask won't be adjusted accordingly, please reset the privacy mask area.

1. Please navigate to Camera> Privacy Mask
2. Click on “ ” to draw the privacy area. To delete the area, click on “ ”




VCA Behavior Search

“Behavior Search” searches VCA data including Smart Motion Detection (Motor Vehicle, Pedestrian)

You need to Set and Save VCA before using “Behavior Search”


1. Click on VCA> Behavior Search



2.Select camera(s), set a search period, select a search type and target type, then click “Search”

3.View search results in a chart or table.

Back up search results (including images and recordings) as needed. To view videos recorded when the behavior was detected (around 10 seconds before and after), click the play button. The following figure shows an example.




Recording Setting

Before setup recording plan, please make sure the hard drive is function properly.

Please navigate to **Storage> Hard Disk**



Status should be **Normal**

Properly: **Read/Write**



Regular Recording


System was setup to 24/7 continues recording by default. If you enabled motion detection recording properly, it will highlight the recording type when you playback video on XVR.



Motion Detection Recording

Motion Detection recording will only record when moving object detected. You can setup record plan for each camera individually.

1. Select the camera
2. Left-click mouse highlight “Motion”
3. Left-click and hold the mouse to draw the detection time period




Smart Motion Detection Recording

Event recording will only record when VCA and Smart Motion Detection triggered.

You can setup record plan for each camera individually.

1. Select the camera
2. Left-click mouse highlight “Event”
3. Left-click and hold the mouse to draw the detection time period




Playback


Common Playback

1. Instant Playback


On each camera live view window, click on “” to play back the video in recent 5 minutes.



2. Right-click mouse from XVR home screen and click on “Playback”.



- 1). Select the date from the calendar
- 2). Select the camera (Max support 4CH Playback simultaneous)




● : Normal Recording



● : Motion Detection Recording

VCA Smart Motion Detection Playback

Click on “Video Retrieval”, in this interface, you can playback video more effectively.



It allows you to search certain event type results in short video list for preview




1. External File	2. Start Clipping	3. File Mangement
4. Snapshot	5. Rewind 30s	6. Forward 30s
7. Reverse	8. Stop	9. Play/Pause
10. Speed Down	11. Speed Up	12. Forward by Frame
13. HD:High Definition	14. Full Screen	15. Exit


Backup Video to USB Device


Before You Start

- Please make sure the XVR’s Hard Disk is working properly.
- Corresponding recording plane was set up
- Please Use “VLC” player to play backup files

- 1. Insert a USB disk into the XVR USB port. Navigate to **Backup>Recording**
- 2. Select the Camera, time period, and recording type as needed. Click on “Search”




- 3. Click on “” to preview the footage, select the file and click on “Backup” to back up video



Pan/Tilt Function

(CAUTIONS: Only AHD、TVI Camera support Pan/Tilt function)

Right click your mouse to “Camera>PTZ” , see the one circled in the photo below, and control it by clicking the icon



Please note that Hiseeu PT Mini Camera support one way radio on the TVI model !!

So we should change the Camera Model to the “TVI” .


Here is the video about how to change the camera “VIDEO SETTING” to the “TVI” ,You can refer it.




Reset XVR Password


Modify XVR Password

If you have your current password, and only want to change the password, please follow the instruction to modify it.


1. Please navigate to **System> User>** Click on “” icon



2. Input your current password to confirm





3. Click on “” to change password



Retrieve XVR Password

If you forget your current password, please follow the instruction to reset it.

1. In the system login interface, please click on “Forget Pattern”> “Forget Password”




2. If you set the reserved email before, please use this email address to register an APP (Guard Viewer) account and navigate to **Me> Ganeral> Forget Device Password**, scan the QR code to obtain the security code.

Retrieve Password

Serial No.

Email

Security Code



210235XEHN3229000005

****@hiseeu.com

Please scan the QR code to obtain the security code:

Guard Live: Me > Tool > Forget Device Password

Guard Viewer : Me > General > Forget Device Passwo..


For admin only

If you didn't set up email before, or have any difficulties resetting the password, please email us at Email: Love@Hiseeu.com

Restore to Factory Settings

If the XVR system isn't work properly, you can restore it to factory default settings.

Please navigate to **Maintenance> Restore> Factory Default**



- Before your return item to Amazon, for your security concerns, please restore the system to “Factory Default” settings. It will erase your personal information (video footage, snapshot, email account, etc.)
- You also can navigate to **Storage> Hard Disk> Select the HDD and click on “Format”**