QUICK REFERENCE GUIDE > OR30SDG6X1

Dual Fuel Range 30", Selfcleaning

Series 9 | Contemporary




Get the best of both worlds with dual fuel. A gas cooktop is paired with a nine function convection oven.

- Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu. ft total capacity and nine oven functions including Aero™ Pastry with Pizza mode, Roast, and Rapid Proof.
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS





SPECIFICATIONS

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Full extension telescopic	2 sets (part 578776)
Small pot support	1 (part 533981 cast)

Accessories (sold separately)

Hob rear trim	3 1/8" (part 81656)	
Kick strip, stainless steel	KICKOR30X1	

Burner ratings

Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural	1500 - 8000BTU
Total cooktop power	52000 BTU

Cleaning

Acid resistant graphite enamel	•
Drop down broil element	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

Controls

Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•
Celsius/Fahrenheit	•
Electronic clock	•
High resolution display	•
Laser etched graphics	•
Precise electronic temperature	•
Sabbath mode	•
Turned stainless steel clock	

QUICK REFERENCE GUIDE > OR30SDG6X1

Turned stainless steel dials	•	Warming drawer power	220W
Gas Requirements		Power requirements	
Supply Pressure (LPG)	11" W.C.P	Amperage	30A
Supply Pressure (natural gas)	4" W.C.P	Supply frequency	60Hz
Oven features		Product dimensions	
AeroTech™ technology	•	Depth	25 1/4"
Auto re-ignition system	•	Height	35 3/4 - 37 5/8"
Automatic rapid pre-heat	•	Width	29 7/8"
Concealed element	•		
Electronic oven control	•	Rangetop features	
Full extension telescopic	•	Brass burner spreader (power	•
Internal light	2 x 25W halogen (rear)	Embossed brass burner cap	•
Soft open/close door	•	Hob rear trim	3 1/8" (part 81656)
True convection	•	LPG/Natural gas compatible	•
Turned stainless steel clock	•	Sealed range top	•
Oven functions		Rangetop Performance	
Aero Bake	•	Number of cooking zones	4
Aero™ Pastry with Pizza mode	•		
Number of functions	9	Safety	
Rapid proof	•	ADA compliant	•
Roast	•	Advanced cooling system	•
True convection	•	Anti-tilt bracket	•
		Balanced oven door	•
Oven performance		Catalytic venting system	•
Broil	4050 BTU	CoolTouch door	•
Combined warming/Storage	220W	Full extension telescopic	•
CoolTouch door	Triple glazed	Non-tip shelves	•

Spill containment	1/2 gallon
	01710
SKU	81716

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > OR30SDG6X1



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com