

SEGO ARCH

SEGO MODULAR LIGHTBOX DISPLAY

PRODUCT CODE: SEGO-ARCH



Includes (qty 3) SEGO Travel Bags
(qty 1) Bag Per Frame

PRODUCT DESCRIPTION

The SEGO Arch introduces a bold, dynamic archway configuration utilizing the SEGO Modular Lightbox Display system. Designed with a shorter front supporting frame and the innovative SEGO arch bracket, this structure creates a striking visual gap between the supporting and archway frames for added depth and dimension.

Versatile and adaptable, the SEGO Arch can stand alone as an eye-catching entrance or seamlessly integrate into any standard or custom SEGO display setup. It features custom dye-sublimated fabric graphics with Silicone Edge Graphic (SEG) finishing, ensuring effortless graphic installation and quick change-outs. Brilliant LED edge lighting illuminates the graphics for a high-impact presentation. Each frame includes its own travel bag for convenient transport and storage.

Elevate your exhibit with the SEGO Arch – a stunning blend of modular innovation and illuminated branding.

**Please check your tradeshow guidelines to make sure this configuration conforms to the show regulations.*

DISPLAY DIMENSIONS	39.45"W x 88.6"H x 93.4"D
--------------------	---------------------------

GRAPHIC MATERIAL

Dye Sub Backlit Fabric

GRAPHIC FINISHING

Silicone beading sewn onto edge of graphic

DISPLAY CONSTRUCTION

Aluminum extrusion frame with plastic components

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weights	34 lbs - SEGO-100x225 (Box 1) 34 lbs - SEGO-100x225 (Box 2) 32 lbs - SEGO-100x200 (Box 3) 8 lbs - Connectors (Box 4)
	Hardware Only 30 lbs - SEGO-100x225 (Box 1) 30 lbs - SEGO-100x225 (Box 2) 28 lbs - SEGO-100x200 (Box 3) 8 lbs - Connectors (Box 4)
	Graphic Only 2 lbs - 1 Replacement Graphic Panel
Shipping Dimensions	54.5"W x 15.5"H x 6.75"D (Box 1) 54.5"W x 15.5"H x 6.75"D (Box 3) 54.5"W x 15.5"H x 6.75"D (Box 4) 56.75"W x 1.5"H x 6.75"D (Box 4)
	Polybag - Graphic Only

LED LIGHT SPECIFICATION

BRAND	Osram
POWER	3W
CCT (COLOR TEMP)	6800k
AVERAGE BEAM ANGEL	20 °
LM/W	130
AVG LM/M ²	4800-5800
VOLTAGE INPUT	24V

TRANSFORMER SPECIFICATION

POWER RATE 2 TRANSFORMERS	95W, 252W
CERTIFICATES	UL, CE, GEM
VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V

LUMENS (EACH FRAME)


VOLTAGE (V)	24
POWER (W)	270
LM/W	130
TOTAL LM	35100
AVG LM	5850
CU	.8
EAV	4680

SEGO ARCH


SEGO MODULAR LIGHTBOX DISPLAY
PRODUCT CODE: SEGO-ARCH



DISPLAY DIMENSIONS




PARTS LIST




(qty 2)
SEGO-100X225X12



(qty 1)
SEGO-100X200X12




(qty 2)
SEGO-BC




(qty 1)
SEGO-AB-225

SEGO 100X200 & 100X225 SINGLE FRAME ASSEMBLY

SET UP EACH FRAME INDIVIDUALLY BEFORE CONNECTING




*SEGO 100X225 FRAME FOR
TOP ARCH DOES NOT REQUIRE FEET




FRAME CONNECTION

We recommend at least 2 people for setup
and will require 2 ladders or 2 step stools


1.



2.



3.



4.



5.

