



# PANEL PLUS

**Distributed by:**  
Reduction Revolution Pty Ltd  
[www.reductionrevolution.com.au/LED](http://www.reductionrevolution.com.au/LED)



MODEL	W	CCT	L x W x H (mm)	IP	Ta (°C)	V <sub>AC</sub>	Hz	PF	Surge Protection	
LDVAL PAN0606 33/27W TRI UGR19 AU	33/27	3000K/ 4000K/ 5700K	595x595x32	IP54/IP20	-10...+40°C	220-240	50/60	>0.9	1KV	1834g
LDVAL PAN0312 33/27W TRI UGR19 AU	33/27		1195x295x32							1844g
LDVAL PAN0612 49/45W TRI UGR19 AU	49/45		1195x595x34							3634g
LDVAL PAN0306 20/15W TRI UGR19	20/15		295x595x32							1000g









**SMD  
LED**



**50000h**



**LEDVANCE**

PANEL PLUS






Suspension kit not included, please purchase separately.

## WARNINGS:

- If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.
- This product must be installed by a licensed electrician strictly in accordance with the current revision of AS/NZS 3000 - Electrical Installations (Australian/New Zealand Wiring Rules).
- Avoid touching the LEDs.
- Please do not attempt to disassemble or change the construction of the luminaire or replace any of the parts to avoid the possibility of injury or product failure.
- Please keep this manual for future reference.
- This product is designed for indoor use only.
- This luminaire is designed for ceiling recessed installation only (other mounting options available with panel accessories).
- The light source contained in this luminaire shall only be replaced by the manufacturer or service agent or a similar qualified person.
- Please note that the fixture is equipped with standard surge protection only. To protect the fixture from sags, surges, and lightning strikes, additional surge protectors must be deployed on the primary side.
- The product is not suitable for covering with thermal insulating materials.



## WARRANTY AGAINST DEFECTS:

Your LED VALUE PANEL fitting from LEDVANCE comes with a product warranty of 5 years for quality assurance, the terms and conditions of which are set out in this document. The Warranty applies exclusively to LED Light Fittings from LEDVANCE purchased within Australia and New Zealand for normal domestic or commercial use. The Warranty is offered to you by:

LEDVANCE Pty Ltd  
Unit 3, 83 Derby St  
Silverwater, NSW, 2128  
Phone contact: 1300 467 726  
Email address: technical.au@ledvance.com

**IMPORTANT: Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.**

LEDVANCE Pty Ltd  
ABN 34 050 103 181  
Unit 3, 83 Derby Street  
Silverwater, NSW, 2128, Australia  
Ph +61 29481 8399  
[www.ledvance.com.au](http://www.ledvance.com.au)

**Distributed by:**

Reduction Revolution Pty Ltd

[www.reductionrevolution.com.au/LED](http://www.reductionrevolution.com.au/LED)



C10449057  
G11192589  
2024-03-26