



BOSS[®] **marine**

MARINE AUDIO PRODUCTS



BOSS®

marine



CONTENTS

BOSS MARINE AUDIO, VIDEO AND MOTORCYCLE/UTV

1	MARINE RECEIVERS
7	MARINE RECEIVER PACKAGES
10	MARINE AMPLIFIERS
11	MARINE LOUDSPEAKERS AND SUBWOOFERS
14	WAKETOWER SPEAKER SYSTEMS
16	MARINE ACCESSORIES
16	RETAIL PRODUCT DISPLAYS
17	MOTORCYCLE/UTV SPEAKERS AND AMPLIFIERS

Whether hitting the waves or tied up dockside, the marine enthusiast expects to be the "Captain" of his own entertainment and pump up the tunes.

BOSS Marine lets you enjoy the same quality of sound on your vessel as you do in your home or vehicle. Built for UV, saltwater, and resistant to corrosion, BOSS Marine has a variety of systems perfect for your on-deck entertainment.

Marine Receivers •

Marine Amplifiers •

Marine Loudspeakers •



- Boss marine head units have coated circuit boards to seal out moisture.
- State-of-the-art waterproofing and special UV-protection coatings of plastic surfaces provide resistance to corrosion from both salt water and chlorine.
- CD compartments and Switches are sealed to keep water out.
- BOSS Marine offers complete system "combo kits".



MR2080W

MARINE MP3/CD RECEIVER WITH WIRED REMOTE CONTROL

1-1/2-DIN mounting
Illuminated control buttons
PLL synthesized tuner
Switchable USA/Europe radio frequencies
RDS (Radio Data System)
30 Station presets
Quartz digital clock
MP3/CD-R/CDRW compatible
ID3-Tag compatible
CD mute function / Track repeat /

Intro scan
1 Bit D/A converter / 8X oversampling
ESP (anti-skip mechanism)
Front panel auxiliary input
Compatible with audio output of iPod® and other MP3 players
Preset EQ response curves
Separate bass and treble
Balance and fader controls
Dual (front and rear) RCA outputs

Loudness
Stereo mono & local/distance switches
Subwoofer output
PCB with conformal coating
Front panel UV coating
Wired remote control

Output power: 80W x 4 channels

FULL DETACHABLE SLIDE-DOWN FRONT PANEL



MR1640W
MARINE MP3/CD RECEIVER WITH WEATHER
BAND RECEPTION WITH WIRED REMOTE CONTROL



FULL DETACHABLE SLIDE-DOWN FRONT PANEL



WHITE

MR1620W
MARINE MP3/CD RECEIVER
WITH WIRED REMOTE CONTROL.
WHITE COLOR



SILVER

MR1620S
MARINE MP3/CD RECEIVER
WITH WIRED REMOTE CONTROL.
SILVER COLOR

FULL DETACHABLE SLIDE-DOWN FRONT PANEL



WHITE

MR1600W
MARINE CD RECEIVER WITH WIRED
REMOTE CONTROL. WHITE COLOR



SILVER

MR1600S
MARINE CD RECEIVER WITH WIRED
REMOTE CONTROL. SILVER COLOR

MR1640W, MR1620W, MR1620S, MR1600W AND MR1600S FEATURES:

- ISO-DIN mounting
- Full detachable front panel
- Illuminated control buttons
- PLL synthesized tuner
- Switchable USA/Europe radio frequencies
- RDS (Radio Data System)
- 30 Station presets
- Quartz digital clock
- MP3/CD-R/CDRW compatible (except MR1600W and MR1600S)
- ID3-Tag compatible (except MR1600W and MR1600S)
- CD mute function / Track repeat / Intro scan
- 1 Bit D/A converter / 8X oversampling
- ESP (anti-skip mechanism)
- Front panel auxiliary input
- Compatible with audio output of iPod® and other MP3 players
- Preset EQ response curves
- Separate bass and treble
- Balance and fader controls
- Dual (front and rear) RCA outputs
- Subwoofer output
- Loudness
- Stereo mono & local/distance switches
- PCB with conformal coating
- Front panel UV coating
- Wired remote control
- Output power: 60W x 4 channels**

iPod is a registered trademark of Apple, Inc.,
in the U.S. and other countries.

MARINE DVD/CD RECEIVERS

DROP-DOWN FULL DETACHABLE FRONT PANEL



MR3.6V

MARINE IN-DASH DVD/MP3/CD AM/FM RECEIVER
WITH 3.6" WIDESCREEN TFT MONITOR WITH USB AND SD
MEMORY CARD PORTS AND FRONT PANEL AUX INPUT



- Single-DIN mounting
- WMA/MP4/MP3/DVD/SVCD/VCD/CDR/CDRW
& SDVD compatible
- USB and SD Memory Card ports
- Resolution: 480 x 234 pixels
- Brightness: 600 NITS
- On-screen display
- NTSC/PAL compatible monitor
- PLL synthesized AM/FM tuner
- 24 station presets
- RDS (Radio Data System)
- Switchable USA/Europe radio
frequencies
- Separate bass and treble
- Balance and fader controls
- Compatible with audio output of iPod®
and other MP3 players
- Mute function
- Intro scan
- Last position memory
- 1-Bit D/A converter
- 8X overSampling
- ESP (anti-skip mechanism)
- Subwoofer output (BassMax)
- Dual (front and rear) RCA outputs
- PCB with conformal coating
- Front panel UV coating
- Wireless remote control
- Output power: 80w x 4 channels**



MREX25

25 FT. EXTENSION CABLE

SOLD SEPARATELY

FOR MR2080/MR1640/MR1620/MR1600 REMOTE
CONTROL. (REMOTE CONTROL SOLD SEPARATELY)



iPod is a registered trademark of Apple, Inc.,
in the U.S. and other countries.

MARINE CD RECEIVERS WITH iPod®

The iPod® has revolutionized the way we listen to music on dry land. Now together with BOSS Marine, the iPod® has conquered the high seas. Boss Audio introduces our amazing iPod® Docking System to the Marine division. You plug your iPod® into the MR1560DI, replace the weatherized face plate, and access your music via your head unit. Your iPod® remains safely protected from the marine environment and protected from theft or being misplaced. Top that off with touch button interface and you will be the envy of the harbor.

FULL DETACHABLE FRONT PANEL



Insert iPod® into head unit and replace weatherized face plate. This provides FULL iPod® control from front panel.

MR1560DI

MARINE MP3-COMPATIBLE DIGITAL MEDIA RECEIVER WITH BUILT-IN iPod® DOCKING STATION
WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT



MR1560DI FEATURES:

Built-in iPod Docking Station with iPod® connector (compatible with various iPod® models)
USB and SD Memory Card ports



FULL DETACHABLE FRONT PANEL



MR1520UA

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER
WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT



FULL DETACHABLE FRONT PANEL



MR1525UI

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER
WITH FULL iPod® CONTROL WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT



IPC40

CABLE FOR iPod® INTEGRATION
FOR MR1525UI

MR1560DI, MR1525UI AND MR1520UA FEATURES:

Single-DIN mounting

Full iPod® control: View playlist, artist, album, song search on the display (MR1560DI and MR1525UI only) [Note: MR1525UI requires IPC40 Integration Cable, sold separately]

5 Volt preAmp output

Oversized, active black mask display

Illuminated control buttons

PLL synthesized tuner with 30 station presets

Switchable USA/Europe/Asia radio frequencies

Front panel auxiliary input

Compatible with audio output of iPod® and other MP3 players

Quartz digital clock • ID3-tag display

Preset EQ response curves / Loudness / Separate bass and treble

Loudness/Balance and fader controls

Dual (front and rear) RCA outputs

RDS (Radio Data System) [MR1560DI and MR1525UI only]

Stereo/mono & local/distance switches

PC board with conformal coating

Front panel UV coating

Wireless remote control

Output power: 80W x 4 channels

iPod is a registered trademark of Apple, Inc., in the U.S. and other countries.



WHITE



MR1470UW

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT. WHITE COLOR

MR1470US

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT. SILVER COLOR



SILVER



**USB AND FRONT AUX INPUT
WITH RUBBER COVER**



WHITE



SILVER

MR1465W

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH FRONT PANEL AUX INPUT. WHITE COLOR

MR1465S

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH FRONT PANEL AUX INPUT. SILVER COLOR

**RECOMMENDED ACCESSORIES
MRC5, MRH7. SEE PAGE 16**

MR1470UW, MR1470US, MR1465W AND MR1465S FEATURES:

- Single-DIN mounting • Full detachable front panel
 - 5 volt preamp output • Active black mask display
 - PLL synthesized tuner with 24 station presets
 - Switchable USA/Europe radio frequencies
 - Front panel auxiliary input
 - Compatible with audio output of iPod® and other MP3 players
 - Quartz digital clock
 - CD mute function • Track repeat • Intro scan
 - 1 Bit d/A converter • 8X oversampling
 - ESP (anti-skip mechanism)
 - MP3/CD-R/CD-RW compatible
 - ID3-Tag display
 - Preset EQ response curves • Separate bass and treble
 - Loudness • Balance and fader controls
 - Local/distance switches
 - PC board with conformal coating
 - Front panel UV coating
 - Wireless remote control
- Output power: 60W x 4 channels**



BOSS
marine

MARINE RECEIVERS

MR1420W, MR1420S, MR1400W AND MR1400S FEATURE:

- Single-DIN mounting
- Full detachable front panel
- 5 Volt preAmp output
- Active black mask display
- PLL synthesized tuner with 24 station presets
- Switchable USA/Europe radio frequencies
- Front panel auxiliary input
- Compatible with audio output of iPod® and other MP3 players
- Quartz digital clock
- CD mute function / Track repeat / Intro scan
- 1 Bit D/A converter / 8X oversampling
- ESP (anti-skip mechanism)
- MP3/CD-R/CD-RW compatible (MR1400W and MR1400S not MP3-compatible)
- ID3-Tag display (except MR1400W and MR1400S)
- Preset EQ response curves / Separate bass and treble
- Loudness / Balance and fader controls
- Dual (front and rear) RCA outputs
- Local/distance switches
- PC board with conformal coating
- Front panel UV coating

Output power: 60W x 4 channels

FULL DETACHABLE FRONT PANEL



WHITE



SILVER

MR1420W

MARINE MP3/CD RECEIVER
WITH FRONT PANEL AUX INPUT
WHITE COLOR

MR1420S

MARINE MP3/CD RECEIVER
WITH FRONT PANEL AUX INPUT
SILVER COLOR

RECOMMENDED ACCESSORIES
MRC5, MRH7. SEE PAGE 16

FULL DETACHABLE FRONT PANEL



WHITE



SILVER

MR1400W

MARINE CD RECEIVER WITH
FRONT PANEL AUX INPUT
WHITE COLOR

MR1400S

MARINE CD RECEIVER WITH
FRONT PANEL AUX INPUT
SILVER COLOR



WHITE



BLACK

MR1315WUA

FULL iPod® CONTROL

MP3-COMPATIBLE DIGITAL MEDIA RECEIVER WITH USB AND
SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

MR1315BUA

FULL iPod® CONTROL

MP3-COMPATIBLE DIGITAL MEDIA RECEIVER WITH USB AND
SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT



MR1315WUA AND MR1315BUA FEATURE:

- Single-DIN mounting
- No mechanism
- Active black mask display
- Illuminated control buttons
- PLL synthesized tuner with 30 station presets
- USB port • SD memory card port
- Front panel AUX input
- Compatible with audio output of iPod® and other MP3 players
- ID3-Tag display
- Quartz digital clock • Separate bass and treble
- Balance and fader controls
- RCA outputs • Loudness
- Stereo/mono & local/distance switches
- Wireless remote control

Output power: 60W x 4 channels

MARINE AMPLIFIERS AND LOUDSPEAKERS

All MR Series Amplifiers feature a unique rubber door which tightly seals all control panel openings when not in use. It also uses in-line weatherproof connectors for all input and output connections, which are run through grommets openings in end panels.



MR1200PA

4-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER PUBLIC ADDRESS SYSTEM WITH MICROPHONE AND REMOTE SUBWOOFER LEVEL CONTROL



MR800

2-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER WITH REMOTE SUBWOOFER LEVEL CONTROL



MR1000

4-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER WITH REMOTE SUBWOOFER LEVEL CONTROL

SPECIFICATIONS

MARINE AMPS

MAX POWER, 2 OHM
RMS POWER, 4 OHM
MAX BRIDGED POWER, 4 OHM
SIGNAL-TO-NOISE RATIO
THD
DIMENSIONS:
7-3/8" W x 2-1/4" H x

MR1200PA

300W x 4
150W x 4
600W x 2
> 102 dB
0.01%
12-3/4" L

MR1000

250W x 4
100W x 4
500W x 2
> 102 dB
0.01%
12-3/4" L

MR800

400W x 2
125W x 2
800W x 1
> 102 dB
0.01%
8-3/4" L





MR105
10" MARINE 4 OHM
SUBWOOFER



MR652C
6.5" 2-WAY MARINE SPEAKER
WITH REMOVABLE TWEETERS AND CROSSEOVERS
TO BE USED AS A COMPONENT SET.



MR752C
7.5" 2-WAY MARINE SPEAKER
WITH REMOVABLE TWEETERS AND CROSSEOVERS TO
BE USED AS A COMPONENT SET.



SUBWOOFER	MR105
POWER HANDLING, PEAK	1000W (500W RMS)
IMPEDANCE	4 OHM
FREQUENCY RESPONSE	25HZ-2KHZ
SPL 1 WATT/1 METER	96 DB
CONE MATERIAL	POLYPROPYLENE
VOICE COIL	2.5" KAPTON
GRILLES	PLASTIC
MOUNTING DEPTH	4-1/8"

MR20PA
MARINE PUBLIC ADDRESS SYSTEM CONTROLLER WITH
MICROPHONE AND REMOTE SUBWOOFER LEVEL CONTROL

THIS UNIVERSAL SYSTEM CAN BE USED AS A FRONT END FOR ANY
MARINE OR CAR AUDIO AMPLIFIER, TURNING IT INTO A FULL-FEATURED
PUBLIC ADDRESS SYSTEM.



SPECIFICATIONS

LOUDSPEAKERS

POWER HANDLING, PEAK
IMPEDANCE
FREQUENCY RESPONSE
SPL 1 WATT/1 METER
CONE MATERIAL
VOICE COIL
TWEETERS
GRILLES

MR752C
400W
4 OHM
40Hz-20Hz
90 dB
POLY INJECTION
1-1/2" ALUMINUM
1" MYLAR DOME
PLASTIC

MR652C
350W
4 OHM
60Hz-20kHz
92 dB
POLY INJECTION
1-1/2" ALUMINUM
1" MYLAR DOME
PLASTIC

MARINE LOUDSPEAKERS



MR695
6" x 9" 2-WAY MARINE
SPEAKER



MR690
6" x 9" 2-WAY MARINE
SPEAKER
WHITE COLOR



MR650
6.5" 2-WAY MARINE
SPEAKER

MR12
2-WAY MARINE BOX SPEAKER
4 OHM OR 8 OHM IMPEDANCE



MR30
2-WAY MARINE BOX SPEAKER
4 OHM OR 8 OHM IMPEDANCE



The MR695 and MR650 feature an outboard crossover which is contoured on its inner surface to mount snugly and securely to the rear housing.



SPECIFICATIONS

LOUDSPEAKERS

POWER HANDLING, PEAK
IMPEDANCE
FREQUENCY RESPONSE
SPL 1 WATT/1 METER
CONE MATERIAL
VOICE COIL
TWEETERS
GRILLES

MR695

400W
4 OHM
40Hz-18kHz
90 dB
POLY INJECTION
1-1/2" ALUMINUM
1" MYLAR DOME
PLASTIC

MR650

250W
4 OHM
60Hz-18kHz
90 dB
POLY INJECTION
1" ALUMINUM
1" MYLAR DOME
PLASTIC

MR690

350W
4 OHM
60Hz-20kHz
92 dB
POLY INJECTION
1" ALUMINUM
1" MYLAR DOME
PLASTIC

MR60W/MR60B

200W
4 OHM
80Hz-20kHz
90 dB
POLY INJECTION
1" ALUMINUM
1" MYLAR DOME
PLASTIC

MR50W/MR50B

150W
4 OHM
120Hz-18kHz
90 dB
POLY INJECTION
3/4" ALUMINUM
1" MYLAR DOME
PLASTIC



MR60W
6.5" 2-WAY MARINE
SPEAKER
WHITE COLOR



MR50W
5.25" 2-WAY MARINE
SPEAKER
WHITE COLOR



ALSO AVAILABLE:
MR60B
6.5" 2-WAY MARINE SPEAKER
BLACK COLOR



ALSO AVAILABLE:
MR50B
5.25" 2-WAY MARINE SPEAKER
BLACK COLOR



MR100
10" MARINE 4 OHM SUBWOOFER

ALSO AVAILABLE:
MR120
12" MARINE 4 OHM SUBWOOFER



SPECIFICATIONS

BOX SYSTEMS

POWER HANDLING, PEAK
IMPEDANCE
FREQUENCY RESPONSE
SPL 1 WATT/1 METER
CONE MATERIAL
VOICE COIL
TWEETERS
MIDRANGE
GRILLES

MR30
200W
4 or 8 OHM
40Hz-20kHz
94 dB
POLY
1" ALUMINUM
1" MYLAR DOME
5-1/4" MYLAR
PLASTIC

MR12
100W
4 or 8 OHM
100Hz-20kHz
91 dB
POLY
1" ALUMINUM
1" MYLAR DOME
3-1/2" MYLAR
PLASTIC

SPECIFICATIONS

SUBWOOFER

POWER HANDLING, PEAK
IMPEDANCE
FREQUENCY RESPONSE
SPL 1 WATT/1 METER
CONE MATERIAL
VOICE COIL
GRILLES

MR120
800W (400W RMS)
4 OHM
25HZ-2KHZ
94 DB
POLYPROPYLENE
2.5" KAPTON
PLASTIC

MR100
600W (300W RMS)
4 OHM
30HZ-2.5KHZ
94 DB
POLYPROPYLENE
2" KAPTON
PLASTIC

MARINE WAKETOWER LOUDSPEAKERS

MRWT8W
8" 2-WAY WAKETOWER
SPEAKER SYSTEM
WHITE COLOR
MARINIZED ENCLOSURE

ALSO AVAILABLE:
MRWT8B
BLACK COLOR

MRWT8C
CHROME COLOR



WHITE



CHROME



BLACK

MRWT6W
6.5" 2-WAY WAKETOWER
SPEAKER SYSTEM
WHITE COLOR
MARINIZED ENCLOSURE

ALSO AVAILABLE:
MRWT6B
BLACK COLOR

MRWT6C
CHROME COLOR



WHITE



BLACK



CHROME

SPECIFICATIONS

WAKETOWER SYSTEMS

POWER HANDLING, PEAK
IMPEDANCE
FREQUENCY RESPONSE
SPL 1 WATT/1 METER
CONE MATERIAL
VOICE COIL
TWEETERS
MIDRANGE
MOUNTING BRACKET

ROCKER

1000W
4 OHM
40Hz-20kHz
98 dB
POLY INJECTION
1-1/2" KIESV
1" BULLET
8" + 5-1/4"
2"-3" DIAMETER

MRWT8W/B/C

700W
4 OHM
40Hz-20kHz
96 dB
POLY INJECTION
1-1/2" KIESV
1" BULLET
8"
2"-3" DIAMETER

MRWT6W/B/C

500W
4 OHM
60Hz-20kHz
94 dB
POLY INJECTION
1-1/4" KIESV
1" BULLET
6"
2"-3" DIAMETER

MRWT69

550W
4 OHM
40Hz-20kHz
95 dB
POLY INJECTION
1-1/2" ALUMINUM
(2) 1" MYLAR DOME
6" x 9" + 2-1/2" MYLAR
2"-3" DIAMETER


MRWT65

350W
4 OHM
80Hz-20kHz
92 dB
POLY INJECTION
1" ALUMINUM
1" MYLAR DOME
6-1/2" MYLAR
1.5"-2.5" DIAMETER

ROCKER

3-WAY WAKETOWER SPEAKER SYSTEM

WITH 8" MIDBASS AND 5-1/4" MIDRANGE
SPEAKERS AND 1" BULLET TWEETER
MARINIZED ENCLOSURE



ROCKER IS
SOLD IN PAIRS

*B*OSS MARINE waketower speaker systems are built to deliver superior performance in the toughest conditions. Polypropylene cones and rubber surrounds are impervious to moisture. A blast of salt water will not hurt these speakers. A protective coating is applied to block UV rays, maintaining material integrity and keeping the speakers looking new.



MRWT69W

6" x 9" 4-WAY WAKETOWER SPEAKER SYSTEM

WHITE COLOR
MARINIZED ENCLOSURE



MRWT69

6" x 9" 4-WAY WAKETOWER SPEAKER SYSTEM

BLACK COLOR
MARINIZED ENCLOSURE



MRWT65

6.5" 2-WAY WAKETOWER SPEAKER SYSTEM

MARINIZED ENCLOSURE



PRODUCT **DISPLAYS**

We offer an in-store display to show off and demonstrate the unique features of MARINE products. You can order the display system in one of three configurations shown here.

MRFS

FULL DISPLAY

- Head Units/Speakers Module
- Amplifier Module
- Subwoofer Module
- Waketower Display Bar
- Display side panels
- "Wave" decorative accent panels

Dimensions:

75" (H) x 40" (W) x 27" (D)



MRTTD

SINGLE MODULE COUNTERTOP DISPLAY

- Head Units/Speakers Module
- "Wave" decorative accent panels

Dimensions:

23" (H) x 40" (W) x 19" (D)



MARINE **ACCESSORIES**

These enclosed speaker systems incorporate all the water resistant technology of our other marine speakers: composite polymer frames, polypropylene cones, rubber surrounds, and coated leads. With audio performance you would expect from a high end home speaker you can mount these in any marine location. They are also ideal for any outdoor application such near your spa or other entertainment area in your yard.

MRC5

UNIVERSAL MARINE RADIO COVER



MRH7

UNIVERSAL MARINE RADIO WATERPROOF HOUSING



MRANT10

MARINE RUBBER ANTENNA



MRANT12

MARINE RUBBER ANTENNA



MRTTA

DUAL MODULE COUNTERTOP DISPLAY

- Head Units/Speakers Module
- Amplifier section mounted above Head units/Speakers module

Dimensions:

42" (H) x 40" (W) x 19" (D)

MOTORCYCLE/UTV SPEAKERS AND AMPS

BOSS
REBEL

*P*USH IT, TO THE LIMIT!

On, or off road, BOSS REBEL ROCKS! The Rebel's outdoor, weatherproof sound systems are as powerful as they are well-built, and as rugged as the terrain they're built for.

ATV20

OFF ROAD/MARINE SOUND SYSTEM FEATURING 6.5" MARINE SPEAKERS AND 1.5" WATER PROOF TWEETERS



ATV20 FEATURES:

- Fully Marineized
- 450W Max Power
- Frequency response: 45-25kHz
- Sensitivity: 90dB
- Water Proof Poly Injection Cone
- Soft Dome Diaphragm high performance Tweeter
- 3.5mm input jack
- Compatible with audio output of iPod® and other MP3 players
- Speakers powered by internal Amp
- Plug and play for easy installation
- Includes (2) heavy duty zip ties and (2) heavy duty straps with Velcro® for any mounting position
- Ideal for ATV/UTV, Jet Ski or Snowmobile

MC300

MOTORCYCLE/UTV AMPLIFIED SPEAKER SYSTEM



MC400

MOTORCYCLE/UTV SPEAKER AND AMPLIFIER SYSTEM



MC500

MOTORCYCLE/UTV SPEAKER AND AMPLIFIER SYSTEM WITH USB/SD PORTS AND FM TUNER

MC500 FEATURES:

- Weatherproof
- Chrome 3" Speakers
- USB and SD ports • FM Tuner
- 3.5mm Audio input
- Remote control
- 600W Max Power

MC400 FEATURES:

- Weatherproof
- Chrome 3" Speakers
- 3.5mm Audio input
- Handle Bar mount
- Rotary volume control
- 600W Max Power

MC300 FEATURES:

- Weatherproof
- 2.5" Speakers
- Built-in Power Amplifier
- 3.5mm Audio input
- Handle Bar mount
- Volume control
- 400W Max Power





BOSS[®] **marine**

BOSS[®]
AUDIO SYSTEMS

www.bossaudio.com

800.999.1236

BOSS AUDIO SYSTEMS
3451 LUNAR COURT
OXNARD, CA 93030

All specifications subject to change without notice.
Copyright©2011 BOSS AUDIO SYSTEMS.

iPod is a registered trademark of Apple, Inc.
registered in the U.S. and other countries.