

# PRODUCT GUIDE

## DECK & HARDSCAPE LIGHTING

FXLuminaire®



### WALL LIGHTS

#### LF + Color

The LF under-the-cap hardscape wall light easily fits between a block wall and a capstone for a neat, clean installation.



**Height:** 0.9" (22 mm)  
**Width:** 6.5" (165 mm)  
**Depth:** 1.0" (25 mm)  
**Lamp:** 1 LED, ZDC  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, BS, AB, AT, NP  
**Material:** Aluminum, Brass  
**Bracket:** Stainless Steel



#### MS

Part of the energy-efficient LED line, the MS includes changeable filters and is available in brass or powder coat finish options for style and performance at night and during the day.

**Height:** 3.7" (93 mm)  
**Diameter:** 2.0" (51 mm)  
**Lamp:** 1 LED  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP  
**Material:** Aluminum/Brass

#### PO / MO + Color

The versatile PO and MO fixtures provide glare-free illumination. They are available with four interchangeable faceplates.



**PO Height:** 2.5" (64 mm)  
**PO Diameter:** 1.5" (41 mm)  
**PO Lamp:** 1 LED  
**MO Height:** 3.3" (84 mm)  
**MO Diameter:** 2.0" (51 mm)  
**MO Lamp:** 1, 3 LEDs, ZDC  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, BS, AB, AT, NP  
**Material:** Brass



#### SL + Color

With four stylish faceplate designs, the compact SL wall light offers maximum flexibility for mounting near or at grade.

**Height:** 4.9" (124 mm)  
**Width:** 3.2" (81 mm)  
**Exposed Depth:** 0.9" (22 mm)  
**Lamp:** 1, 3 LEDs, ZDC  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV  
**Material:** Aluminum



## WALL LIGHTS



### CP/LM

The CP and LM are engineered to bring light to walkways, stairways, and decks in busy areas that lack an adjacent planter area for path lighting, or trees for down lighting.

**Height:** 3.5" (89 mm)  
**Width:** 5.0" (127 mm)/9.0" (229 mm)  
**Lamp:** 1, 2 LEDs  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, AB, AT, NP  
**Material:** Copper



### HS + Color

With precisely targeted outward light distribution, the ultra-slim HS is an ideal solution for modern step and area lighting.

**Height:** 2.3" (58 mm)  
**Width:** 8.0" (203 mm)  
**Exposed Depth:** 0.9" (23 mm)  
**Lamp:** 2 LEDs, ZDC  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV  
**Material:** Aluminum



## UP LIGHTS

### RS

As the core fixture of the FX Luminaire up light family, the RS gives designers unsurpassed freedom and flexibility to create a variety of customized applications.

**Height:** 6.6" (168 mm)  
**Diameter:** 2.5" (64 mm)  
**Lamp:** MR-16  
**Finish:** BZ, FB  
**Material:** Zinc



### FB

The FB fits nicely into smaller landscapes and tight spaces. Accommodating up to a 3 LED board, the fixture offers all the classic up light benefits in a more compact package.

**Height:** 8.1" (206 mm)  
**Diameter:** 2.5" (64 mm)  
**Lamp:** 1, 3 LEDs, ZDC  
**Finish:** BZ, DG, WI, SB, FB, WG, FW, AL, SV  
**Material:** Aluminum





## C-LINE

### C-UL

The C-UL up light is elegantly engineered for peak performance from the ground up.

**Height:** 6.6" (168 mm)  
**Diameter:** 2.5" (64 mm)  
**Lamp:** MR-16  
**Finish:** AB  
**Material:** Brass



### C-PL-4 and -7

Use C-PL-4 and -7 path lights to illuminate walkways, add ambience, and increase safety.

**Height:** 21.5" (546 mm)  
**Diameter:** 4.3" (109 mm)/  
 6.5" (165 mm)  
**Riser Diameter:** 1.0" (25 mm)  
**Lamp:** G4  
**Finish:** AB  
**Material:** Brass

### C-WW

The sturdy C-WW wall wash is perfect for accenting stonework and architectural features.

**Height:** 6.5" (165 mm)  
**Width:** 4.0" (102 mm)  
**Lamp:** G4  
**Finish:** AB  
**Material:** Brass



### C-LL

Choose the C-LL ledge light for under-the-cap surface-mounted installations.

**Height:** 0.8" (19 mm)  
**Diameter:** 6.9" (175 mm)  
**Exposed Depth:** 0.8" (20 mm)  
**Lamp:** Integrated LED  
**Finish:** AB  
**Material:** Brass





## PATH LIGHTS



### M-PL + Color

The ultra-modern M-PL path light combines the versatility of die-cast aluminum with minimalist aesthetics to complement a range of contemporary installations.

**Height:** 21.3" (541 mm)

**Width:** 2.2" (55 mm)

**Lamp:** 1, 3, 6 LEDs, ZDC

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV

**Material:** Aluminum

### PM + Color

Designed for midsized landscapes, the PM is engineered with a diffuser cone and optics that work together to produce a long projection beam spread with no glare.

**Height:** 14.0" (279 mm)

**Width:** 2.5" (64 mm)

**Lamp:** 1, 3, 6, 9 LEDs, ZDC

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV

**Material:** Aluminum



### SP

For the ideal combination of proven quality and unmatched beauty in outdoor living spaces, the SP path light is the industry standard.

**Height:** 14.5" (368 mm)

**Diameter:** 3.6" (91 mm)

**Lamp:** G4

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, AB, AT, NP

**Material:** Copper/Brass or Aluminum



### DM + Color

The essential ingredients of a timeless path light are provided purely through shape and function. The DM is just right for any application.

**Height:** 15.5" (394 mm)

**Diameter:** 7.1" (180 mm)

**Lamp:** 1, 3 LEDs, ZDC

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, AB, AT, NP

**Material:** Copper/Brass



## SPECIALTY LIGHTS



CB Grid

### KG + Color

Inside the subterranean KG is a powerful LED module that allows for precise aiming. This capability refines the look of any landscape feature or structure.

**Height:** 9.0" (229 mm)  
**Diameter:** 6.0" (152 mm)  
**Lamp:** 3, 6, 9 LEDs, ZDC  
**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, AB, AT, NP, CB (Grid)  
**Material:** Aluminum, Brass



### FC + Color

The FC is an ideal fit for any LED application, and features an innovative installation sleeve that allows for easy removal and adjustment, especially in concrete.

**Height:** 4.8" (122 mm)  
**Diameter:** 4.0" (102 mm)  
**Lamp:** 1, 3, 6, 9 LEDs, ZDC  
**Finish:** AB, AT, BS, NP, BZ, DG, WI, SB, FB, WG, FW, AL, SV  
**Material:** Brass



### BQ

Use the BQ to illuminate grilling or cooking areas. The fixture works with Luxor systems or independently with a plug-in transformer.

**Height:** 24.0" (610 mm)  
**Diameter:** 3.6" (94 mm)  
**Lamp:** 1 LED  
**Finish:** SS  
**Material:** Stainless Steel



### LL + Color

The LL brings the efficiency and reliability of LED technology to underwater lighting. Highly versatile, it works with all FX LED boards (1-9), and is compatible with an array of filters that color water to match the facade.

**Height:** 4.0" (101 mm)  
**Diameter:** 3.2" (81 mm)  
**Lamp:** 1, 3, 6, 9 LEDs, ZDC  
**Finish:** BS  
**Material:** Brass





## DOWN LIGHTS



Up / Down



Wall Plate



### NL + Color

The NL boldly represents the next generation of fixed-mount LED down lights. The fixture includes a mounting bracket that permits tool-free servicing after installation.

**Height:** 3.1" (79 mm)

**Width:** 3.2" (81 mm)

**Lamp:** 1, 3, 6, 9 LEDs, ZDC

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, CU-AB, CU-AT, BS, BS-AT, BS-AB, NP

**Material:** Copper/Brass or Aluminum



Wall Plate



### PS + Color

The PS is meant for top-mounting, and is available with an optional copper cover. The PS also includes a mounting bracket that allows for tool-free servicing after installation.

**Height:** 3.0" (76 mm)

**Height:** 4.2" (107 mm)

**Lamp:** 1, 3, 6, 9 LEDs, ZDC

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV, CU, CU-AB, CU-AT, BS, BS-AB, BS-AT, NP

**Material:** Aluminum/Brass



### SD + Color

The SD wall light has a simple cylindrical drum design that complements a range of classic and contemporary applications while providing maximum optical control for downward illumination.

**Height:** 6.9" (175 mm)

**Diameter:** 4.0" (102 mm)

**Lamp:** 3, 6, 9 LEDs, ZDC

**Finish:** BZ, DG, WI, FB, SB, WG, FW, AL, SV

**Material:** Aluminum



## TRANSFORMERS AND ACCESSORIES

### Luxor® Controller

The Luxor lighting controller provides the ability to create a spectrum of 30,000 colors using RGBW LED technology and also has zoning and dimming capabilities.

**Height:** 13.0" (330 mm)  
**Width:** 8.0" (203 mm)  
**Depth:** 5.0" (127 mm)  
**Finish:** M, SS  
**Material:** Galvanized Steel, Stainless Steel



### DX Controller

The DX controller offers the convenience of pre-installed astronomical timing and event-based programming. This means there is no need for end users to buy plug-in accessories such as timers and photocells.

**Height:** 11.4" (289 mm)  
**Width:** 7.1" (181 mm)  
**Depth:** 5.0" (128 mm)  
**Finish:** M, SS  
**Material:** Galvanized Steel, Stainless Steel



### EX Hardscape Transformer

The EX transformer provides an economical, low-wattage power and control option for LED lighting projects

**Height:** 13.0" (330 mm)  
**Width:** 5.5" (140 mm)  
**Depth:** 5.0" (127 mm)  
**Finish:** M, SS  
**Material:** Galvanized Steel, Stainless Steel



### MR-16 and G4 Lamps

The MR-16 is a high-quality LED lamp that offers zoning and dimming capabilities. The energy-efficient G4 LED replacement lamp provides retrofit capabilities for lighting fixtures with a G4 lamp base.

**MR-16 Base:** GU5.3  
**MR-16 Max Lumens:** 200-447 lm  
**G4 Base:** T3  
**G4 Max Lumens:** 76-170 lm

## FINISHES

| Metals                                   |                                         |                                           |                                          |                     |                            |                              |                           | Powder Coat: Standard        |                             |                             |                           |                    | Powder Coat: Specialty   |                         |                     |                     | Composites               |                         |
|------------------------------------------|-----------------------------------------|-------------------------------------------|------------------------------------------|---------------------|----------------------------|------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|---------------------------|--------------------|--------------------------|-------------------------|---------------------|---------------------|--------------------------|-------------------------|
|                                          |                                         |                                           |                                          |                     |                            |                              |                           |                              |                             |                             |                           |                    |                          |                         |                     |                     |                          |                         |
| <b>CU-AB</b><br>Antique Bronze on Copper | <b>BS-AB</b><br>Antique Bronze on Brass | <b>CU-AT</b><br>Antique Tumbled on Copper | <b>BS-AT</b><br>Antique Tumbled on Brass | <b>CU</b><br>Copper | <b>BS</b><br>Natural Brass | <b>SS</b><br>Stainless Steel | <b>NP</b><br>Nickel Plate | <b>BZ</b><br>Bronze Metallic | <b>DG</b><br>Desert Granite | <b>WI</b><br>Weathered Iron | <b>SB</b><br>Sedona Brown | <b>FB</b><br>Black | <b>WG</b><br>White Gloss | <b>FW</b><br>Flat White | <b>AL</b><br>Almond | <b>SV</b><br>Silver | <b>CB</b><br>Camo Bronze | <b>DT</b><br>Desert Tan |

## FXLuminaire.

*A Hunter Industries Company*

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, CEO of Hunter Industries



Gene Smith, President, Landscape Irrigation and Outdoor Lighting

Website [fxl.com](http://fxl.com) | Customer Support 760-744-5240 | Technical Service 760-591-7383

This brochure was printed on Forest Stewardship Council® (FSC®) certified paper with soy inks. The FSC is an international organization established to promote the responsible management of the world's forests.

© 2020 Hunter Industries Inc. Hunter, FX Luminaire, all related logos, and all other trademarks are property of Hunter Industries, registered in the U.S. and other countries.  Please recycle.



Printed using  
100% Wind  
Energy, (RECs)

FX-250-PG-EN F 6/20