



DS55 and DS55 for Labs Fixed Mount Scanners

Accessory Guide



The image displays a wide range of Zebra mobile computing solutions. At the top, three devices are highlighted in a semi-circular arrangement: a rugged smartphone with a green back, a standard smartphone, and a handheld barcode scanner. Below this, a larger collection of devices is shown, including various handheld barcode scanners in different colors (black, green, blue, white), a rugged desktop unit, and several other specialized scanning and computing hardware. The devices are arranged on a white surface against a light blue background.

ZEBRA TECHNOLOGIES

Mounting Accessories

- 3-1 Multi-Mount Bracket
 - Mount can be used as:
 - Presentation Stand
 - PC Monitor/Display Mount
 - Wall Mount
 - Magnetic post holds the scanner in place while allowing it to:
 - swivel freely either left or right
 - Lift off and on the mounting post
 - Part Number:
 - BRKT-MM0055C-04 (3-1 Multi-Mount, Black)




Stands

- Gooseneck Stand
 - Standalone or mounted with screws
 - The scanner can be removed from the stand.
 - Part Number:
 - STND-GS0055C-04 (Gooseneck Stand Black)
 - STND-GS0055C-0W (Gooseneck Stand White)



Mounting Accessories

- DS457 20° Wall/Counter Mounting Bracket (backwards compatible)
 - Can be used with DS55
 - Allows the scanner to be mounted horizontally (ie. tabletop) or vertically (ie. wall).
 - The scanner can be rotated and slid in and out of the bracket.
 - Part Number:
 - KT-145344-01 (20° Wall/Counter Mounting Bracket, Black)
- DS457 Adjustable Mounting Bracket (backwards compatible)
 - Can be used with DS55
 - Allows the scanner to be mounted horizontally (ie. tabletop) or vertically (ie. wall).
 - The scanner is “locked” and cannot be removed from the bracket.
 - DS457 applications must also use Adapter Plate Kit - KT-152342-01
 - Part Numbers:
 - KT-65578-01R (Adjustable Mounting Bracket)
 - KT-152342-01 (Locking Mount - Plate for adapting DS457 to fit into holes for MS320x)



KT-152342-01

Stands

- DS457 Gooseneck Stand (backwards compatible)
 - Can be used with DS55
 - Standalone or mounted with screws
 - The scanner is “locked” and cannot be removed from the stand.
 - Part Number:
 - 20-60136-02R (Gooseneck Stand Black)



Cables

CBL-U10255-01	DS55: USB Cable: 2 ft.
CBL-U20255-01	DS55: USB Cable: 2 ft. w/ Right Angle Connector
CBL-U10755-01	DS55: USB Cable: 7 ft.
CBL-U20755-01	DS55: USB Cable: 7 ft. w/ Right Angle Connector
CBL-R10755-01	DS55: RS-232 Cable: 7 ft.
CBL-R20755-01	DS55: RS-232 Cable: 7 ft. w/ Right Angle Connector

Power Supplies

PWR-WUA5V4W0US	Power Supply, 5VDC, 100 - 240VAC, US/CA/MX/JP/TW
PWR-WUA5V4W0EU	Power Supply, 5VDC, 100 - 240VAC, EU/UK
PWR-WUA5V4W0CN	Power Supply, 5VDC, 100 - 240VAC, CN
PWR-WUA5V4W0IN	Power Supply, 5VDC, 100 - 240VAC, IN



AG-DS55 Jun 26 2024

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2024 Zebra Technologies Corp. and/or its affiliates. All rights reserved.