



SF750PS

Product Family: Oven

Category: 60cm

Heat source: Electric

Power supply: Electric

Cooking method: Thermo-ventilated

Cleaning system: Vapor Clean

Oven control: Electro-mechanical

EAN code: 8017709171889



Aesthetics

Serie: --NA--

Aesthetics: Cortina

Colour: Cream

Design: Flat

Component finish: Silver Glass

Material: Painted material

Glass Type: Clear1

Serigraphy colour: Grey

Door: With panel

Handle: Cortina

Handle Colour: Silver

Logo: Embossed

Programs / Functions

No. of cooking functions: 10

Traditional cooking functions

Cleaning functions

Controls

Control setting: Control knobs

No. of controls: 2

Control knobs: Cortina

Controls colour: Silver

Buttons colour: Silver

Options

Timer: Electro-mechanical
Time-setting options: Automatic end cooking
Minute minder
End of cooking acoustic alarm

Technical Features

Temperature control: Electro-mechanical
Minimum Temperature: 50 °C
Maximum temperature: 250 °C
Cavity material: Ever clean Enamel
No. of shelves: 5
Shelves type: Metal racks
Tilting grill
No. of lights: 2
Light type: Halogen
Light Power: 40 W
Light when door is opened
Lower heating element power: 1200 W
Upper heating element - Power: 1000 W
Grill element - power: 1700 W
Large grill - Power: 2700 W

Circular heating element - Power: 2000 W
Door: Fresh Touch
Removable door
Full glass inner door
Removable inner door
Total no. of door glasses: 3
No. of thermoreflecting door glasses: 2
Safety Thermostat
Heating suspended when door is opened
Cooling system: Tangential
Cooling duct: Double
Usable cavity space dimensions (HxWxD): 360x460x425 mm

Performance / Energy Label

Energy efficiency class: A
Energy efficiency class (2002/40/CE): A
Net volume of the cavity: 70 litres
Energy consumption per cycle in conventional mode: 1.15 KWh
Energy consumption per cycle in fan-forced convection: 0.89 KWh

No. of cavities: 1
Energy efficiency index: 106 %
Gross volume: 79 litres

Accessories Included

Grid with back and side stop: 1
Insert grid: 1
Enamelled tray (20mm): 1
Enamelled deep tray (40mm): 1

Telescopic Guide rails, total Extraction : 2

Electrical Connection


Voltage: 220-240 V
Electrical connection rating (W): 3000 W
Current: 13 A
Frequency (Hz): 50 Hz

Power supply cable length: 115 cm

Accessories not included



BN620-1
Enamelled tray, 20mm deep



BN640
Enamelled tray, 40mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



BVG

Glass tray and stainless steel grid, 40mm deep



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



GT1T-2

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



PC68-1

Set of catalytic panels , 5 levels, 2 lamps



PPR2

Refractory pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens




PRTX

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

