




BBQ GO ^{IBT-4XP}

Smart Wireless BBQ Thermometer

FAQ

1. Why the probes display inaccurate temperature? Such as 572F or display '-----'?

Answer: First please check the probes whether firmly inserted in the unit and make sure no gaps. Customers really need push it hard in. Then change probes to insert in different ports to check if the probe itself has problem. Please make sure your probes firmly inserted, otherwise will display '-----' even if the cell phone pair with Bluetooth successfully.



2. Can I put this unit in high temperature places?

Answer: No, it can't. The plastic back magnet temperature should not over 80 °C / 176F. Otherwise the unit will melt. Probe temperature range: 32° F ~ 572 ° F; (Short-time measurement); 32° F ~ 482 ° F (continuous monitoring).

3. Why cell phone can not search the app?

Answer: Please make sure your GPS is on (Android phone).

4. Why I need a 4 number pin code? What's correct steps to pair with cell phone?

Answer: This unit no need for pin code. Here are two solutions: First, for some customers who have used our Inkbird other thermometers before, you have to delete the before record, then to pair with this product. Because one cell phone can only connect one unit at one time. Second, The correct procedure is activate your Bluetooth on your phone first, open the BBQGO APP to press the bottom start button to search, then press the on button of your unite for about 4 seconds it should connect.

5. Can this unit be submerged into water?

Answer: No, customers can use at outdoor when raining. The unused sockets should be inserted well. Please don't submerge this unit into water.

6. Are the probes and wires waterproof?

Answer: Yes.



7. Does this unit have low/high temperature alarm function?

Answer: Yes


8. Is there any graphing or save of previous cook data?

Answer: It can only display the current cooking data. Which can't be saved or download.

Get to know the device



Probe Sockets



Probe with cable




USB Charge Cable (Length: 50cm)

This device provides 4 probe sockets, which enable you to monitor up to 4 food at same time.

Charge the device

This device use a built-in non-detachable lithium battery, usable charging and power supply. Please note that:



- 1 The battery cannot be removed.
- 2 It takes about two hours to fully recharge.

Download the APP

Search the keyword "bbq go" in Appstore or Google Play, or scan the following QR code with your phone. Download and install it for free.

Make sure your phone meet the requirements:
iPhone 4S, and later models;
iPod touch 5th, iPad 3rd generations and later models, all iPad mini;
Android devices running version 4.4 or later, with blue-tooth 4.0 module.




BBQ GO APP



Install the probes

The device will keep scanning the sockets when its power is switched on, the Probe Indicators will blink one by one from 1 to 4 where probes are plugged in.

Then insert the probes into the food, make sure the front tip of the probe is in the center of the food to get accurate temperature.



Pair with your phone

- 1 Press and hold the power button on the device for 3 seconds to power it on.
- 2 Keep the bluetooth switch of your phone on.
- 3 Launch the app, and follow the instructions in the app to pair and activate the device.
- 4 Connected successfully.

Bluetooth Indicator

No Icon

Icon Blinking

Icon Fixed

Once paired the device with your phone, you don't need to do it again, unless you change to other phones.

Enjoy your barbecue time

Choose the food type and preference for the food where each probe is inserted, the app and the device will display its current and target temperature.

When the food is ready, the app and the device will alarm.



The user interface of the app may be changed when upgraded. Please follow the instructions in the app.

Power ON/OFF


Power ON:
Press and hold the power button for 3 seconds.

Power OFF:

- Press and hold the power button for 3 seconds.
- Auto-off after 8 hours out of connection with phone.

Warning

- the max temperature is **0-300 C°/32° F ~ 572 ° F; (Short-time measurement); 0-250/ C°32° F~ 482 ° F (continuous monitoring)**,if exceed this temperature, the probe and the wire be burned-out. Especially,do not directly put the wire or the probe in the burning flame or heating tube
- **Do not** submerge the probe and the wire in water for a long time, which may cause the inaccurate temperature measuring.
- **Do not** strongly squeeze the probe and the wire, which may break the plastic covered wire on it and cause the short circuit on the polarity.
- **Remove** the silicone cover on the end of the sensor before using it.
- **The unused sockets** should be inserted well with the cover.



App Store is a service mark of Apple Inc.
Google Play is a service mark of Google Inc.

FCC ID: 2ALANIBT-2X

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Inkbird Tech. C.L

- ✉ support@ink-bird.com
- 🌐 www.ink-bird.com
- 📍 Shenzhen, GD, 518000, China

