Volkswagen Information Service. Telephone 0800 333 666 Internet: www.volkswagen.co.uk © Volkswagen Group United Kingdom Limited 2006. Issue: 1 December 2006. Printed in UK. PVW237TOUR



The new Touran

Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK. The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your authorised Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your authorised Volkswagen retailer prior to ordering.







Get a better view.

Wherever you're driving – in the countryside, by the sea or on your way to work – you'll have a better view in the new Touran, thanks to the elevated seating and large windows. While the interior feels exceptionally roomy and spacious, the dimensions of the vehicle itself are surprisingly compact, providing easy manoeuvrability and parking. If you take a look at the build quality, you'll notice consistently narrow gaps between panels, ensuring not only greater rigidity and roadholding, but less wind noise and improved aerodynamics. If you want to add to the already impressive specification, a host of optional equipment includes Bi-Xenon dipped and main beam headlights and an electric glass sunroof.

Model shown is SE with optional metallic paint.



body-coloured front bumper strips and side bump strips with chrome inserts, a chromeplated radiator grille surround and chrome-plated louvres. Front fog lights and 35% tinted glass from B pillar back complete the look.

Model shown is Sport with optional metallic paint.

Page 1 | Page 2



Design | Practicality | Interior | Safety | Models | Colours & Upholstery | Equipment | Engines | Technology | Service Page 1 | Page 2

Print | Exit |



- on the new Touran's standard seven seat layout includes two single seats in the third row, which can be folded flush into the floor of the luggage compartment. The seat in the centre of the second row easily folds down to provide a convenient table for rear seat passengers.
- **02** The single seats of the second row are fully adjustable, enabling you to adapt the space in whatever way you need. Interior shown is Sport.

Page 1 | Page 2



So many variations, the only limit is your imagination.

Whether you're planning a cosy in-car picnic or dropping into the supermarket for a major spend, the new Touran's amazingly adaptable interior is ready for almost anything. The single seat system lets you fold the two seats in the third row flush into the floor of the luggage compartment. The three seats in the second row can fold down, move, slide, tip forward or be removed, either altogether or individually.

This means that you can adapt the standard seven seater into a five or two seater with the greatest of ease, should you need the extra space. Your new Touran gives you up to 1,989 litres of luggage space, plus the versatility of arranging the seating to accommodate long or bulky items. In fact, with more than 500 seat variations, the only limit to what you can achieve is your imagination!

01 The front passenger backrest folds down fully for use as an extra table or to provide more load-through space for long objects. Standard on the new Touran SE and Sport. Interior shown is Sport.

Space and comfort.

Superior ergonomics come as standard in all Volkswagens and the new Touran is no exception. The spacious interior with raised seating, ample headroom and single seat system is well laid out with everything to hand. Controls and dials for standard features such as front electric windows, cruise control and remote central locking are located where they are both comfortable and easy to use.

Driving is made even more enjoyable by the very latest in-car audio equipment, air conditioning and a choice of three new upholsteries with decorative trims. And to show Volkswagen really have thought of everything, no less than 39 storage compartments and cubby holes keep everything neatly tucked away. From coins to drinks, maps to sunglasses, there's a place for everything.





Safety first.

The new Touran is a vehicle designed to be practical and that practicality extends to its wide range of safety features. For a start, the front and second row of seats are equipped with no less than six airbags. These include driver's and front passenger's airbags, front seat side impact airbags and a curtain airbag system for front and second row occupants. In addition, all seven seats have three-point seat belts. For children, Volkswagen's innovative Isofix child seat mounting system is fitted on the outer seats of the second row, so children's seats with the Isofix system can be fitted securely to help provide maximum safety.

Then there are the safety features which constantly monitor driving conditions, helping you avoid hazardous situations in the first place. They include an Anti-lock Braking System (ABS) with Hydraulic Brake Assist (HBA) to prevent wheels from locking, and an Electronic Stabilisation Programme (ESP), capable of reacting within milliseconds to help restore the stability of the vehicle. What's more, the newly designed front and rear lights are fitted with integrated indicators that act as automatic hazard warning lights should you have to brake in an emergency situation.

Model shown is Sport with optional metallic paint.



- **01** New, high quality 'Media' upholstery with 'Microtec' decorative inserts and an ergonomically designed three-spoke steering wheel ensures an exceptional level of interior comfort.
- **02** Cruise control, fitted as standard on all new Tourans, enables you to maintain your selected speed at the touch of a button, from 19 mph upwards.

The new Touran S.

The new Touran S is stylish, practical and versatile. It is packed with a range of impressive features all fitted as standard. On the outside, the chrome-plated radiator grille surround, black roof rails and 15 inch 'Misano' alloy wheels with 195/65 R15 tyres create a look that's designed to be noticed.

Inside, the story continues. The Touran S features 'Media' upholstery and 'Microtec' decorative trim. It also contains a wealth of equipment; from electric front windows, a threespoke steering wheel and speed sensitive power-assisted steering to a multifunction computer to provide important information about your journey. On top of this, cruise control, semi-automatic air conditioning and an 'RCD 300' radio/CD player all ensure every journey is an enjoyable one. With ABS, ESP, three-point seat belts fitted on all seats and no less than six airbags offering maximum protection, you couldn't ask for more attention to detail.







The new Touran SE.

Those with an eye for the finer things in life cannot fail to be impressed by the new Touran SE. Body-coloured door handles and front and side bump strips create a sleek and streamlined body design, complemented perfectly by the stylish anodised chrome finish roof rails and 16 inch 'Atlanta' alloy wheels with 205/55 R16 tyres. The interior aesthetics co-ordinate beautifully, with 'Energy' upholstery and 'Steel finish' decorative inserts creating a feel of luxury and comfort. In addition to the exceptional specification offered by the entry level model, the new Touran SE offers front comfort seats with height and lumbar adjustment including under seat drawer, dash-mounted 'RCD 500' radio with integral six CD autochanger, rear electric windows and a front centre armrest with storage compartment, as well as a covered storage compartment within the central instrument panel. Quality, serenity and relaxation abound, creating an ambience and calm conducive to stress-free driving. The new Touran SE offers everything you could need for total driving enjoyment.

- **01** The new Touran SE, with 'Energy' cloth, 'Steel finish' decorative inserts and height-adjustable front comfort seats with lumbar adjustment.
- **02** Practical drawers beneath the front seats offer useful extra storage space. Interior shown has optional leather* upholstery.
 - * Some parts of leather interior will contain artificial leather.





The new Touran Sport.


Designed to meet the most exacting standards, the new Touran Sport features highly distinctive chrome-plating on the radiator grille surround and on the louvres. The body-coloured front and side bump strips have chrome inserts and the dynamic 16 inch 'Magny Cours' alloy wheels come complete with 205/55 R16 tyres. Front fog lights, integrated within the front bumper, enhance both safety and aesthetic appeal, whilst hinting at the attention to detail within.

'Aurora' upholstery and 'Real alloy' decorative inserts set the scene inside. Chrome surrounds on the temperature and fuel gauges, and windows that are 35% tinted from the B pillar back reflect the level of detail throughout the new Touran Sport. Also included in this formidable package are front sport seats with height and lumbar adjustment, an 'RCD 500' radio with integral six CD autochanger mounted in the dash and 2Zone electronic climate control. A multifunction computer provides essential information for your journey, while rear parking sensors and carpet mats front and rear complete the superior specification.



- **01** The new Touran Sport with 'Aurora' interior upholstery, 'Real alloy' decorative inserts and high quality leather trimmed three-spoke steering wheel, gear knob and handbrake grip.
- **02** The 2Zone electronic climate control enables driver and front seat passenger to select their own temperature to ensure maximum comfort. Heated seats can also be included as part of the optional Winter Pack.


Paint.



Please note: Screen technology does not allow exact reproduction of the paint colours.

^{*} Metallic and Pearl Effect paints are optional at extra cost.

Upholstery.



Latte

YR

Anthracite

ΥV

Optional – SE and Sport

^{*} Leather upholstery is optional at extra cost. Some parts of leather interior will contain artificial leather. Please note: Screen technology does not allow exact reproduction of the upholstery colours.

Combinations.

Upholstery		Carpets	Dashboard	Candy White (B4)	Indian Blue (F3)	Platinum Grey metallic (2R) *	Reflex Silver metallic (8E) *	Red Spice metallic (K7) *	Shadow Blue metallic (P6) *	Slate Grey metallic (X9) *	Deep Black pearl effect (2T)*	Biscay Blue pearl effect (7Q)*
S												
'Media' cloth Anthracite (AE)	•	Black	Anthracite	•	•	•	•			•	•	•
Anthracite (AE)		DICK	Anunache									
SE												
'Energy' cloth	•											
Titan Black (CN)		Black	Anthracite	•	•	•	•	•	•	•	•	•
Art Grey (CP)		Black	Anthracite	•	•	•	•	•	•	•	•	•
Sport												
'Aurora' cloth	•	n			_	_		_	_	_		
Anthracite (DT)		Black	Anthracite	•	•	•	•	•	•	•	•	•
Latte (DV)		Black	Anthracite	•	•	•	•			•	•	
N I * +												
Nappa leather *,†	0	Black	Anthracite									
Latte (YR)				0	0	0	0	0	0	0	0	0
Anthracite (YV)		Black	Anthracite	0	0	0	0	0	0	0	0	0

 $^{^{\}ast}$ Metallic and Pearl Effect paints and leather upholstery are optional at extra cost.



[†] Some parts of leather interior will contain artificial leather.

[•] Standard.

 $[\]bigcirc$ Optional at extra cost.

Enjoy the freedom to choose.

O1 The DVD satellite navigation system not only delivers perfect sound quality whether you're listening to a CD or the radio, but it can also guide you to your destination anywhere within the United Kingdom. A 6½" multifunction colour display shows a map of your route along with important information on time and distances. In addition, audible directions can also be broadcast allowing you to concentrate on the road ahead. The navigation/radio system comes with a six CD autochanger with front centre armrest and a multifunction computer (Highline). Optional on SE and Sport models.

Also available as an option is the DVD satellite navigation system with DVD rear seat entertainment. This option provides all the benefits of the navigation system as well as catering for rear seat passengers who can view DVDs on a foldaway screen mounted in the roof lining. A multifunction computer (Highline), headphones and infrared remote control operation of the system are also provided. Please note, the six CD autochanger is not included with this option. Optional on SE and Sport models.

DVD satellite navigation systems may not be available in conjunction with certain options, please consult your Volkswagen retailer for full details.

















- **02** The 2Zone electronic climate control air conditioning, which is standard on Sport and optional on S and SE models, maintains a constant preset temperature and has two zones for the driver and front passenger. Heated front seats are part of the Winter pack which is optional on all models.
- **03** As well as aesthetic appeal, front fog lights provide added safety when driving in poor weather conditions. Optional on SE and standard on Sport models.
- 04 iPod preparation, mounted in the front centre armrest, allows you to link your iPod to the vehicle's audio system. Controls are then provided through the vehicle's radio keypad or optional multifunction steering wheel. Optional on all models.
- **05** The radio system 'RCD 500' including dash-mounted six CD autochanger will provide hours of uninterrupted music. Optional on S and standard on SE and Sport models.
- **06** When transporting loose items, the optional luggage restraint/net partition helps protect passengers. Interior shown features optional leather* upholstery. Optional on all models.
- **07** The optional 'Nappa' leather* upholstery features heated leather trimmed sports seats for the driver and front seat passenger.

 Optional on SE and Sport models.
- **08** The Winter pack includes heated front seats, heated windscreen washer jets, a low screenwash level indicator and headlight washers. Optional on all models.
 - *Please note, some parts of leather interior will contain artificial leather.





- **01** TSI technology combined supercharger and turbocharger in one unit.
- **02** The TDI delivers excellent all-round performance.

Powerful performance that needn't cost the earth.

Your instinct is for power, but your head tells you economy. And your conscience says environment. Luckily, we've got a solution. Thanks to Volkswagen's leading-edge engine technology, the new Touran delivers exceptional performance, has impressively low fuel consumption and is more environmentally friendly than ever.

TSI technology

New TSI technology brings an exciting new engine design, unique to Volkswagen, that combines power and economy. This 'Twincharger' engine features a mechanically-driven supercharger and an exhaust-driven turbocharger, which in tandem effectively eliminate turbo lag. The belt-driven supercharger operates at low speeds, while the turbocharger activates as the engine speed increases. This results in an impressive drive and excellent performance throughout the engine's rev range with no turbo lag, continuous power and high maximum torque. Incorporated into the TSI engine is FSI technology, whereby fuel is injected directly into the combustion chamber under high pressure. The benefit of this technology is that it burns only the exact amount of fuel required, helping to reduce fuel consumption. The 1.4 litre TSI engine that powers the new Touran produces 140 PS at 5,600 rpm, offering impressive performance and dynamic power whilst still returning an economical 38.2 mpg on the Combined cycle* and a CO_2 emission of just 176 g/km.

TDI power

The new Touran is available with a choice of four TDI engines, each utilising high pressure, direct diesel injection to achieve excellent torque while minimising fuel consumption and emission levels. There are two 1.9 litre TDI units, producing a healthy 90 PS, or a more impressive 105 PS. The 2.0 litre TDI produces a powerful 140 PS and, along with the 1.9 litre 105 PS engine, can be fitted with an optional Diesel Particulate Filter (DPF) to further reduce emissions. Or choose the rangetopping 2.0 litre TDI DPF 170 PS, which delivers phenomenal performance and comes complete with DPF and the Winter Driving Programme, which prevents wheel skid on slippery surfaces through controlled acceleration and power transfer.

Depending which engine you choose, you can select either a five or six speed manual gearbox, or the highly innovative DSG Direct Shift Gearbox. (Winter Driving Programme is fitted as standard with DSG gearboxes.)

* Please see the individual specifications in this section for fuel consumption and CO_2 emissions figures.

S - 1.6 litre 102 PS. Technical specification.

Manual

Engine	Engine type	Four cylinder petrol	
	Cubic capacity, ltrs/cc	1.6/1595	
	Max. output, PS ⁽⁰¹⁾ /kW	102/75	
	at rpm	5600	
	Max. torque, lbs.ft/Nm	109/148	
	at rpm	3800	
	Gearbox	Five speed manual	
Weights, kgs ⁽⁰²⁾	Unladen weight ⁽⁰³⁾	1427	
	Gross vehicle weight	2090	
	Payload (03)	663	
	Axle load limit: Front	1060	
	Rear	1090	
Trailer load	Braked 12% incline	1200	
limits, kgs ⁽⁰⁴⁾	Unbraked	750	
	Max. roof load	100	
Performance	Top speed†, mph (km/h)	111 (179)	
renomiance	Acceleration, secs 0 - 62 mph	12.9	
	ABI insurance group	6	
	Abi nisurance group	U	
Environmental	Fuel grade, minimum	Unleaded, 95 RON (05)	
information	Official fuel consumption, mpg/ltr per 100 km (07)		
	Urban	25.7/11.0	
	Extra-urban	43.5/6.5	
	Combined	34.9/8.1	
	Official CO ₂ emission, g/km ⁽⁰⁸⁾	193	
	Emission class	EURO 4	
	Noise, dB	73.0	

[†] Where the law permits.

Notes.

- 01 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02 Figures shown are for the seven seater.
- 03 Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 05 Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂. The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

SE - 1.4 litre TSI 140 PS. Technical specification.

Engine	Engine type	Four cylinder petrol	Four cylinder petrol
	Cubic capacity, ltrs/cc	1.4/1390	1.4/1390
	Max. output, PS (01)/kW	140/103	140/103
	at rpm	5600	5600
	Max. torque, lbs.ft/Nm	162/220	162/220
	at rpm	1500-4000	1500-4000
	Gearbox	Six speed manual	Six speed auto DSG
Weights, kgs (02)	Unladen weight ⁽⁰³⁾	1478	1500
3 , 3	Gross vehicle weight	2150	2170
	Payload (03)	672	670
	Axle load limit: Front	1110	1130
	Rear	1100	1100
T -1 1 1	P. I. Lion J. H.	1500	1500
Trailer load	Braked 12% incline	1500	1500
limits, kgs ⁽⁰⁴⁾	Unbraked	750	750
	Max. roof load	100	100
Performance	Top speed†, mph (km/h)	124 (200)	123 (198)
	Acceleration, secs 0 - 62 mph	9.8	9.7
	ABI insurance group	9	9
Environmental	Fuel grade, minimum	Unleaded, 95 RON (05)	Unleaded, 95 RON (05)
information	Official fuel consumption, mpg/ltr per 100 km (07)		
	Urban	29.1/9.7	27.7/10.2
	Extra-urban	46.3/6.1	46.3/6.1
	Combined	38.2/7.4	37.7/7.5
	Official CO ₂ emission, g/km ⁽⁰⁸⁾	176	179
	Emission class	EURO 4	EURO 4
	Noise, dB	72.0	69.0

Manual

Notes.

Automatic DSG

- 01 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02 Figures shown are for the seven seater.
- Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 05 Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂. The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

[†] Where the law permits.

S – 1.9 litre TDI 90 PS. Technical specification.

Manual Four cyli

Engine	Engine type	Four cylinder diesel	
	Cubic capacity, ltrs/cc	1.9/1896	
	Max. output, PS ⁽⁰¹⁾ /kW	90/66	
	at rpm	4000	
	Max. torque, lbs.ft/Nm	155/210	
	at rpm	1800-2500	
	Gearbox	Six speed manual	
Weights, kgs (02)	Unladen weight ⁽⁰³⁾	1498	
	Gross vehicle weight	2160	
	Payload (03)	662	
	Axle load limit: Front	1130	
	Rear	1090	
Trailer load	Braked 12% incline	1300	
limits, kgs ⁽⁰⁴⁾	Unbraked	750	
	Max. roof load	100	
Performance	Top speed†, mph (km/h)	106 (171)	
renomiance	Acceleration, secs 0 - 62 mph	14.9	
	ABI insurance group	6	
	Abi insurance group	· ·	
Environmental	Fuel grade, minimum	Diesel Non DPF (06)	
information	Official fuel consumption, mpg/ltr per 100 km ⁽⁰⁷⁾		
	Urban	37.7/7.5	
	Extra-urban	53.3/5.3	
	Combined	47.1/6.0	
	Official CO ₂ emission, g/km ⁽⁰⁸⁾	158	
	Emission class	EURO 4	
	Noise, dB	73.0	

[†] Where the law permits.

Notes.

- O1 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02 Figures shown are for the seven seater.
- 03 Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 04 With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 05 Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 06 The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- O8 The weight of a vehicle will influence the level of CO_2 emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO_2 . The CO_2 figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO_2 emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

S, SE – 1.9 litre TDI 105 PS. Technical specification.

Manual

Engine	Engine type Cubic capacity, ltrs/cc Max. output, PS (01)/kW at rpm Max. torque, lbs.ft/Nm at rpm Gearbox	Four cylinder diesel 1.9/1896 105/77 4000 185/250 1900 Six speed manual
Weights, kgs ⁽⁰²⁾	Unladen weight ⁽⁰³⁾ Gross vehicle weight Payload ⁽⁰³⁾ Axle load limit: Front Rear	1498 2160 662 1130 1090
Trailer load limits, kgs ⁽⁰⁴⁾	Braked 12% incline Unbraked Max. roof load	1500 750 100
Performance	Top speed†, mph (km/h) Acceleration, secs 0 - 62 mph ABI insurance group	111 (179) 13.2 6
Environmental information	Fuel grade, minimum Official fuel consumption, mpg/ltr per 100 km (07) Urban Extra-urban Combined Official CO ₂ emission, g/km (08) Emission class Noise, dB Fuel grade, minimum Official fuel consumption, mpg/ltr per 100 km (07) Urban Extra-urban Combined Official CO ₂ emission, g/km (08) Emission class Noise, dB	Diesel Non DPF (06) 38.2/7.4 54.3/5.2 47.9/5.9 156 EURO 4 72.0 Diesel DPF (06) 37.7/7.5 54.3/5.2 47.1/6.0 158 EURO 4 73.0

[†] Where the law permits.

Notes.

- O1 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02 Figures shown are for the seven seater.
- 03 Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 04 With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 05 Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- O8 The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂. The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.



SE, Sport – 2.0 litre TDI 140 PS. Technical specification.

Engine	Engine type	Four cylinder diesel	Four cylinder diesel
	Cubic capacity, ltrs/cc	2.0/1968	2.0/1968
	Max. output, PS (01)/kW	140/103	140/103
	at rpm	4000	4000
	Max. torque, lbs.ft/Nm	236/320	236/320
	at rpm	1750-2500	1750-2500
	Gearbox	Six speed manual	Six speed auto DSG
		om opeou munuur	om speed date 200
Weights, kgs (02)	Unladen weight ⁽⁰³⁾	1558	1592
	Gross vehicle weight	2210	2240
	Payload (03)	652	648
	Axle load limit: Front	1160	1190
	Rear	1110	1110
Trailer load	Braked 12% incline	1500	1500
limits, kgs ⁽⁰⁴⁾	Unbraked	750	750
	Max. roof load	100	100
Performance	Top speed†, mph (km/h)	124 (200)	123 (198)
	Acceleration, secs 0 - 62 mph	10.2	10.3
	ABI insurance group	9	9
Environmental	Fuel grade, minimum	Diesel Non DPF (06)	Diesel Non DPF (06)
information		Diesel Non DPF (00)	Diesel Non DPF (00)
information	Official fuel consumption, mpg/ltr per 100 km ⁽⁰⁷⁾ Urban	37.2/7.6	34.0/8.3
	Extra-urban	54.3/5.2	52.3/5.4
	Combined	47.1/6.0	43.5/6.5
	Official CO ₂ emission, g/km ⁽⁰⁸⁾	159	172
	Emission class	EURO 4	EURO 4
	Noise, dB	72.0	71.0
	Fuel grade, minimum	Diesel DPF (06)	Diesel DPF (06)
	Official fuel consumption, mpg/ltr per 100 km (07)		
	Urban	36.7/7.7	32.8/8.6
	Extra-urban	53.3/5.3	50.4/5.6
	Combined	46.3/6.1	42.2/6.7
	Official CO ₂ emission, g/km ⁽⁰⁸⁾	161	177
	Emission class	EURO 4	EURO 4
	Noise, dB	71.0	72.0

Manual

Notes.

Automatic DSG

- 01 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02 Figures shown are for the seven seater.
- 03 Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 04 With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 06 The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- O8 The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂. The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

[†] Where the law permits.

Sport – 2.0 litre TDI DPF 170 PS. Technical specification.

		Manuai	Automatic D3G
Engine	Engine type	Four cylinder diesel	Four cylinder diesel
· ·	Cubic capacity, ltrs/cc	2.0/1968	2.0/1968
	Max. output, PS (01)/kW	170/125	170/125
	at rpm	4200	4200
	Max. torque, lbs.ft/Nm	258/350	258/350
	at rpm	1750-2000	1750-2000
	Gearbox	Six speed manual	Six speed auto DSG
Weights, kgs ⁽⁰²⁾	Unladen weight ⁽⁰³⁾	1551	1585
	Gross vehicle weight	2210	2240
	Payload (03)	659	655
	Axle load limit: Front	1170	1200
	Rear	1110	1110
Trailer load	Braked 12% incline	1600	1600
limits, kgs ⁽⁰⁴⁾	Unbraked	750	750
	Max. roof load	100	100
Performance	Top speed†, mph (km/h)	133 (214)	132 (212)
	Acceleration, secs 0 - 62 mph	9.0	9.1
	ABI insurance group	12	12
Environmental	Fuel grade, minimum	Diesel DPF (06)	Diesel DPF (06)
information	Official fuel consumption, mpg/ltr per 100 km (07)		
	Urban	33.2/8.5	32.5/8.7
	Extra-urban	50.4/5.6	48.7/5.8
	Combined	42.8/6.6	40.9/6.9
	Official CO ₂ emission, g/km ⁽⁰⁸⁾	174	182
	Emission class	EURO 4	EURO 4
	Noise, dB	75.0	69.0

Manual

Notes.

Automatic DSG

- 01 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02 Figures shown are for the seven seater.
- Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 05 Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂. The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

[†] Where the law permits.

The technology.

Engines

- Front transversely-mounted engine
- 1.6 litre/102 PS (01) (75 kW) petrol engine.
 Four cylinder in-line engine, aluminium cylinder head, two valves per cylinder with roller rocker valves, programmed ignition with cylinder-selective anti-knock control, four single spark ignition coils, Longlife spark plugs, exhaust gas recirculation, three-way front catalyst, lambda control
- 1.4 litre/140 PS (01) (103 kW) petrol engine.
 TSI engine with dual-charging, double injection catalytic converter heating, turbocharger with waste gate, additional mechanical supercharger, intercooler, maintenance-free timing chain, continuous inlet camshaft timing adjustment, grey cast iron cylinder block, steel crankshaft, duo-centric oil pump, dual-circuit cooling system, fuel system regulated according to requirements, high-pressure fuel pump with a delivery pressure of up to 150 bar, four valves per cylinder
- 1.9 litre/90 PS (01) (66 kW) diesel engine.
 Four cylinder in-line engine, cast iron cylinder block, two valves per cylinder, electronically controlled direct injection with pump injector unit ('Pumpe Düse'), oil cooler, intercooler, exhaust gas recirculation, turbocharger with variable turbine geometry, catalytic converter
- 1.9 litre/105 PS (01) (77 kW) diesel engine. Four cylinder in-line engine, cast iron cylinder block, two valves per cylinder, electronically controlled direct injection with pump injector unit ('Pumpe Düse'), oil cooler, intercooler, exhaust gas recirculation, turbocharger with variable turbine geometry, catalytic converter
- 2.0 litre/140 PS (01) (103 kW) diesel engine. Four cylinder in-line engine, cast iron cylinder block, four valves per cylinder, electronically controlled direct injection with pump injector unit ('Pumpe Düse'), oil cooler, intercooler, exhaust gas recirculation, turbocharger with variable turbine geometry, catalytic coated diesel particulate filter (DPF)
- 2.0 litre/170 PS ⁽⁰¹⁾ (125 kW) diesel engine. Four cylinder in-line engine, cast iron cylinder block, four valves per cylinder, electronically controlled direct injection with pump injector unit ('Pumpe Düse'), oil cooler, intercooler, exhaust gas recirculation, turbocharger with variable turbine geometry, catalytic coated diesel particulate filter (DPF)
- The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.

Transmission

- Front-wheel drive
- Five speed manual gearbox: 1.6 litre 102 PS
- Six speed manual gearbox: all models except 1.6 litre 102 PS
- Six speed automatic DSG gearbox: 1.4 litre TSI 140 PS, 2.0 litre TDI 140 PS,
 2.0 litre TDI DPF 170 PS

Steering


- Maintenance-free rack and pinion steering rack with speed related, electronically controlled servo assistance
- Height and reach adjustable and collapsible safety steering column

Running gear

- Front suspension uses coil springs with telescopic shock absorbers; all elements integrated in chassis legs
- Rear suspension with oil pressure shock absorbers and separate springs
- Wheel control: front through chassis legs and (lower) triangular wishbones (directionally stabilising steering roll radius), at rear through four link suspension with integrated anti-roll bar
- Front anti-roll bar
- Electronic Stabilisation Programme (ESP) including Hydraulic Brake Assist (HBA),
 Electronic Differential Lock (EDL) and Traction Control ASR)

Dimensions.

Exterior dimensions	Length, mm	4407
	Width, mm	1794
	Width – opened front doors, mm	3590
	Height, mm	1635
	Height – opened bonnet/floor, mm	1871
	Height – opened tailgate/floor, mm	2043
	Wheelbase, mm	2675



Volkswagen service for your peace of mind.

The Volkswagen Warranty.

Three-year Warranty.

All Volkswagen Tourans come with a three-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a two-year manufacturer's warranty with unlimited mileage plus a further one-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's two-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from an authorised Volkswagen retailer or repairer; however, this additional warranty must be purchased before the mileage reaches 60,000*. Full details of the three-year warranty are available from your authorised Volkswagen retailer or repairer.

* All warranty work must be completed by an authorised Volkswagen retailer or repairer.

Three-year Paint Warranty.

The paintwork of the Touran is covered against manufacturing defects for a period of three years. Naturally, the Touran must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

12-year Body Protection Warranty.

The internal body sections and panels of the Tourans are covered against rusting through from the inside for 12 years. Naturally, the Touran must be cared for in compliance with the operating instructions. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

Service Intervals.

Volkswagen are pleased to offer you a choice on how your Touran is serviced. The appropriate selection is entirely dependent on how the car is likely to be driven and its general use. To help you identify which type of service would be most suitable, please refer to the following guide.

The Time and Distance Service is recommended for vehicles that will cover less than 10,000 miles in 12 months and if the vehicle is likely to be used in the following way:

- Predominantly urban driving, short journeys with frequent cold starts.
- Activities regularly producing high engine loading, e.g. frequent hill climbs, driving with vehicle fully loaded and towing.
- Uneconomical driving style using high rpms with heavy acceleration and heavy braking.

The service intervals for the Time and Distance Service are as follows:

- Oil change service Every 10,000 miles/1 year (whichever is soonest).
- Interval service
 Every 20,000 miles/2 years (whichever is soonest).
- Interval service inspection

Every 40,000 miles/4 years (whichever is soonest).

The LongLife Service is recommended for vehicles with a daily mileage of more than 25 miles where the vehicle is driven regularly mainly on longer distance journeys. The vehicle is driven mainly at a constant speed with minimum vehicle and engine loading, minimal towing and driven in an economical manner.

With the LongLife Service the vehicle can cover anywhere between $10,000^{\dagger}$ and a maximum of $20,000^{\dagger}$ miles or 24 months (whichever is soonest).

† Please note that mileages are approximate as the service indicator system uses kilometres as the distance measurement. Please consult your authorised Volkswagen retailer or repairer for advice and full details.

Approved Accessories.

A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factory-fitted option list. Volkswagen Approved accessories purchased from and fitted by your authorised Volkswagen retailer at the point of vehicle sale will also benefit from the three-year vehicle warranty.

Volkswagen Insurance.

Competitive insurance premiums are available to Volkswagen owners through Volkswagen Insurance Service (Great Britain) Limited. Volkswagen Insurance guarantees that all repair work is undertaken by an authorised Volkswagen retailer or repairer.

For a quotation, telephone Linkline on 0845 600 8006.

Extended Warranty.

You may purchase additional protection from your authorised Volkswagen retailer or repairer, or contact 0870 9000 115.

Volkswagen Finance‡.

Volkswagen Finance specialises in providing funding solutions for Volkswagen drivers. Whether your Volkswagen is for private or business use, you can choose from a range of funding options.

Here is our full range of finance products.

- · Solutions a personal contract plan
- Hire purchase
- Lease purchase
- Finance lease
- Contract hire

With all Volkswagen Finance products you can choose a fixed-cost maintenance plan to help you budget for your servicing and maintenance costs.

No matter what finance product you choose, your local Volkswagen retailer will be able to provide you with a personalised quote that could meet your budget and vehicle needs.

Volkswagen Assistance.

Every new car is registered for Volkswagen Assistance for one year. This provides vehicle recovery in the unlikely event of a breakdown (subject to conditions). Volkswagen Assistance can also be purchased for subsequent years. For full details, please contact your authorised Volkswagen retailer.

Tax Free Sales.

For full details, please contact your authorised Volkswagen retailer.

CO₂ Emission.

The weight of a vehicle will influence the level of CO_2 emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO_2 .

The CO_2 figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO_2 emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

Please Note: Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK.

The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your authorised Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your authorised Volkswagen retailer prior to ordering.

Note: We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.

‡ Volkswagen Finance is a trading name of Volkswagen Financial Services (UK) Limited.

An offer of finance depends on certain conditions. Available to people over 18 in the UK only.

