

CATALOGUE



2026

HAMOKI






CONTENT LIST






COOL & DISPLAY

Display Counter		P.01
Food Display Fridge		P.02
Cake Display		P.02
Ice Machine		P.02
Slush Machine		P.03


COOK & WARM

Pressure Fryer		P.04
Electric Open Fryer		P.04
Countertop Electric Fryer		P.05
Free Standing Electric Fryer		P.06
Free Standing Gas Fryer		P.06
Electric Fries Station		P.06
Gas Griddle		P.07
Gas Charbroiler / Chargrill		P.07
Heavy Duty Gas Charbroiler / Chargrill		P.07
Stainless Steel Salamander Grill		P.08
Contact Grill		P.08
Electric Griddle		P.08
Electric Crepe Maker		P.09
Stainless Steel Waffle Maker		P.09
Gas Doner / Kebab Machine		P.09
Gas Hotplate		P.10
Gas Range with Oven		P.10
Gas Stove		P.10
Electric Pizza Oven (Heavy Duty)		P.10
Electric Pizza Oven		P.11
Convection Oven		P.11
Plate Warmer		P.11

COOK & WARM

Bain Marie		P.12
Bain Marie with Round Pots / GN Pans		P.12
Bottle Warmer		P.12
Food Warmer Cart		P.13
Warmer Drawer		P.13
Heated Display Warmer		P.13
Hot Display Cabinet		P.14
Food & Chicken Warmer / Display		P.14
Pie Cabinet		P.14
Soup Kettle		P.15
Water Boiler		P.15
Induction Cooker		P.15
Rice Cooker		P.15
Stainless Steel Toaster		P.16
Blender		P.16

PREPARATION

Vegetable Cutter		P.17
Vegetable Cutter Discs (for HLC-300)		P.17
Vegetable Cutter Discs (for VC65MS)		P.18
Spiral Mixer		P.19
Planetary Mixer		P.20
Pizza Dough Roller		P.20
Floor-standing Dough Sheeter		P.20
Meat Mincer		P.21
Meat Slicer		P.21
Bone Saw		P.21
Hand Blender		P.22

CONTENT LIST

STAINLESS STEEL

Stainless Steel Sink		P.23
Stainless Steel Dishwasher Sink		P.24
Stainless Steel Table		P.25
Stainless Steel Wall Shelf		P.25
Overshelf for Prep Table		P.26
Work Table Cabinet with Drawers		P.26
Storage Shelving		P.26
Charbroiler & Griddle Stand		P.26
Stainless Steel Service Trolley		P.27
Rack Trolley		P.27
Hand Wash Basin		P.28
Pre-Rinse Spray Arm Tap		P.28
Chafing Dish with Lid		P.28
Waste Bin & Bag Holder		P.28
Gastronorm Pan Lids		P.29
Stainless Steel Gastronorm Pans		P.29

S.S.

Perforated Gastronorm Pans		P.30
GN Pans Holder		P.30
Garnish Rail for Charbroiler & Griddle		P.30
Chrome Steel Shelving		P.31

REFRIGERATION

Upright Refrigerated Cabinet		P.32
Refrigerated Counter (GN series)		P.33
Refrigerated Salad Counter		P.34
Refrigerated Counter (SNACK series)		P.36
Refrigerated Pizza Counter		P.37
Refrigerated Sandwich Counter		P.37
Refrigerated Pizza Display		P.38
ABS series (S.S. Exterior)		P.39
ABS series (White Exterior)		P.40
Accessories		P.41
Back Bar Cooler		P.41
Drinks Cabinet		P.41





COOL & DISPLAY

Display Counter



iMT-120/160Z



iMT-120/160F

CODE	251006 (iMT-120Z)	251011 (iMT-160Z)	251013 (iMT-120F)	251012 (iMT-160F)
DIMENSIONS (W×D×H)	710 × 568 × 686 mm	888 × 568 × 686 mm	710 × 568 × 686 mm	888 × 568 × 686 mm
WEIGHT	57 KG	66 KG	57 KG	66 KG
POWER	240 W / 230 V 50 Hz	240 W / 230 V 50 Hz	240 W / 230 V 50 Hz	240 W / 230 V 50 Hz
CAPACITY	120 L	160 L	120 L	160 L
SHELVES	2 + 1 (base)	2 + 1 (base)	2 + 1 (base)	2 + 1 (base)
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C
REFRIGERANT	R600A	R600A	R600A	R600A
CLIMATE CLASS	4	4	4	4



iMT-100L

CODE	251005 (iMT-100L)	251007 (iMT-120L)	251008 (iMT-160L)
DIMENSIONS (W×D×H)	682 × 450 × 675 mm	710 × 568 × 686 mm	888 × 568 × 686 mm
WEIGHT	35 KG	57 KG	66 KG
POWER	220 W / 230 V 50 Hz	240 W / 230 V 50 Hz	240 W / 230 V 50 Hz
CAPACITY	100 L	120 L	160 L
SHELVES	2 + 1 (base)	2 + 1 (base)	2 + 1 (base)
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C
REFRIGERANT	R600A	R600A	R600A
CLIMATE CLASS	4	4	4



iMT-120/160L



iMB-68L

CODE	251002 (iMB-68L)	251004 (iMB-98L)	251010 (iMB-238L)
DIMENSIONS (W×D×H)	447 × 400 × 894 mm	447 × 400 × 1119 mm	515 × 485 × 1715 mm
WEIGHT	33 KG	39 KG	80 KG
POWER	200 W / 230 V 50 Hz	200 W / 230 V 50 Hz	340 W / 230 V 50 Hz
CAPACITY	68 L	98 L	238 L
SHELVES	3 + 1 (base)	4 + 1 (base)	4 + 1 (base)
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C
REFRIGERANT	R600A	R600A	R290



iMB-98L



iMW-68L

CODE	251001 (iMW-68L)	251003 (iMW-98L)	251009 (iMW-238L)
DIMENSIONS (W×D×H)	447 × 400 × 894 mm	447 × 400 × 1119 mm	515 × 485 × 1715 mm
WEIGHT	33 KG	39 KG	80 KG
POWER	200 W / 230 V 50 Hz	200 W / 230 V 50 Hz	340 W / 230 V 50 Hz
CAPACITY	68 L	98 L	238 L
SHELVES	3 + 1 (base)	4 + 1 (base)	4 + 1 (base)
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C
REFRIGERANT	R600A	R600A	R290



iMW-238L



COOL & DISPLAY



Food Display Fridge

CODE	251018 (HA-220L)	251019 (HA-360L)
DIMENSIONS (W×D×H)	494 × 677 × 1744 mm	886 × 945 × 1521 mm
WEIGHT	96 KG	126 KG
POWER	1.34 kW	1.4 kW
CAPACITY	220 L	360 L
SHELVES	3	2
TEMPERATURE	2 ~ 10°C	2 ~ 10°C
REFRIGERANT	R290	R290
CLIMATE CLASS	6	6



HA-220L



HA-360L



Cake Display

CODE	251014 (HA-900Z)	251015 (HA-1200Z)	251016 (HA-1500Z)	251017 (HA-1800Z)
DIMENSIONS (W×D×H)	900 × 675 × 1215 mm	1200 × 675 × 1215 mm	1500 × 675 × 1215 mm	1800 × 675 × 1215 mm
WEIGHT	141 KG	170 KG	200 KG	230 KG
POWER	550 W	550 W	550 W	550 W
CAPACITY	330 L	460 L	580 L	700 L
SHELVES	2 + 1 (base)	2 + 1 (base)	2 + 1 (base)	2 + 1 (base)
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C
REFRIGERANT	R290	R290	R290	R290
CLIMATE CLASS	4	4	4	4



Ice Machine

CODE	281001 (HAM-36K)	281002 (HAM-55K)	281003 (HAM-55KT)
DIMENSIONS (W×D×H)	500 × 450 × 800 mm	500 × 590 × 850 mm	500 × 590 × 850 mm
WEIGHT	36 KG	45 KG	45 KG
POWER	310 W (13 amp plug)	460 W (13 amp plug)	460 W (13 amp plug)
ICE PRODUCTION	36 KG/24Hr	55 KG/24Hr	55 KG/24Hr
ICE STORAGE	15 KG	18 KG	18 KG
REFRIGERANT	R290	R290	R290
MATERIAL	Stainless Steel & Black ABS	Stainless Steel & Black ABS	Stainless Steel & Black ABS
CUBE SIZE	22 × 22 × 22 mm	22 × 22 × 22 mm	22 × 22 × 22 mm



HAM-36/55K



HAM-55KT

CODE	281004 (HAM-73K)	281005 (HAM-95K)	281006 (HAM-127K)
DIMENSIONS (W×D×H)	660 × 685 × 920 mm	660 × 685 × 920 mm	660 × 685 × 920 mm
WEIGHT	55 KG	57 KG	60 KG
POWER	480 W (13 amp plug)	625 W (13 amp plug)	730 W (13 amp plug)
ICE PRODUCTION	73 KG/24Hr	95 KG/24Hr	127 KG/24Hr
ICE STORAGE	36 KG	36 KG	36 KG
REFRIGERANT	R290	R290	R290
MATERIAL	Stainless Steel & Black ABS	Stainless Steel & Black ABS	Stainless Steel & Black ABS
CUBE SIZE	22 × 22 × 22 mm	22 × 22 × 22 mm	22 × 22 × 22 mm





COOL & DISPLAY

Ice Machine



HAM-227/350K with
B375-AIB bin

CODE	281007 (HAM-159K)	281008 (HAM-191K)	281009 (HAM-227K)	281010 (HAM-350K)	281011 (HAM-455K)
DIMENSIONS (W×D×H)	560 × 860 × 1750 mm	560 × 860 × 1750 mm	760 × 832 × 1715 mm	760 × 832 × 1715 mm	760 × 860 × 1750 mm
WEIGHT	83 KG	85 KG	111 KG	111 KG	124 KG
POWER	760 W (13 amp plug)	800 W (13 amp plug)	1.05 kW (13 amp plug)	1.05 kW (13 amp plug)	2.4 kW (13 amp plug)
ICE PRODUCTION	159 KG/24Hr	191 KG/24Hr	227 KG/24Hr	318 KG/24Hr	455 KG/24Hr
ICE STORAGE	140 KG (HAM-159K-BIN)	140 KG (HAM-191K-BIN)	170 KG (B375-AIB bin)	170 KG (B375-AIB bin)	200 KG (HAM-455K-BIN)
REFRIGERANT	R290	R290	R290	R449A	R449A
MATERIAL	Stainless Steel & Black ABS	Stainless Steel & Black ABS	Stainless Steel & Black ABS	Stainless Steel & Black ABS	Stainless Steel & Black ABS
CUBE SIZE	22 × 22 × 22 mm	22 × 22 × 22 mm	22 × 22 × 22 mm	22 × 22 × 22 mm	22 × 22 × 22 mm



CODE	281012 (HAM-680K)*	281013 (HAM-900K)*
DIMENSIONS (W×D×H)	1227 × 965 × 1927 mm	1227 × 965 × 2057 mm
WEIGHT	220 KG	270 KG
POWER	3.4 kW (20 amp plug)	4 kW (1-phase hardwired)
ICE PRODUCTION	680 KG/24Hr	900 KG/24Hr
ICE STORAGE	350 KG	350 KG
REFRIGERANT	R290	R290
MATERIAL	Stainless Steel & Black ABS	Stainless Steel & Black ABS
CUBE SIZE	22 × 22 × 22 mm	22 × 22 × 22 mm

*Available for order with a lead time of 12~15 weeks.

Slush Machine



HA-J12LX2

CODE	331003 (HA-J12LX2)	331004 (HA-R12LX2T)	331005 (HA-J12LX3T)
DIMENSIONS (W×D×H)	430 × 510 × 770 mm	430 × 510 × 770 mm	610 × 510 × 770 mm
WEIGHT	42 KG	44 KG	63 KG
POWER	500 W / 220-240 V 50 Hz	500 W / 220-240 V 50 Hz	600 W / 240 V 50 Hz
CAPACITY	2 x 12 L	2 x 12 L	3 x 12 L
TEMPERATURE	-2 ~ -3 °C	-2 ~ -3 °C	-2 ~ -3 °C
REFRIGERANT	R290	R290	R290
DRIP TRAY	Rectangular	Circular	Circular



HA-J12LX3T



COOK & WARM



Pressure Fryer

CODE	341001 (TP-16L)	341002 (TP-22L)
DIMENSIONS (W×D×H)	445 × 490 × 530 mm	475 × 527 × 565 mm
TANK DIMENSIONS	268 (Ø) × 225 (H) mm	300 (Ø) × 225 (H) mm
WEIGHT	21 KG	29 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)	3.5 kW / 240 V 50 Hz (1-phase hardwired)
CAPACITY	15 L (oil 10 L)	22 L (oil 12.5 L)
BASKET SIZE	245 (Ø) × 210 (H) mm	270 (Ø) × 210 (H) mm
SUPPLY	Elec.	Elec.
TEMPERATURE	20 ~ 200 °C	20 ~ 200 °C
WORKING PRESSURE	8 Psi	6.8 ~ 7.2 Psi



TP-16L



TP-22L

CODE	341009 (GPF-24L)	341003 (EPF-24L)	341010 (EPF-45L)
DIMENSIONS (W×D×H)	460 × 960 × 1230 mm	460 × 960 × 1230 mm	615 × 1040 × 1530 mm
TANK DIMENSIONS (W×D×H)	343 × 408 × 336 mm	343 × 408 × 336 mm	405 × 513 × 610 mm
WEIGHT	135 KG	135 KG	344 KG
POWER	0.6 kW / 220 V 50 Hz (13 amp plug)	13.5 kW / 415 V 50 Hz (3-phase hardwired)	17 kW / 415 V 50 Hz (3-phase hardwired)
Oil CAPACITY	24 L	24 L	45 L
BASKET SIZE (W×D×H)	200 × 340 × 260 mm	200 × 340 × 260 mm	346 × 451 × 390 mm
SUPPLY	NG/LPG & Elec.	Elec.	Elec.
TEMPERATURE	20 ~ 200 °C	20 ~ 200 °C	20 ~ 200 °C
WORKING PRESSURE	12 Psi	12 Psi	12 Psi



G/EPF-24L



EPF-45L



Electric Open Fryer

CODE	341004 (DGF-26L)	341005 (DGF-D13L)	341006 (DGF-D26L)
DIMENSIONS (W×D×H)	400 × 780 × 1160 mm	400 × 780 × 1160 mm	790 × 780 × 1160 mm
TANK DIMENSIONS (W×D×H)	348 × 532 × 288 mm	(2×) 180 × 532 × 288 mm	(2×) 348 × 532 × 288 mm
WEIGHT	86 KG	100 KG	145 KG
POWER	14 kW / 415 V 50 Hz (3-phase hardwired)	14 kW / 415 V 50 Hz (3-phase hardwired)	2 × 14 kW / 415 V 50 Hz (3-phase hardwired)
CAPACITY	26 L (oil 21.5 L)	2 × 13 L (oil 11.6 L)	2 × 26 L (oil 21.5 L)
BASKET SIZE (W×D×H)	335 × 320 × 150 mm	335 × 165 × 150 mm	335 × 320 × 150 mm
TEMPERATURE	20 ~ 200 °C	20 ~ 200 °C	20 ~ 200 °C
AUTO-LIFT	No	No	No



DGF-26L

CODE	341007 (DGF-F13L)	341008 (Auto-D26L)	341011 (Auto-F13L)
DIMENSIONS (W×D×H)	820 × 820 × 1175 mm	860 × 800 × 1210 mm	865 × 860 × 1210 mm
TANK DIMENSIONS (W×D×H)	(4×) 180 × 532 × 288 mm	(2×) 348 × 532 × 288 mm	(4×) 180 × 532 × 288 mm
WEIGHT	165 KG	165 KG	165 KG
POWER	2 × 14 kW / 415 V 50 Hz (3-phase hardwired)	2 × 14 kW / 415 V 50 Hz (3-phase hardwired)	2 × 14 kW / 415 V 50 Hz (3-phase hardwired)
CAPACITY	4 × 13 L (oil 11.6 L)	2 × 26 L (oil 21.5 L)	4 × 13 L (oil 11.6 L)
BASKET SIZE (W×D×H)	165 × 335 × 150 mm	335 × 320 × 150 mm	165 × 335 × 150 mm
TEMPERATURE	20 ~ 200 °C	20 ~ 200 °C	20 ~ 200 °C
AUTO-LIFT	No	Yes	Yes



Auto-D26L



COOK & WARM

Countertop Electric Fryer



CODE	161002 (EF-131)	161003 (EF-132)
DIMENSIONS (W×D×H)	340 × 500 × 380 mm	640 × 500 × 380 mm
WEIGHT	6.5 KG	10.5 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)	3 + 3 kW / 240 V 50 Hz (2 x 13 amp plug)
OIL CAPACITY	8 L	2 x 8 L
BASKET SIZE (W×D×H)	220 × 210 × 120 mm	220 × 210 × 120 mm
TEMPERATURE	50 ~ 190 °C	50 ~ 190 °C
TAP	No	No



CODE	161005 (EF-131V)	161006 (EF-132V)
DIMENSIONS (W×D×H)	310 × 480 × 345 mm	630 × 480 × 345 mm
WEIGHT	8 KG	15.3 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)	3 + 3 kW / 240 V 50 Hz (2 x 13 amp plug)
OIL CAPACITY	8 L	2 x 8 L
BASKET SIZE (W×D×H)	220 × 210 × 120 mm	220 × 210 × 120 mm
TEMPERATURE	50 ~ 190 °C	50 ~ 190 °C
TAP	Yes	Yes



CODE	161008 (EF-13)
DIMENSIONS (W×D×H)	375 × 460 × 345 mm
WEIGHT	7.5 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)
OIL CAPACITY	11 L
TEMPERATURE	50 ~ 190 °C
TAP	No



CODE	161010 (EF-161V)	161011 (EF-162V)
DIMENSIONS (W×D×H)	340 × 550 × 365 mm	690 × 550 × 365 mm
WEIGHT	11 KG	18 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)	3 + 3 kW / 240 V 50 Hz (2 x 13 amp plug)
OIL CAPACITY	11.5 L	2 x 11.5 L
BASKET SIZE (W×D×H)	250 × 230 × 120 mm	250 × 230 × 120 mm
TEMPERATURE	50 ~ 190 °C	50 ~ 190 °C
TAP	Yes	Yes





COOK & WARM



Free Standing Electric Fryer

CODE	101065 (DF-28L)	101066 (DF-10L-2)
DIMENSIONS (W×D×H)	400 × 800 × 1100 mm	400 × 800 × 1100 mm
WEIGHT	56 KG	61 KG
POWER	4.5 + 4.5 kW / 240 V 50 Hz (1-phase hardwired)	6 + 6 kW / 240 V 50 Hz (1-phase hardwired)
CAPACITY	28 L	10 + 10 L
BASKET SIZE (W×D×H)	335 × 165 × 150 mm	335 × 165 × 150 mm
TEMPERATURE	50 ~ 190 °C	50 ~ 190 °C
Tanks	1	2



DF-28L



DF-10L-2



Free Standing Gas Fryer

2.3 mm (NG jet)
1.3 mm (LPG jet)
1/2" Hose

CODE	101061 (GF90)	101070 (GF120T)	101071 (GF120)	101072 (GF150)
DIMENSIONS (W×D×H)	394 × 767 × 1182 mm	396 × 711 × 1168 mm	394 × 767 × 1182 mm	534 × 767 × 1182 mm
WEIGHT	65 KG	81 KG	71 KG	78 KG
POWER	26.4 kW	35.2 kW	35.2 kW	44 kW
CAPACITY	18 ~ 23 L	22 ~ 26 L	25 L	37 L
BASKET SIZE (W×D×H)	152 × 311 × 165 mm	152 × 311 × 165 mm	152 × 311 × 165 mm	235 × 331 × 165 mm
TEMPERATURE	93 ~ 204 °C	93 ~ 204 °C	93 ~ 204 °C	93 ~ 204 °C
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
BURNERS	3	4	4	5
INPUT BTU/HR	90,000	120,000	120,000	150,000
TANKS	1	2	1	1
ACCESSORIES	Castor (SP10028) Castor with brake (SP10029)	Castor (SP10028) Castor with brake (SP10029)	Castor (SP10028) Castor with brake (SP10029)	Castor (SP10028) Castor with brake (SP10029)



GF90



Electric Fries Station

CODE	101073 (CS-310)	161004 (CW-8T)	161009 (CW-8A)
DIMENSIONS (W×D×H)	330 × 560 × 500 mm	600 × 610 × 700 mm	640 × 762 × 1635 mm
WEIGHT	7 KG	21 KG	48.2 KG
POWER	940 W / 240 V 50 Hz	900 W / 240 V 50 Hz	1.5 kW / 240 V 50 Hz
ACCESSORIES	—	—	Perforated Tray (SP10858)



CS-310



CW-8T



CW-8A



Perforated tray for CW-8A
(purchase separately)



COOK & WARM

S 2.2 mm (NG jet)
1.3 mm (LPG jet)
3/4" Hose



EGG-36SX



EGG-36FG / 101105



EGG-24SX-P

Gas Griddle

Preset as NG **CE**

CODE	101058 (EGG-24SX)	101059 (EGG-36SX)	101060 (EGG-48SX)	101082 (EGG-60SX)
DIMENSIONS (W×D×H)	604 × 640 × 390 mm Adjustable feet	904 × 640 × 390 mm Adjustable feet	1204 × 640 × 390 mm Adjustable feet	1504 × 640 × 390 mm Adjustable feet
WEIGHT	50 KG	80 KG	135 KG	210 KG
POWER	14 kW	21 kW	28 kW	37.5 kW
COOKING AREA (W×D)	600 × 482 mm	900 × 482 mm	1200 × 482 mm	1500 × 482 mm
PLATE THICKNESS	18 mm	18 mm	18 mm	18 mm
PLATE MATERIAL	Stainless Steel	Stainless Steel / Half Ribbed (101105)	Stainless Steel	Stainless Steel
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
INPUT BTU/HR	60,000	90,000	120,000	150,000

CODE	101058-P (EGG-24SX-P)	101059-P (EGG-36SX-P)	101060-P (EGG-48SX-P)	101082-P (EGG-60SX-P)
DIMENSIONS (W×D×H)	604 × 640 × 390 mm Adjustable feet	904 × 640 × 390 mm Adjustable feet	1204 × 640 × 390 mm Adjustable feet	1504 × 640 × 390 mm Adjustable feet
WEIGHT	50 KG	80 KG	135 KG	210 KG
POWER	14 kW	21 kW	28 kW	37.5 kW
COOKING AREA (W×D)	600 × 482 mm	900 × 482 mm	1200 × 482 mm	1500 × 482 mm
PLATE THICKNESS	20 mm	20 mm	20 mm	20 mm
PLATE MATERIAL	Chrome-plated	Chrome-plated	Chrome-plated	Chrome-plated
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
INPUT BTU/HR	60,000	90,000	120,000	150,000

S 2.2 mm (NG jet)
1.3 mm (LPG jet)
3/4" Hose



ECB-36SX



EGG/ECB stand (refer to page 26)

Gas Charbroiler / Chargrill

Preset as NG **CE**

CODE	101055 (ECB-24SX)	101056 (ECB-36SX)	101057 (ECB-48SX)	101074 (ECB-60SX)
DIMENSIONS (W×D×H)	604 × 640 × 390 mm Adjustable feet	904 × 640 × 390 mm Adjustable feet	1204 × 640 × 390 mm Adjustable feet	1504 × 640 × 390 mm Adjustable feet
WEIGHT	52 KG	74 KG	98 KG	215 KG
POWER	14 kW	21 kW	28 kW	37.5 kW
COOKING AREA (W×D)	600 × 460 mm	900 × 460 mm	1200 × 460 mm	1500 × 460 mm
GRID SIZE (W×D)	150 × 460 mm	150 × 460 mm	150 × 460 mm	150 × 460 mm
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
INPUT BTU/HR	60,000	90,000	120,000	150,000
ACCESSORIES	Lava rock (SP10020) Griddle Plate (SP10448)	Lava rock (SP10021) Griddle Plate (SP10449)	Lava rock (SP10022) Griddle Plate (SP10450)	Griddle Plate (SP10451)

S 2.08 mm (NG jet)
1.4 mm (LPG jet)
3/4" Hose



GCB-24

Heavy Duty Gas Charbroiler / Chargrill

Preset as NG **CE**

CODE	101078 (GCB-24)	101079 (GCB-36)	101080 (GCB-48)	101081 (GCB-60)
DIMENSIONS (W×D×H)	605 × 745 × 400 mm Adjustable feet	910 × 745 × 400 mm Adjustable feet	1220 × 745 × 400 mm Adjustable feet	1530 × 745 × 400 mm Adjustable feet
WEIGHT	85 KG	130 KG	167 KG	210 KG
POWER	23 kW	34.5 kW	46 kW	57.5 kW
COOKING AREA (W×D)	540 × 545 mm	810 × 545 mm	1080 × 545 mm	1350 × 545 mm
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
INPUT BTU/HR	4 × 20,000	6 × 20,000	8 × 20,000	10 × 20,000
BURNER	Cast Iron Bar	Cast Iron Bar	Cast Iron Bar	Cast Iron Bar



COOK & WARM



Stainless Steel Salamander Grill

CODE	101025 (ES-2000)	101029 (ES-2800L)	101030 (ES-4000L)
DIMENSIONS (W×D×H)	570 × 340 × 280 mm	450 × 450 × 500 mm	600 × 450 × 500 mm
WEIGHT	14 KG	39 KG	49 KG
POWER	2 kW / 240 V 50 Hz (13 amp plug)	2.8 kW / 240 V 50 Hz (13 amp plug)	3.6 kW / 240 V 50 Hz (1-phase hardwired)
HEIGHT ADJUSTABLE	No	Yes	Yes



ES-2000



ES-2800L



Contact Grill

CODE	101014 (PG-MA)	101015 (PG-MB)	101016 (PG-MC)
DIMENSIONS (W×D×H)	410 × 305 × 210 mm	410 × 305 × 210 mm	410 × 305 × 210 mm
WEIGHT	17 KG	17 KG	17 KG
POWER	2.2 kW	2.2 kW	2.2 kW
COOKING AREA (W×D)	338 × 220 mm	338 × 220 mm	338 × 220 mm
TOP PLATE	Grooved	Flat	Grooved
BOTTOM PLATE	Grooved	Flat	Flat



PG-MA

CODE	101017 (PG-2SA)	101018 (PG-2SF)	101019 (PG-2SC)
DIMENSIONS (W×D×H)	570 × 305 × 210 mm	570 × 305 × 210 mm	570 × 305 × 210 mm
WEIGHT	28 KG	28 KG	28 KG
POWER	2 × 1.8 kW	2 × 1.8 kW	2 × 1.8 kW
COOKING AREA (W×D)	475 × 230 mm	475 × 230 mm	475 × 230 mm
TOP PLATE	Grooved	Flat	Grooved
BOTTOM PLATE	Grooved	Flat	Flat



PG-2SA



Electric Griddle

CODE	101020 (FT-818)	101067 (FT-820)	101096 (FT-822)	101097 (GR-400)
DIMENSIONS (W×D×H)	550 × 450 × 230 mm	730 × 500 × 230 mm	730 × 500 × 230 mm	400 × 500 × 270 mm
WEIGHT	23 KG	34 KG	34 KG	27.5 KG
POWER	3 kW (13 amp plug)	2 × 2.2 kW (2 × 13 amp plug)	2 × 2.2 kW (2 × 13 amp plug)	3 kW (13 amp plug)
COOKING AREA (W×D)	548 × 400 mm	728 × 400 mm	728 × 400 mm	400 × 396 mm
PLATE THICKNESS	12 mm	12 mm	12 mm	15 mm
PLATE	Flat	Flat	Flat + Grooved	Chrome-plated Flat



FT-818



FT-820

CODE	101098 (GR-550)	101099 (GR-610)	101100 (GR-760)	101106 (GR-1000PRO)
DIMENSIONS (W×D×H)	550 × 450 × 270 mm	610 × 500 × 270 mm	760 × 500 × 270 mm	1000 × 500 × 270 mm
WEIGHT	31 KG	40 KG	48 KG	78 KG
POWER	3 kW (13 amp plug)	2 × 3 kW (2 × 13 amp plug)	2 × 3 kW (2 × 13 amp plug)	2 × 3 kW (2 × 13 amp plug)
COOKING AREA (W×D)	546 × 348 mm	606 × 400 mm	756 × 400 mm	996 × 400 mm
PLATE THICKNESS	15 mm	15 mm	15 mm	15 mm
PLATE	Chrome-plated Flat	Chrome-plated Flat	Chrome-plated Flat	Chrome-plated Flat



GR-1000PRO



COOK & WARM

Electric Crepe Maker



CM-1

CODE	101039 (CM-1)	101040 (CM-2)
DIMENSIONS (W×D×H)	450 × 510 × 240 mm	870 × 510 × 240 mm
WEIGHT	21 KG	42 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)	3 + 3 kW / 240 V 50 Hz (2 × 13 amp plug)
COOKING AREA	Ø 400 mm	2 × Ø 400 mm
TEMPERATURE	30 ~ 300 °C	30 ~ 300 °C



CM-2

Stainless Steel Waffle Maker



WB-03D

CODE	101021 (WB-03D)	101022 (WB-S)
DIMENSIONS (W×D×H)	255 × 440 × 320 mm	470 × 320 × 225 mm
WEIGHT	11 KG	17 KG
POWER	1 kW / 240 V 50 Hz	1.5 kW / 240 V 50 Hz
COOKING AREA (W×D)	Ø 180 mm	160 × 100 mm
TEMPERATURE	124 ~ 230 °C	50 ~ 320 °C



WB-S



1.5 mm (NG jet)
0.9 mm (LPG jet)
1/2" Hose

Gas Doner / Kebab Machine

Preset as NG



KB-4

CODE	101092 (KB-2)	101093 (KB-3)	101094 (KB-4)	101095 (KB-5)
DIMENSIONS (W×D×H)	539 × 639 × 584 mm	537 × 639 × 843 mm	537 × 639 × 1013 mm	537 × 639 × 1183 mm
WEIGHT	30 KG	34 KG	39 KG	44 KG
POWER	5.6 kW (NG) 4.7 kW (LPG) / 120 V 50 Hz	8.4 kW (NG) 7.0 kW (LPG) / 120 V 50 Hz	11.1 kW (NG) 9.4 kW (LPG) / 120 V 50 Hz	13.9 kW (NG) 11.7 kW (LPG) / 120 V 50 Hz
MEAT CAPACITY	20.5 KG	29.5 KG	45.5 KG	59 KG
SPLIT HEIGHT	380 mm	530 mm	710 mm	860 mm
BURNERS	2	3	4	5
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
NG INPUT BTU/HR	19,000	28,500	38,000	47,500
LPG INPUT BUT/HR	16,000	24,000	32,000	40,000
RPM	4	4	4	4





COOK & WARM

☺☺ Preset as NG

Gas Hotplate

2.2 mm (NG jet) ••
1.4 mm (LPG jet)
3/4" Hose

CODE	101101 (GHP-2L)	101102 (GHP-4L)	101103 (GHP-6L)
DIMENSIONS (WxDxH)	305 x 745 x 380 mm	610 x 745 x 380 mm	915 x 745 x 380 mm
WEIGHT	38 KG	57 KG	86 KG
POWER	14 kW	28 kW	42 kW
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included	NG / LPG Conversion jets included
BURNERS	2	4	6
INPUT BTU/HR	2 x 30,000	4 x 30,000	6 x 30,000
GRATE SIZE	12" x 12"	12" x 12"	12" x 12"



GHP-4L

☺☺ Preset as NG

Gas Range with Oven

Stove 1.9mm, Oven 2.2mm (NG jet) ••
Stove 1.3mm, Oven 1.5mm (LPG jet)
3/4" Hose

CODE	101075 (HKR-4S)	101076 (HKR-6S)
DIMENSIONS (WxDxH)	609 x 855 x 1050 mm	914 x 855 x 1050 mm
WEIGHT	132 KG	167 KG
POWER	34 kW	47 kW
SUPPLY	NG / LPG Conversion jets included	NG / LPG Conversion jets included
INPUT BTU/HR	151,000	211,000
MATERIAL	304 Stainless Steel	304 Stainless Steel



HKR-4S



HKR-6S

☺☺ Preset as NG

Gas Stove

Inner 3mm, Outer 3mm (NG jet) ••
Inner 1.5mm, Outer 2mm (LPG jet)
3/4" Hose

CODE	101104 (SP-1M)
DIMENSIONS (WxDxH)	456 x 530 x 493 mm
WEIGHT	47 KG
POWER	23.4 kW (NG) 14.6 kW (LPG)
SUPPLY	NG / LPG Conversion jets included
NG INPUT BTU/HR	80,000
LPG INPUT BTU/HR	50,000
GRATE SIZE	18" x 18"



SP-1M

☺☺ Heavy Duty

Electric Pizza Oven

CODE	101044 (PO-4)	101043 (PO-4-2)
DIMENSIONS (WxDxH)	975 x 870 x 430 mm	975 x 870 x 750 mm
WEIGHT	78 KG	118 KG
POWER	4.8 kW / 240 V 50 Hz (1-phase hardwired)	9.6 kW / 240 V 50 Hz (1-phase hardwired)
CAPACITY	4 x 14"	2 x (4 x 14")
COOKING AREA (WxD)	700 x 700 mm	700 x 700 mm
TEMPERATURE	0 ~ 500 °C	0 ~ 500 °C
HEATING ELEMENT	Top 2.4 kW + Bottom 2.4 kW	Top 2.4 kW x 2 + Bottom 2.4 kW x 2



PO-4



PO-4-2



COOK & WARM

Electric Pizza Oven



EP1/2



EP 1+1/2+2

CODE	171001 (EP 1+1)	171002 (EP1)	171003 (EP2+2)	171004 (EP2)
DIMENSIONS (WxDxH)	560 x 570 x 400 mm	560 x 570 x 280 mm	770 x 720 x 430 mm	770 x 720 x 270 mm
WEIGHT	31 KG	20.8 KG	55 KG	31.8 KG
POWER	3 kW / 240 V 50 Hz (13 amp plug)	2 kW / 240 V 50 Hz (13 amp plug)	3 kW / 240 V 50 Hz (13 amp plug)	2.2 kW / 240 V 50 Hz (13 amp plug)
CAPACITY	2 x 16"	16"	2 x 20"	20"
TEMPERATURE	50 ~ 350 °C	50 ~ 350 °C	50 ~ 350 °C	50 ~ 350 °C
TIMER	120 mins.	120 mins.	120 mins.	120 mins.

Convection Oven




YSD-1AE



YSD-6A

CODE	101009 (YSD-1AE)	101063 (YSD-6A)
DIMENSIONS (WxDxH)	595 x 530 x 570 mm	796 x 670 x 580 mm
WEIGHT	38 KG	64 KG
POWER	2.67 kW	2.85 kW
CAPACITY	62 L	100 L
INTERIOR SIZE (WxDxH)	460 x 375 x 360 mm	550 x 370 x 430 mm
SHELF SIZE	450 x 325 mm	550 x 370 mm
RACK	Tray (450 x 325 mm)	4 x GN 1/1
LEVEL DISTANCE	75 mm	See right figure (60 mm)
TEMPERATURE	50 ~ 300 °C	50 ~ 300 °C
TIMER	120 mins.	60 + 180 mins.
ACCESSORIES	Tray (SP10162)	—



YSD-6A Level Distance

Plate Warmer



HC-1

CODE	101068 (HC-1)	101069 (HC-2)
DIMENSIONS (WxDxH)	450 x 450 x 850 mm	750 x 450 x 850 mm
WEIGHT	33 KG	46 KG
POWER	750 W / 240 V 50 Hz	1.2 kW / 240 V 50 Hz
CAPACITY	60 plates	120 plates
SHELVES	1	2
PLATE SIZE	320 mm	320 mm
TEMPERATURE	30 ~ 85 °C	30 ~ 85 °C
ACCESSORIES	Shelf (SP10017) Clips (SP10073)	Shelf (SP10018) Clips (SP10073)



HC-2



COOK & WARM



Bain Marie

CODE	101031 (BM-165)	101032 (BM-165T)	101033 (BM-205T)
DIMENSIONS (WxDxH)	355 x 555 x 255 mm	355 x 555 x 255 mm	355 x 555 x 295 mm
WEIGHT	8 KG	8 KG	8.5 KG
POWER	1.2 kW / 240 V 50 Hz	1.2 kW / 240 V 50 Hz	1.2 kW / 240 V 50 Hz
SIZE	GN 1/1	GN 1/1	GN 1/1
TANK DEPTH	165 mm	165 mm	205 mm
TEMPERATURE	30 ~ 105 °C	30 ~ 105 °C	30 ~ 105 °C
TAP	No	Yes	Yes



BM205T



Bain Marie with Round Pots / GN Pans

CODE	101046 (BMP-4)	101047 (BMP-7)	101048 (BMP-4x2)	101049 (BMP-4x3)
DIMENSIONS (WxDxH)	245 x 288 x 315 mm	275 x 315 x 360 mm	245 x 528 x 315 mm	288 x 725 x 315 mm
WEIGHT	3.5 KG	4.5 KG	6.1 KG	8.8 KG
POWER	300 W / 240 V 50 Hz	300 W / 240 V 50 Hz	600 W / 240 V 50 Hz	900 W / 240 V 50 Hz
POT CAPACITY	3.5 L	6.5 L	2 x 3.5 L	3 x 3.5 L
TEMPERATURE	35 ~ 95 °C	35 ~ 95 °C	35 ~ 95 °C	35 ~ 95 °C
TAP	No	No	No	No



BMP-4x2

CODE	291001 (BM-4)	291002 (BM-4x2)	291003 (BM-4x4)	291004 (BM-6x4)
DIMENSIONS (WxDxH)	260 x 375 x 280 mm	260 x 595 x 280 mm	490 x 595 x 280 mm	740 x 595 x 280 mm
WEIGHT	7 KG	9.2 KG	14.5 KG	19.5 KG
POWER	600 W / 240 V 50 Hz	900 W / 240 V 50 Hz	1.5 kW / 240 V 50 Hz	2 kW / 240 V 50 Hz
POT CAPACITY	4 L	2 x 4 L	4 x 4 L	6 x 4 L
TEMPERATURE	30 ~ 85 °C	30 ~ 85 °C	30 ~ 85 °C	30 ~ 85 °C
TAP	Yes	Yes	Yes	Yes



BM-4x4

CODE	101050 (BMP-4x4)	101051 (BMP-7x2)	291007 (BM-6T)	291008 (BM-4V)
DIMENSIONS (WxDxH)	488 x 428 x 315 mm	275 x 586 x 360 mm	1100 x 680 x 275 mm	675 x 580 x 275 mm
WEIGHT	12.2 KG	7.9 KG	31 KG	17 KG
POWER	1.2 kW / 240 V 50 Hz	600 W / 240 V 50 Hz	1.5 kW / 240 V 50 Hz	2.4 kW / 240 V 50 Hz
POT CAPACITY	4 x 3.5 L	2 x 6.5 L	6 x GN 1/2 (3 x GN 1/1)	6 x GN 1/3 (2 x GN 1/1)
TEMPERATURE	35 ~ 95 °C	35 ~ 95 °C	30 ~ 85 °C	30 ~ 110 °C
TAP	No	No	Yes	Yes



BM-6T



Bottle Warmer

CODE	361001 (BW-32OZ-1)	361002 (BW-32OZ-2)	361003 (BW-32OZ-3)	361004 (BW-32OZ-4)
DIMENSIONS (WxDxH)	162 x 220 x 205 mm	270 x 220 x 205 mm	400 x 220 x 205 mm	530 x 220 x 205 mm
WEIGHT	2 KG	2.96 KG	4.1 KG	5.04 KG
POWER	200 W	400 W	600 W	800 W
CAPACITY	1 x 1 L Bottle	2 x 1 L Bottles	3 x 1 L Bottles	4 x 1 L Bottles
TEMPERATURE	40 ~ 90 °C	40 ~ 90 °C	40 ~ 90 °C	40 ~ 90 °C



BW-32OZ-2



COOK & WARM

Food Warmer Cart



DC-4W

CODE	291006 (DC-4W)	291009 (DC-4WG)	291017 (HYH-15HD)
DIMENSIONS (WxDxH)	1435 x 700 x 1415 mm	1500 x 690 x 1425 mm	1500 x 600 x 860 + 700 mm
WEIGHT	86 KG	113 KG	80 KG
POWER	2.65 + 0.9 (bulb) kW / 240 V 50 Hz (13 amp plug)	4.2 kW / 240 V 50 Hz (2 x 13 amp plug)	1.3 + 1.2 + 1.2 kW / 240 V 50 Hz (3 x 13 amp plug)
CAPACITY	GN 1/1 150 mm x 2 / GN 1/2 150 mm x 2 & GN 1/3 150 mm x 3	GN 1/1 150 mm x 2 / GN 1/2 150 mm x 2 & GN 1/3 150 mm x 3	GN 1/1 x 2 & GN 1/2 x 1 / GN 1/2 x 5
TEMPERATURE	30 ~ 110 °C	30 ~ 110 °C	30 ~ 110 °C



HYH-15HD

Warmer Drawer



WL-02-1

CODE	291012 (WL-02-1)	291013 (WL-03-1)
DIMENSIONS (WxDxH)	620 x 594 x 598 mm	620 x 594 x 793 mm
WEIGHT	40 KG	52.4 KG
POWER	900 W / 240 V 50 Hz	1.5 kW / 240 V 50 Hz
CAPACITY	2 x GN 1/1 150 mm	3 x GN 1/1 150 mm
LAYERS	2	3
TEMPERATURE	30 ~ 85 °C	30 ~ 85 °C
HEATING TECH	Wet Heat	Wet Heat



WL-03-1



WD-03N

CODE	291014 (WD-03N)
DIMENSIONS (WxDxH)	740 x 593 x 817 mm
WEIGHT	70 KG
POWER	1.5 kW / 240 V 50 Hz
CAPACITY	3 x GN 1/1 150mm
LAYERS	3
TEMPERATURE	30 ~ 110 °C
HEATING TECH	Dry Heat

Heated Display Warmer



TC-2F

CODE	101045 (TC-2F)	291015 (SFW-3M)	291016 (SFW-4L)
DIMENSIONS (WxDxH)	730 x 580 x 550 mm	1040 x 530 x 590 mm	1240 x 530 x 590 mm
WEIGHT	14 KG	19.5 KG	22.5 KG
POWER	1 kW / 240 V 50 Hz	1.55 kW / 240 V 50 Hz	2.05 kW / 240 V 50 Hz
HEATING AREA	526 x 324 mm	3 x GN 1/1	3 x GN 1/1
TEMPERATURE	30 ~ 85 °C	30 ~ 85 °C	30 ~ 85 °C



SFW-3M



COOK & WARM



Hot Display Cabinet

CODE	101035 (FM26)	101034 (FM36)	101036 (FM48)
DIMENSIONS (WxDxH)	660 (+30~50 mm for controls) x 437 x 655 mm	900 (+30~50 mm for controls) x 480 x 590 mm	1200 (+30~50 mm for controls) x 480 x 810 mm
WEIGHT	35 KG	50 KG	72 KG
POWER	1.84 kW / 240 V 50 Hz	1.84 kW / 240 V 50 Hz	2.2 kW / 240 V 50 Hz
CAPACITY	110 L	150 L	370 L
SHELF 1 SIZE	580 x 275 mm	820 x 315 mm	1120 x 315 mm
SHELF 2 SIZE	580 x 298 mm	820 x 340 mm	1120 x 340 mm
SHELF 3 SIZE	580 x 318 mm	820 x 360 mm	1120 x 360 mm
TEMPERATURE	30 ~ 90 °C	30 ~ 90 °C	30 ~ 90 °C



FM36/48



FM26

CODE	251020 (H-iMT-120F)	251021 (H-iMT-160F)	251022 (H-iMT-120L)	251023 (H-iMT-160L)
DIMENSIONS (WxDxH)	678 x 568 x 686 mm	856 x 568 x 686 mm	678 x 568 x 685 mm	856 x 568 x 685 mm
WEIGHT	40 KG	48 KG	35 KG	43 KG
POWER	1.1 kW / 240 V 50 Hz	1.5 kW / 240 V 50 Hz	1.1 kW / 220 V 50 Hz	1.5 kW / 220 V 50 Hz
CAPACITY	120 L	160 L	120 L	160 L
SHELVES	3 + 1 (base)	3 + 1 (base)	3 + 1 (base)	3 + 1 (base)
TEMPERATURE	30 ~ 90 °C	30 ~ 90 °C	30 ~ 90 °C	30 ~ 90 °C
LAMP POWER	2 W	2 W	2 W	2 W
WATERPROOF GRADE	IPX4	IPX4	IPX4	IPX4



H-iMT-160F



H-iMT-160L



Food & Chicken Warmer / Display

CODE	101052 (HDS-3)	101053 (HDS-4)	101054 (HDS-5)
DIMENSIONS (WxDxH)	914 x 830 x 690 mm	1219 x 830 x 690 mm	1536 x 830 x 690 mm
WEIGHT	60 KG	90 KG	120 KG
POWER	2.84 kW / 240 V 50 Hz (1-phase hardwired)	4.08 kW / 240 V 50 Hz (1-phase hardwired)	4.08 kW / 240 V 50 Hz (1-phase hardwired)



HDS-3



HDS-4



Pie Cabinet

CODE	101037 (FW580)	101038 (FW805)
DIMENSIONS (WxDxH)	640 x 360 x 530 mm	865 x 360 x 625 mm
WEIGHT	21 KG	35 KG
POWER	1 kW / 240 V 50 Hz	1.5 kW / 240 V 50 Hz
SHELVES SIZE	569 x 300 mm	794 x 300 mm
LAYERS	4	5
TEMPERATURE	30 ~ 90 °C	30 ~ 90 °C



FW580



FW805



COOK & WARM

Soup Kettle



SB-6000

CODE	201022 (SB-6000)	201023 (SB-6000S)
DIMENSIONS (WxDxH)	340 x 340 x 370 mm	340 x 340 x 370 mm
WEIGHT	4.5 KG	4.5 KG
POWER	400 ~ 475 W	400 ~ 475 W
CAPACITY	10 L	10 L
COLOR	Black	Stainless Steel
TEMPERATURE	30 ~ 70 °C	30 ~ 70 °C



SB-6000S

Water Boiler



ENW-200/300DR

CODE	501003 (ENW-200DR)	501004 (ENW-300DR)
DIMENSIONS (WxDxH)	350 x 350 x 502 mm	350 x 350 x 600 mm
WEIGHT	3.7 KG	4.4 KG
POWER	2.5 kW	2.8 kW
GROSS VOLUME	20 L	30 L
CAPACITY	14.4 L	19.1 L
TEMPERATURE	30 ~ 100 °C	30 ~ 100 °C

Induction Cooker



HA-350BT

CODE	291011 (HA-350BT)
DIMENSIONS (WxDxH)	340 x 432 x 125 mm
WEIGHT	7.25 KG
POWER	100 ~ 3000 W / 220-240 V 50 Hz (13 amp plug)
COOKING AREA (WxD)	285 x 285 mm
TEMPERATURE	35 ~ 240 °C
TIMER	180 mins.

Rice Cooker



RC-10L

CODE	351001 (RC-10L)	351002 (RC-22L)
DIMENSIONS (WxDxH)	485 x 420 x 400 mm	548 x 467 x 370 mm
WEIGHT	10.2 KG	14.6 KG
POWER	2 kW / 220-240 V 50 Hz	2.5 kW / 220-240 V 50 Hz
CAPACITY (RAW RICE)	6 L / 32 cups	8.2 L / 45 cups
CAPACITY (COOKED RICE)	64 cups	—



RC-22



COOK & WARM



Stainless Steel Toaster

CODE	601002 (ETS-6)
DIMENSIONS (WxDxH)	465 x 285 x 250 mm
WEIGHT	6.5 KG
POWER	1.8 kW
CAPACITY	6 toasts



ETS-6



Blender

CODE	401010 (CSB-1052)	401011 (CBG-2000)
DIMENSIONS (WxDxH)	210 x 210 x 485 mm	250 x 220 x 500 mm
WEIGHT	5.8 KG	7.2 KG
POWER	1.8 kW / 240 V 50 Hz	1.8 kW / 240 V 50 Hz
CAPACITY	2 L	2 L
ACCESSORIES	Jug (SP10019)	Jug (SP10783)



CSB-1052



CBG-2000






PREPARATION

Vegetable Cutter



HLC-300

CODE	201010 (HLC-300)	321012 (VC65MS)
DIMENSIONS (WxDxH)	230 x 570 x 510 mm	325 x 655 x 545 mm
WEIGHT	22.5 KG	24.9 KG
POWER	550 W	750 W
OUTPUT	300 KG/Hr	150 ~ 180 KG/Hr
DISCS INCLUDED	2 & 4 mm Slicer 3, 4 & 7 mm Grater	2 & 4 mm Slicer (aluminium) 3, 4.5 & 7 mm Grater



VC65MS

VC65MS

Vegetable Cutter Discs (for HLC-300)



Slicing Discs



2 mm

Code: 201010-P2



4 mm

Code: 201010-P4



8 mm

Code: 201010-H8



10 mm

Code: 201010-H10

Grating Discs



3 mm

Code: 201010-H3



4 mm

Code: 201010-H4



7 mm


Code: 201010-H7

Dicing Discs




8 mm

Code: 201010-D8
(Work with 201010-H8)




8 mm

Code: 201010-D8A
(Work with 201010-H8)



10 mm

Code: 201010-D10A
(Work with 201010-H10)



12 mm

Code: 201010-D12




12 mm

Code: 201010-D12A



20 mm

Code: 201010-D20



20 mm

Code: 201010-D20A

French Fries Discs



8 mm

Code: 201010-T8
(Work with 201010-H8)



8 mm

Code: 201010-T8A
(Work with 201010-H8)



10 mm

Code: 201010-T10
(Work with 201010-H10)



10 mm

Code: 201010-T10A
(Work with 201010-H10)



Vegetable Cutter Discs (for VC65MS)

PREPARATION

Slicing Discs



1 mm Slicer
Code: 321012-SA001



2 mm Slicer
Code: 321012-SA002



3 mm Slicer
Code: 321012-SA003



4 mm Slicer
Code: 321012-SA004



6 mm Slicer
Code: 321012-SA006



8 mm Slicer
Code: 321012-SA008



10 mm Slicer
Code: 321012-SA010



14 mm Slicer
Code: 321012-SA014



2 mm Slicer
Code: 321012-SS002



4 mm Slicer
Code: 321012-SS004



10 mm Slicer
Code: 321012-SS010



8 mm Crimping Slicer

Grating Discs



Fine Grater
Code: 321012-V001



2 mm Grater
Code: 321012-G002



3 mm Grater
Code: 321012-G003



4.5 mm Grater
Code: 321012-G005



7 mm Grater
Code: 321012-G007



10 mm Grater
Code: 321012-G010


Dicing Discs



8x8 mm
Code: 321012-DS888
(Work with SA008)




10x10x10 mm
Code: 321012-DS1000
(Work with SA010)




14x14x14 mm
Code: 321012-DS140
(Work with SA014)




20x20x14 mm
Code: 321012-DS2000
(Work with SA014)



8x8 mm
Code: 321012-DR888
(Only work in VC65MS
with SA008)



10x10x10 mm
Code: 321012-DR1000
(Only work in VC65MS
with SA010)



14x14x14 mm
Code: 321012-DR140
(Only work in VC65MS
with SA014)

Julienne Discs



3x3 mm
Code: 321012-J303



4x4 mm
Code: 321012-J404

French Fries Discs



8x8 mm
Code: 321012-FS808
(Work with SA008)



10x10 mm
Code: 321012-FS100
(Work with SA010)



6x6 mm
Code: 321012-FR606
(Only work in VC65MS
with SA006)



8x8 mm
Code: 321012-FR808
(Only work in VC65MS
with SA008)



10x10 mm
Code: 321012-FR100
(Only work in VC65MS
with SA010)



PREPARATION

Spiral Mixer



HM-20/30/40/50/60A

CODE	271010 (HM-20A)	271011 (HM-30A)	271012 (HM-40A)	271013 (HM-50A)
DIMENSIONS (WxDxH)	400 x 700 x 715 mm	440 x 740 x 765 mm	480 x 865 x 880 mm	535 x 910 x 880 mm
WEIGHT	60 KG	73 KG	110 KG	120 KG
POWER	750 W / 240 V 50 Hz	1.1 kW / 240 V 50 Hz	2.2 kW / 240 V 50 Hz	2.5 kW / 240 V 50 Hz
KNEADING CAPACITY	Max. 8 KG	Max. 12 KG	Max. 16 KG	Max. 20 KG
LOADING CAPACITY	Min. 2 KG	Min. 2 KG	Min. 3 KG	Min. 3 KG
BOWL VOLUME	20 L	30 L	40 L	50 L
BOWL (INNER) SIZE	358 (Ø) x 210 (H) mm	408 (Ø) x 270 (H) mm	447 (Ø) x 290 (H) mm	497 (Ø) x 290 (H) mm
BOWL THICKNESS	1.2 mm	1.2 mm	1.5 mm	1.5 mm
ROTATION SPEED	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM
BOWL SPEED	25 RPM	25 RPM	25 RPM	25 RPM
ACCESSORIES	Castor (SP10787) Castor with brake (SP10788)	Castor (SP10787) Castor with brake (SP10788)	Castor (SP10789) Castor with brake (SP10790)	Castor (SP10789) Castor with brake (SP10790)



HM-20/30/40/50/60

CODE	271015 (HM-20)	271016 (HM-30)	271017 (HM-40)	271018 (HM-50)
DIMENSIONS (WxDxH)	400 x 700 x 635 mm	440 x 740 x 685 mm	480 x 865 x 760 mm	535 x 910 x 760 mm
WEIGHT	60 KG	73 KG	110 KG	120 KG
POWER	750 W / 240 V 50 Hz	1.1 kW / 240 V 50 Hz	2.2 kW / 240 V 50 Hz	2.5 kW / 240 V 50 Hz
KNEADING CAPACITY	Max. 8 KG	Max. 12 KG	Max. 16 KG	Max. 20 KG
LOADING CAPACITY	Min. 2 KG	Min. 2 KG	Min. 3 KG	Min. 3 KG
BOWL VOLUME	20 L	30 L	40 L	50 L
BOWL (INNER) SIZE	358 (Ø) x 210 (H) mm	408 (Ø) x 270 (H) mm	447 (Ø) x 290 (H) mm	497 (Ø) x 290 (H) mm
BOWL THICKNESS	1.2 mm	1.2 mm	1.5 mm	1.5 mm
ROTATION SPEED	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM
BOWL SPEED	25 RPM	25 RPM	25 RPM	25 RPM
ACCESSORIES	Castor (SP10787) Castor with brake (SP10788)	Castor (SP10787) Castor with brake (SP10788)	Castor (SP10789) Castor with brake (SP10790)	Castor (SP10789) Castor with brake (SP10790)



HM-GM-50B

CODE	271014 (HM-60A)	271019 (HM-60)	271021 (HM-GM-50B)
DIMENSIONS (WxDxH)	535 x 910 x 940 mm	535 x 910 x 820 mm	700 x 1100 x 1500 mm
WEIGHT	130 KG	130 KG	400 KG
POWER	3 kW / 240 V 50 Hz	3 kW / 240 V 50 Hz	5.6 kW / 415 V 50 Hz (3-phase hardwired)
KNEADING CAPACITY	Max. 25 KG	Max. 25 KG	Max. 50 KG
LOADING CAPACITY	Min. 3 KG	Min. 3 KG	Min. 8 KG
BOWL VOLUME	60 L	60 L	130 L
BOWL (INNER) SIZE	497 (Ø) x 350 (H) mm	497 (Ø) x 350 (H) mm	670 (Ø) x 389 (H) mm
BOWL THICKNESS	1.5 mm	1.5 mm	4 mm
ROTATION SPEED	120 (Low) / 245 (High) RPM	120 (Low) / 245 (High) RPM	120 (Low) / 240 (High) RPM
BOWL SPEED	25 RPM	25 RPM	20 / 40 RPM
ACCESSORIES	Castor (SP10789) Castor with brake (SP10790)	Castor (SP10789) Castor with brake (SP10790)	—



PREPARATION



Planetary Mixer

CODE	701001 (B10)	701002 (B20)	701003 (B30)
DIMENSIONS (WxDxH)	465 x 415 x 610 mm	520 x 490 x 792 mm	550 x 550 x 867 mm
WEIGHT	54 KG	72 KG	77 KG
POWER	550 W	750 W	1.1 kW
BOWL VOLUME	10 L	20 L	30 L
SPEED (RPM)	113 / 184 / 341	108 / 161 / 382	108 / 161 / 382



B10/20/30



Pizza Dough Roller

CODE	271009 (APD-40Pro)
DIMENSIONS (WxDxH)	565 x 530 x 750 mm
WEIGHT	40 KG
POWER	450 W
DOUGH DIAMETER	Max 400 mm
DOUGH WEIGHT	50 ~ 500 g



APD-40Pro



Floor-standing Dough Sheeter

CODE	271020 (DS-520)
DIMENSIONS (WxDxH)	2550 x 880 x 1180 mm
WEIGHT	190 KG
POWER	550 W / 240 V 50 Hz
CONVEYOR BELT SIZE	2160 (W) x 500 (H) mm
MAXIMUM ROLL WEIGHT	5 KG
ROLLER ADJUSTABLE GAP	1 ~ 40 mm
WORKING POSITION	2550 (W) x 1180 (H) mm



DS-520





PREPARATION

Meat Mincer



JT-22/32

CODE	181003 (JT-12)	181002 (JT-22)	181001 (JT-32)
DIMENSIONS (WxDxH)	385 x 415 x 240 mm	440 x 440 x 280 mm	530 x 500 x 270 mm
WEIGHT	25 KG	29 KG	49 KG
POWER	800 W / 240 V 50 Hz	1.1 kW / 240 V 50 Hz	1.5 kW / 240 V 50 Hz
CAPACITY	150 KG/Hr	250 KG/Hr	320 KG/Hr
DISCS	1 x 6 mm & 1 x 8 mm	1 x 6 mm & 1 x 8 mm	1 x 6 mm & 1 x 8 mm

Meat Slicer



HBS series

CODE	201003 (HBS-195JS)	201004 (HBS-220JS)	201005 (HBS-250)
DIMENSIONS (WxDxH)	416 x 377 x 322 mm	480 x 370 x 370 mm	480 x 370 x 370 mm
WEIGHT	12 KG	18 KG	20 KG
POWER	120 W / 240 V 50 Hz	120 W / 240 V 50 Hz	150 W / 240 V 50 Hz
BLADE DIAMETER	195 mm	220 mm	250 mm
CUTTING THICKNESS	0 ~ 12 mm	0 ~ 12 mm	0 ~ 12 mm
CUTTING LENGTH	150 mm	160 mm	180 mm

CODE	201006 (HBS-275)	201007 (HBS-300)
DIMENSIONS (WxDxH)	480 x 370 x 370 mm	510 x 440 x 432 mm
WEIGHT	22 KG	25 KG
POWER	150 W / 240 V 50 Hz	250 W / 240 V 50 Hz
BLADE DIAMETER	275 mm	300 mm
CUTTING THICKNESS	0 ~ 15 mm	0 ~ 15 mm
CUTTING LENGTH	200 mm	200 mm

Bone Saw



J210/320

CODE	131001 (J210)	131002 (J320)
DIMENSIONS (WxDxH)	500 x 500 x 920 mm	620 x 590 x 1130 mm
WEIGHT	47 KG	63.5 KG
POWER	750 W	1.1 kW
SURFACE SIZE	505 x 415 mm	590 x 480 mm
SAW LENGTH	1650 mm	2040 mm
SAW WIDTH	16 mm	19 mm
SAW THICKNESS	0.5 mm	0.5 mm
ACCESSORIES	Blade (900001)*	Blade (900002)*



900001/2

* Purchase separately



PREPARATION



Hand Blender

CODE	321003 (IB-350CV)	321004 (IB-500LV)	321005 (IB-750LV)
WEIGHT	1.8 KG	1.95 KG	2.82 KG
POWER	350 W / 240 V 50 Hz	500 W / 240 V 50 Hz	750 W / 240 V 50 Hz
SPEED	4000 ~ 16000 RPM	4000 ~ 16000 RPM	4000 ~ 16000 RPM



CODE	321007 (BLD-300)	321008 (BLD-400)	321009 (BLD-500)	321006 (BLD-550)
LENGTH	300 mm	400 mm	500 mm	550 mm
WEIGHT	1 KG	1.33 KG	1.63 KG	1.78 KG
COUNTERPART	—	—	—	IB-750LV



CODE	321010 (WIK-250)
LENGTH	250 mm
WEIGHT	0.9 KG



WIK-250 Whisk





Stainless Steel



Stainless Steel Sink



STSK-066

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231001 (STSK-066)	600 x 600 x 950 mm	16.5 KG	400 x 400 x 250 mm	1	No	30 mm	100 (H) x 20 (D)
231002 (STSK-076)	700 x 600 x 950 mm	17.5 KG	500 x 400 x 250 mm	1	No	30 mm	100 (H) x 20 (D)
231003 (STSK-086)	800 x 600 x 950 mm	18.5 KG	500 x 400 x 250 mm	1	No	30 mm	100 (H) x 20 (D)
231014 (STSK-067)	600 x 700 x 950 mm	18 KG	400 x 500 x 300 mm	1	No	30 mm	100 (H) x 20 (D)
231015 (STSK-077)	700 x 700 x 950 mm	20 KG	600 x 500 x 300 mm	1	No	30 mm	100 (H) x 20 (D)
231016 (STSK-087)	800 x 700 x 950 mm	21 KG	600 x 500 x 300 mm	1	No	30 mm	100 (H) x 20 (D)



STSK-147R

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231009 (STSK-106R)	1000 x 600 x 950 mm	21.5 KG	400 x 400 x 250 mm	1	Right	30 mm	100 (H) x 20 (D)
231010 (STSK-126R)	1200 x 600 x 950 mm	24.2 KG	500 x 400 x 250 mm	1	Right	30 mm	100 (H) x 20 (D)
231022 (STSK-107R)	1000 x 700 x 950 mm	23.7 KG	500 x 400 x 250 mm	1	Right	30 mm	100 (H) x 20 (D)
231023 (STSK-127R)	1200 x 700 x 950 mm	26.5 KG	400 x 500 x 300 mm	1	Right	30 mm	100 (H) x 20 (D)
231024 (STSK-147R)	1400 x 700 x 950 mm	30.5 KG	600 x 500 x 300 mm	1	Right	30 mm	100 (H) x 20 (D)



STSK-147L

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231004 (STSK-106L)	1000 x 600 x 950 mm	21.5 KG	400 x 400 x 250 mm	1	Left	30 mm	100 (H) x 20 (D)
231005 (STSK-126L)	1200 x 600 x 950 mm	24.2 KG	500 x 400 x 250 mm	1	Left	30 mm	100 (H) x 20 (D)
231017 (STSK-107L)	1000 x 700 x 950 mm	23.7 KG	400 x 500 x 350 mm	1	Left	30 mm	100 (H) x 20 (D)
231018 (STSK-127L)	1200 x 700 x 950 mm	26.5 KG	500 x 500 x 300 mm	1	Left	30 mm	100 (H) x 20 (D)
231019 (STSK-147L)	1400 x 700 x 950 mm	30.5 KG	600 x 500 x 300 mm	1	Left	30 mm	100 (H) x 20 (D)



STSK-167R

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231011 (STSK-146R)	1400 x 600 x 950 mm	28.7 KG	400 x 400 x 250 mm	2	Right	30 mm	100 (H) x 20 (D)
231012 (STSK-166R)	1600 x 600 x 950 mm	32 KG	500 x 400 x 250 mm	2	Right	30 mm	100 (H) x 20 (D)
231013 (STSK-186R)	1800 x 600 x 950 mm	34 KG	500 x 400 x 250 mm	2	Right	30 mm	100 (H) x 20 (D)
231025 (STSK-167R)	1600 x 700 x 950 mm	35.9 KG	500 x 400 x 300 mm	2	Right	30 mm	100 (H) x 20 (D)
231026 (STSK-187R)	1800 x 700 x 950 mm	38.4 KG	500 x 500 x 300 mm	2	Right	30 mm	100 (H) x 20 (D)



Stainless Steel



Stainless Steel Sink

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231006 (STSK-146L)	1400 x 600 x 950 mm	28.7 KG	400 x 400 x 250 mm	2	Left	30 mm	100 (H) x 20 (D)
231007 (STSK-166L)	1600 x 600 x 950 mm	32 KG	500 x 400 x 250 mm	2	Left	30 mm	100 (H) x 20 (D)
231008 (STSK-186L)	1800 x 600 x 950 mm	34 KG	500 x 400 x 250 mm	2	Left	30 mm	100 (H) x 20 (D)
231020 (STSK-167L)	1600 x 700 x 950 mm	35.9 KG	500 x 400 x 300 mm	2	Left	30 mm	100 (H) x 20 (D)
231021 (STSK-187L)	1800 x 700 x 950 mm	38.4 KG	500 x 500 x 300 mm	2	Left	30 mm	100 (H) x 20 (D)



STSK-186L

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231027 (STSK-206)	2000 x 600 x 950 mm	36.9 KG	500 x 400 x 250 mm	2	Left & Right	30 mm	100 (H) x 20 (D)
231028 (STSK-207)	2000 x 700 x 950 mm	41 KG	500 x 500 x 300 mm	2	Left & Right	30 mm	100 (H) x 20 (D)
231046 (STSK-106D)	1000 x 600 x 950 mm	21.5 KG	400 x 400 x 250 mm	2	No	30 mm	100 (H) x 20 (D)
231047 (STSK-126D)	1200 x 600 x 950 mm	26.2 KG	500 x 400 x 250 mm	2	No	30 mm	100 (H) x 20 (D)
231048 (STSK-107D)	1000 x 700 x 950 mm	24.2 KG	400 x 500 x 250 mm	2	No	30 mm	100 (H) x 20 (D)
231049 (STSK-127D)	1200 x 700 x 950 mm	29.9 KG	500 x 500 x 300 mm	2	No	30 mm	100 (H) x 20 (D)



STSK-207



Stainless Steel Dishwasher Sink

CODE	DIMENSION (WxDxH)	WEIGHT	BOWL SIZE (WxDxH)	BOWLS	DISHWASHER	DRAINER	ADJUSTABLE JACKS	BACKSPLASH
231029 (STSD-126L)	1200 x 600 x 950 mm	21 KG	500 x 400 x 250 mm	1	Left	Left	30 mm	100 (H) x 20 (D)
231037 (STSD-126R)	1200 x 600 x 950 mm	21 KG	500 x 400 x 250 mm	1	Right	Right	30 mm	100 (H) x 20 (D)
231033 (STSD-127L)	1200 x 700 x 950 mm	23.5 KG	500 x 500 x 300 mm	1	Left	Left	30 mm	100 (H) x 20 (D)
231041 (STSD-127R)	1200 x 700 x 950 mm	23.5 KG	500 x 500 x 300 mm	1	Right	Right	30 mm	100 (H) x 20 (D)
231031 (STSD-166L)	1600 x 600 x 950 mm	27.5 KG	400 x 400 x 250 mm	2	Left	Left	30 mm	100 (H) x 20 (D)
231039 (STSD-166R)	1600 x 600 x 950 mm	27.5 KG	400 x 400 x 250 mm	2	Right	Right	30 mm	100 (H) x 20 (D)



STSD-126L



STSD-166R



Stainless Steel

Stainless Steel Table



IMT-126

CODE	DIMENSION (WxDxH)	WEIGHT	TYPE	ADJUSTABLE JACKS	ACCESSORIES
141001 (IMT-066)	600 x 600 x 900 mm	13.2 KG	Central	30 mm	90 cm legs (900003)
141042 (IMT-067)	600 x 700 x 900 mm	12.4 KG	Central	30 mm	90 cm legs (900003)
141002 (IMT-096)	900 x 600 x 900 mm	16.6 KG	Central	30 mm	90 cm legs (900003)
141043 (IMT-097)	900 x 700 x 900 mm	17.4 KG	Central	30 mm	90 cm legs (900003)
141003 (IMT-126)	1200 x 600 x 900 mm	21.5 KG	Central	30 mm	90 cm legs (900003)
141044 (IMT-127)	1200 x 700 x 900 mm	21.8 KG	Central	30 mm	90 cm legs (900003)
141004 (IMT-156)	1500 x 600 x 900 mm	25.7 KG	Central	30 mm	90 cm legs (900003)
141045 (IMT-157)	1500 x 700 x 900 mm	25.8 KG	Central	30 mm	90 cm legs (900003)
141005 (IMT-186)	1800 x 600 x 900 mm	29.7 KG	Central	30 mm	90 cm legs (900003)
141046 (IMT-187)	1800 x 700 x 900 mm	31.1 KG	Central	30 mm	90 cm legs (900003)



IMT-156B

CODE	DIMENSION (WxDxH)	WEIGHT	TYPE	ADJUSTABLE JACKS	ACCESSORIES
141030 (IMT-036B)	300 x 600 x 900 + 100 mm	9.4 KG	Backsplash	30 mm	90 cm legs (900003)
141052 (IMT-037B)	300 x 700 x 900 + 100 mm	9.2 KG	Backsplash	30 mm	90 cm legs (900003)
141006 (IMT-066B)	600 x 600 x 900 + 100 mm	13.7 KG	Backsplash	30 mm	90 cm legs (900003)
141047 (IMT-067B)	600 x 700 x 900 + 100 mm	13.2 KG	Backsplash	30 mm	90 cm legs (900003)
141007 (IMT-096B)	900 x 600 x 900 + 100 mm	18 KG	Backsplash	30 mm	90 cm legs (900003)
141048 (IMT-097B)	900 x 700 x 900 + 100 mm	18.4 KG	Backsplash	30 mm	90 cm legs (900003)
141008 (IMT-126B)	1200 x 600 x 900 + 100 mm	22.9 KG	Backsplash	30 mm	90 cm legs (900003)
141049 (IMT-127B)	1200 x 700 x 900 + 100 mm	22.8 KG	Backsplash	30 mm	90 cm legs (900003)
141009 (IMT-156B)	1500 x 600 x 900 + 100 mm	27.3 KG	Backsplash	30 mm	90 cm legs (900003)
141050 (IMT-157B)	1500 x 700 x 900 + 100 mm	28.1 KG	Backsplash	30 mm	90 cm legs (900003)
141010 (IMT-186B)	1800 x 600 x 900 + 100 mm	32.1 KG	Backsplash	30 mm	90 cm legs (900003)
141051 (IMT-187B)	1800 x 700 x 900 + 100 mm	32.7 KG	Backsplash	30 mm	90 cm legs (900003)

Stainless Steel Wall Shelf



CODE	DIMENSION (WxDxH)	WEIGHT	TYPE
141011 (STSW-093)	900 x 300 x 350 (bracket) mm	4.1 KG	Single
141012 (STSW-123)	1200 x 300 x 350 (bracket) mm	4.9 KG	Single
141013 (STSW-153)	1500 x 300 x 350 (bracket) mm	6.3 KG	Single
141014 (STSW-183)	1800 x 300 x 350 (bracket) mm	7.4 KG	Single
141031 (STSW-063)	600 x 300 x 350 (bracket) mm	3.3 KG	Single



CODE	DIMENSION (WxDxH)	WEIGHT	TYPE
141033 (STSW-063D)	600 x 300 x 550 (bracket) mm	6.1 KG	Double
141034 (STSW-093D)	900 x 300 x 550 (bracket) mm	8.3 KG	Double
141035 (STSW-123D)	1200 x 300 x 550 (bracket) mm	9.3 KG	Double
141036 (STSW-153D)	1500 x 300 x 550 (bracket) mm	10.9 KG	Double
141037 (STSW-183D)	1800 x 300 x 550 (bracket) mm	14 KG	Double



Stainless Steel



Overshelf for Prep Table

CODE	141056 (BS3-1230)	141057 (BS3-1530)	141058 (BS3-1830)
DIMENSION (WxDxH)	1200 x 280 x 750 mm	1500 x 280 x 750 mm	1800 x 280 x 750 mm
WEIGHT	10 KG	12 KG	14.2 KG
TIER	3	3	3
MAX. LOAD	20 KG per shelf	30 KG per shelf	40 KG per shelf
MATERIAL	304 S.S.	304 S.S.	304 S.S.



Work Table Cabinet with Drawers

CODE	141062 (D3-506)	141063 (D6-106B)	141064 (WTD-1260)	141065 (WTD-1260B)
DIMENSION (WxDxH)	500 x 600 x 850 mm	1000 x 600 x 850+100 mm	1200 x 600 x 850 mm	1200 x 600 x 850+100 mm
WEIGHT	27.6 KG	52.9 KG	35.3 KG	36 KG
DRAWERS	3	2 x 3	3	3
DOORS	—	—	2 (Sliding)	2 (Sliding)



WTD-1260



Storage Shelving

CODE	141059 (SS-1248)	141060 (SS-1548)	141061 (SS-1848)
DIMENSION (WxDxH)	1200 x 480 x 1550 mm	1500 x 480 x 1550 mm	1800 x 480 x 1550 mm
WEIGHT	22.3 KG	26.7 KG	31.6 KG
TIER	4	4	4
MAX. LOAD	70 KG per shelf	80 KG per shelf	100 KG per shelf



Charbroiler & Griddle Stand

CODE	DIMENSION (WxDxH)	TYPE	MATERIAL	COUNTERPART
141038 (IMT-066S)	600 x 600 x 600 mm	Centre	201 S.S.	ECB & EGG series
141039 (IMT-096S)	900 x 600 x 600 mm	Centre	201 S.S.	ECB & EGG series
141040 (IMT-126S)	1200 x 600 x 600 mm	Centre	201 S.S.	ECB & EGG series
141053 (IMT-067S)	600 x 700 x 600 mm	Centre	201 S.S.	ECB & EGG series
141054 (IMT-097S)	900 x 700 x 600 mm	Centre	201 S.S.	ECB & EGG series
141055 (IMT-127S)	1200 x 700 x 600 mm	Centre	201 S.S.	ECB & EGG series





Stainless Steel

Stainless Steel Service Trolley



301003



141032

CODE	301003	301004
DIMENSIONS (WxDxH)	845 x 525 x 940 mm	845 x 525 x 940 mm
WEIGHT	11.6 KG	14.8 KG
TIER	2	3



301004

CODE	141032
DIMENSIONS (WxDxH)	900 x 500 x 890 mm
WEIGHT	20.1 KG
TIER	3 (Foldable)

Rack Trolley



301006



301007

CODE	301006	301007	301008
DIMENSION (WxDxH)	470 x 620 x 1735 mm	380 x 550 x 1700 mm	740 x 550 x 1700 mm
WEIGHT	29 KG	20 KG	31 KG
TRAY	40 x 60 mm & GN 1/1	GN 1/1	40 x 60 mm
TIER	18	16	15 x 2



301008



301009

CODE	301009	301010
DIMENSION (WxDxH)	470 x 620 x 1700 mm	380 x 550 x 950 mm
WEIGHT	20 KG	13 KG
TRAY	40 x 60 mm	GN 1/1 with Work Table
TIER	15	6



301010





Stainless Steel



Hand Wash Basin

CODE	231045 (KYL43)	231060 (KYL30)
DIMENSION (WxDxH)	400 x 335 x 450 mm	300 x 300 x 160 mm with Ø 250 mm basin
WEIGHT	7 KG	1.6 KG
SPARE PARTS	Water Valve (SP10759) Push Button Valve (SP10279)	Brass tap 190g (231061 Red / 231062 Blue)
MATERIAL	304 S.S. (basin) & 201 S.S.	304 S.S. (basin) & 201 S.S.
TAP SIZE	G1/2" BSP thread (Ø22 mm)	G1/2" BSP thread (Ø22 mm)



KYL43



KYL30

231062 (Blue)



231061 (Red)



Pre-Rinse Spray Arm Tap

CODE	231054 (DF9920D-1)
DIMENSION (WxDxH)	240 x 150 x 1130 mm
WEIGHT	5 KG
PRESSURE	29 ~ 58 Psi
SINK HOLE DIAMETER	Ø 29 mm



DF9920D-1



Chafing Dish with Lid

CODE	231058 (YD-433-1)	231059 (HA-733FG-1)
DIMENSION (WxDxH)	585 x 350 x 320 mm	655 x 360 x 395 mm
WEIGHT	3.8 KG	9.7 KG
CAPACITY	GN 1/1 65 mm	GN 1/1 65 mm



YD-433-1



HA-733FG-1



Waste Bin & Bag Holder

CODE	231050 (CGB-100)	301085 (WBH701)
DIMENSION (WxDxH)	450 x 450 x 730 mm	420 x 580 x 960 mm
WEIGHT	9.7 KG	4.35 KG
CAPACITY	100 L	110 L



CGB-100



WBH701



Stainless Steel


Gastronorm Pan Lids



CODE	DIMENSION (WxD)	SIZE	PACK SIZE	MOQ*
301055	530 x 325 mm	GN 1/1	6	1 pack
301056	325 x 265 mm	GN 1/2	12	1 pack
301057	325 x 176 mm	GN 1/3	18	1 pack
301058	265 x 162 mm	GN 1/4	24	1 pack
301059	176 x 162 mm	GN 1/6	36	1 pack
301060	176 x 108 mm	GN 1/9	48	1 pack
301063	650 x 530 mm	GN 2/1	6	1 pack
301088	325 x 354 mm	GN 2/3	12	1 pack

* MOQ – Minimum Order Quantities

Stainless Steel Gastronorm Pans



CODE	DIMENSION (WxD)	SIZE	DEPTH	CAPACITY	TEMPERATURE	PACK SIZE	MOQ*
301024	530 x 325 mm	GN 1/1	20 mm	3 L	-40 ~ 300 °C	6	1 pack
301025	530 x 325 mm	GN 1/1	40 mm	5.8 L	-40 ~ 300 °C	6	1 pack
301026	530 x 325 mm	GN 1/1	65 mm	9 L	-40 ~ 300 °C	6	1 pack
301027	530 x 325 mm	GN 1/1	100 mm	13.5 L	-40 ~ 300 °C	6	1 pack
301028	530 x 325 mm	GN 1/1	150 mm	20	-40 ~ 300 °C	6	1 pack
301029	530 x 325 mm	GN 1/1	200 mm	28	-40 ~ 300 °C	6	1 pack
301030	325 x 265 mm	GN 1/2	20 mm	1.3 L	-40 ~ 300 °C	12	1 pack
301031	325 x 265 mm	GN 1/2	40 mm	2.5 L	-40 ~ 300 °C	12	1 pack
301032	325 x 265 mm	GN 1/2	65 mm	4 L	-40 ~ 300 °C	12	1 pack
301033	325 x 265 mm	GN 1/2	100 mm	6.2 L	-40 ~ 300 °C	12	1 pack
301034	325 x 265 mm	GN 1/2	150 mm	9 L	-40 ~ 300 °C	12	1 pack
301035	325 x 265 mm	GN 1/2	200 mm	12 L	-40 ~ 300 °C	12	1 pack
301036	325 x 176 mm	GN 1/3	20 mm	0.66 L	-40 ~ 300 °C	18	1 pack
301037	325 x 176 mm	GN 1/3	40 mm	1.45 L	-40 ~ 300 °C	18	1 pack
301038	325 x 176 mm	GN 1/3	65 mm	2.5 L	-40 ~ 300 °C	18	1 pack
301039	325 x 176 mm	GN 1/3	100 mm	3.7 L	-40 ~ 300 °C	18	1 pack
301040	325 x 176 mm	GN 1/3	150 mm	5.7 L	-40 ~ 300 °C	18	1 pack
301041	325 x 176 mm	GN 1/3	200 mm	6.7 L	-40 ~ 300 °C	18	1 pack
301042	265 X 162 mm	GN 1/4	20 mm	0.53 L	-40 ~ 300 °C	24	1 pack
301043	265 X 162 mm	GN 1/4	40 mm	1.1 L	-40 ~ 300 °C	24	1 pack
301044	265 X 162 mm	GN 1/4	65 mm	1.7 L	-40 ~ 300 °C	24	1 pack
301045	265 X 162 mm	GN 1/4	100 mm	2.5 L	-40 ~ 300 °C	24	1 pack
301046	265 X 162 mm	GN 1/4	150 mm	4 L	-40 ~ 300 °C	24	1 pack
301047	265 X 162 mm	GN 1/4	200 mm	5.2 L	-40 ~ 300 °C	24	1 pack
301048	176 x 162 mm	GN 1/6	65 mm	1 L	-40 ~ 300 °C	36	1 pack
301049	176 x 162 mm	GN 1/6	100 mm	1.7 L	-40 ~ 300 °C	36	1 pack
301050	176 x 162 mm	GN 1/6	150 mm	2.2 L	-40 ~ 300 °C	36	1 pack
301051	176 x 162 mm	GN 1/6	200 mm	3 L	-40 ~ 300 °C	36	1 pack
301052	176 x 108 mm	GN 1/9	65 mm	0.6 L	-40 ~ 300 °C	48	1 pack
301053	176 x 108 mm	GN 1/9	100 mm	0.8 L	-40 ~ 300 °C	48	1 pack
301054	176 x 108 mm	GN 1/9	150 mm	1 L	-40 ~ 300 °C	48	1 pack
301061	650 x 530 mm	GN 2/1	65 mm	18.8 L	-40 ~ 300 °C	6	1 pack
301062	650 x 530 mm	GN 2/1	100 mm	28.9 L	-40 ~ 300 °C	6	1 pack
301086	325 x 354 mm	GN 2/3	65 mm	5.5 L	-40 ~ 300 °C	12	1 pack
301087	325 x 354 mm	GN 2/3	100 mm	8.7 L	-40 ~ 300 °C	12	1 pack

* MOQ – Minimum Order Quantities





Stainless Steel



Stainless Steel Perforated Gastronorm Pans

CODE	DIMENSION (WxD)	SIZE	DEPTH	CAPACITY	TEMPERATURE	PACK SIZE	MOQ*
301064	530 x 325 mm	GN 1/1	65 mm	9 L	-40 ~ 300 °C	6	1 pack
301065	530 x 325 mm	GN 1/1	100 mm	13.5 L	-40 ~ 300 °C	6	1 pack
301066	530 x 325 mm	GN 1/1	150 mm	20 L	-40 ~ 300 °C	6	1 pack
301067	530 x 325 mm	GN 1/1	200 mm	28 L	-40 ~ 300 °C	6	1 pack
301068	530 x 325 mm	GN 1/1	20 mm	3 L	-40 ~ 300 °C	6	1 pack
301069	530 x 325 mm	GN 1/1	40 mm	5.8 L	-40 ~ 300 °C	6	1 pack
301070	325 x 265 mm	GN 1/2	20 mm	1.3 L	-40 ~ 300 °C	12	1 pack
301071	325 x 265 mm	GN 1/2	40 mm	2.5 L	-40 ~ 300 °C	12	1 pack
301072	325 x 265 mm	GN 1/2	65 mm	4 L	-40 ~ 300 °C	12	1 pack
301073	325 x 265 mm	GN 1/2	100 mm	6.2 L	-40 ~ 300 °C	12	1 pack
301074	325 x 265 mm	GN 1/2	150 mm	9 L	-40 ~ 300 °C	12	1 pack
301075	325 x 265 mm	GN 1/2	200 mm	12 L	-40 ~ 300 °C	12	1 pack

* MOQ – Minimum Order Quantities



GN Pans Holder

CODE	231051 (GNR-4A)	231052 (GNR-6A)	231053 (GNR-6B)
DIMENSION (WxDxH)	655 x 230 x 210 mm	990 x 230 x 210 mm	540 x 435 x 285 mm
WEIGHT	4.2 KG	6 KG	5.3 KG
CAPACITY	4 x GN 1/6 100 mm *	6 x GN 1/6 100 mm *	2 x 3 GN 1/6 100 mm *

* Pans & Lids included



GNR-6B



Garnish Rail for Charbroiler & Griddle

CODE	231055 (ECBS-60)	231056 (ECBS-90)	231057 (ECBS-120)
DIMENSION (WxDxH)	661 x 197 x 500 mm	961 x 197 x 500 mm	1261 x 197 x 500 mm
WEIGHT	3.6 KG	4.5 KG	5.4 KG
CAPACITY	1 x GN 1/9 + 3 x GN 1/6 or 4 x GN 1/9 + 1 x GN 1/6 or 5 x GN 1/9	2 x GN 1/9 + 4 x GN 1/6 or 3 x GN 1/9 + 3 x GN 1/6 or 8 x GN 1/9	2 x GN 1/9 + 6 x GN 1/6 or 7 x GN 1/6
TIER	2	2	2
COUNTERPART	ECB (101055) or EGG (101058/P)	ECB (101056) or EGG (101059/P)	ECB (101057) or EGG (101060/P)





Stainless Steel

Chrome Steel Shelving



CODE	DIMENSION (WxDxH)
211010 (CS-45560)	609 x 455 x 1800 mm
211011 (CS-45575)	757 x 455 x 1800 mm
211012 (CS-45590)	907 x 455 x 1800 mm
211013 (CS-45510)	1060 x 455 x 1800 mm
211002 (CS-45512)	1215 x 455 x 1800 mm
211014 (CS-45513)	1370 x 455 x 1800 mm
211003 (CS-45515)	1518 x 455 x 1800 mm
211001 (CS-45518)	1822 x 455 x 1800 mm
211015 (CS-5360)	609 x 530 x 1800 mm
211016 (CS-5375)	757 x 530 x 1800 mm
211017 (CS-5390)	907 x 530 x 1800 mm
211004 (CS-5310)	1060 x 530 x 1800 mm
211018 (CS-5312)	1215 x 530 x 1800 mm
211005 (CS-5313)	1370 x 530 x 1800 mm
211019 (CS-5315)	1518 x 530 x 1800 mm
211006 (CS-5318)	1822 x 530 x 1800 mm
211020 (CS-6160)	609 x 610 x 1800 mm
211021 (CS-6175)	757 x 610 x 1800 mm
211022 (CS-6190)	907 x 610 x 1800 mm
211007 (CS-6110)	1060 x 610 x 1800 mm
211023 (CS-6112)	1215 x 610 x 1800 mm
211024 (CS-6113)	1370 x 610 x 1800 mm
211008 (CS-6115)	1518 x 610 x 1800 mm
211009 (CS-6118)	1822 x 610 x 1800 mm





We can order the following products based on your requirements.



Please check with our sales team for the delivery date.



REFRIGERATION



Upright Refrigerated Cabinet

CODE	221001 (GN650TN)	221002 (GN650BT)	221005 (GN600TN)	221006 (GN600BT)
DIMENSIONS (WxDxH)	740 x 828 x 2050 mm	740 x 828 x 2050 mm	610 x 760 x 1950 mm	610 x 760 x 1950 mm
WEIGHT	116 KG	125 KG	102 KG	109 KG
POWER	200 W	410 W	195 W	410 W
GROSS CAPACITY	620 L	620 L	415 L	415 L
NET CAPACITY	480 L / GN 2/1	480 L / GN 2/1	345 L / GN 2/1	345 L / GN 2/1
SHELVES	3 per door	3 per door	3 per door	3 per door
DOORS	1	1	1	1
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	B	C	C	D
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel



CODE	221003 (GN1410TN)	221004 (GN1410BT)	221007 (GN1200TN)	221008 (GN1200BT)
DIMENSIONS (WxDxH)	1480 x 828 x 2050 mm	1480 x 828 x 2050 mm	1220 x 760 x 1950 mm	1220 x 760 x 1950 mm
WEIGHT	191 KG	202 KG	165 KG	174 KG
POWER	430 W	700 W	400 W	650 W
GROSS CAPACITY	1375 L	1375 L	935 L	935 L
NET CAPACITY	1045 L / GN 2/1	1045 L / GN 2/1	690 L / 460 x 610 mm	690 L / 460 x 610 mm
SHELVES	3 per door	3 per door	3 per door	3 per door
DOORS	2	2	2	2
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	B	C	C	D
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel





We can order the following products based on your requirements.

Please check with our sales team for the delivery date.

REFRIGERATION

Refrigerated Counter (GN series)



GN2100TN/BT



GN2200TN/BT

* Backsplash (100 mm)

CODE	221009 (GN2100TN)	221015 (GN2100BT)	221010 (GN2200TN)	221016 (GN2200BT)
DIMENSIONS (WxDxH)	1350 x 700 x 850 mm	1350 x 700 x 850 mm	1350 x 700 x 950 mm	1350 x 700 x 950 mm
WEIGHT	74 KG	77 KG	76 KG	80 KG
POWER	250 W	290 W	250 W	290 W
GROSS CAPACITY	272 L	272 L	272 L	272 L
NET CAPACITY	188 L / GN 1/1	188 L / GN 1/1	188 L / GN 1/1	188 L / GN 1/1
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	2	2	2	2
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	B	C	B	C
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
BACKSPLASH	No	No	Yes	Yes



GN3100TN/BT



* Optional: Replace hinged doors with drawers (Please inquire)

CODE	221011 (GN3100TN)	221017 (GN3100BT)	221012 (GN3200TN)	221018 (GN3200BT)
DIMENSIONS (WxDxH)	1800 x 700 x 850 mm	1800 x 700 x 850 mm	1800 x 700 x 950 mm	1800 x 700 x 950 mm
WEIGHT	93 KG	96 KG	95 KG	98 KG
POWER	270 W	350 W	270 W	350 W
GROSS CAPACITY	418 L	418 L	418 L	418 L
NET CAPACITY	282 L / GN 1/1	282 L / GN 1/1	282 L / GN 1/1	282 L / GN 1/1
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	3	3	3	3
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	B	C	B	C
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
BACKSPLASH	No	No	Yes	Yes



* Adjustable legs or castors (optional, please inquire)

CODE	221013 (GN4100TN)	221019 (GN4100BT)	221014 (GN4200TN)	221020 (GN4200BT)
DIMENSIONS (WxDxH)	2230 x 700 x 850 mm	2230 x 700 x 850 mm	2230 x 700 x 950 mm	2230 x 700 x 950 mm
WEIGHT	116 KG	119 KG	119 KG	122 KG
POWER	340 W	400 W	340 W	400 W
GROSS CAPACITY	564 L	564 L	564 L	564 L
NET CAPACITY	376 L / GN 1/1	376 L / GN 1/1	376 L / GN 1/1	376 L / GN 1/1
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	4	4	4	4
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	C	D	C	D
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
BACKSPLASH	No	No	Yes	Yes





We can order the following products based on your requirements.

Please check with our sales team for the delivery date.



REFRIGERATION



Refrigerated Salad Counter

CODE	221035 (S901)	221041 (S903SSTOP)
DIMENSIONS (WxDxH)	900 x 700 x 900 mm	1365 x 700 x 900 mm
WEIGHT	64 KG	110 KG
POWER	240 W	330 W
GROSS CAPACITY	215 L	346 L
NET CAPACITY	172 L	255 L
SHELVES	1 per door	1 per door
DOORS	2	3
WORKTOP SIZE (WxD)	900 x 700 mm	1365 x 700 mm
TEMPERATURE	2 ~ 8°C	2 ~ 8°C
REFRIGERANT	R290	R290
ENERGY EFFICIENCY CLASS	C	C
CLIMATE CLASS	5	5
MATERIAL	Stainless Steel	Stainless Steel
WORKTOP	Stainless Steel	Stainless Steel
Lid	No	No



S901



S903SSTOP



Replace hinged doors with drawers – available for ALL Salad Counters (please inquire)

CODE	221034 (S900)	221040 (S903)
DIMENSIONS (WxDxH)	900 x 700 x 900 mm	1365 x 700 x 900 mm
WEIGHT	65 KG	98 KG
POWER	240 W	330 W
GROSS CAPACITY	215 L	346 L
NET CAPACITY	172 L / GN 1/1 + 2 x GN 1/3 + 5 x GN 1/6	255 L / 2 x GN 1/1 + 3 x GN 1/3 + 4 x GN 1/4
SHELVES	1 per door	1 per door
DOORS	2	3
WORKTOP SIZE (WxD)	900 x 120 mm	1365 x 120 mm
TEMPERATURE	2 ~ 8°C	2 ~ 8°C
REFRIGERANT	R290	R290
CLIMATE CLASS	4	4
MATERIAL	Stainless Steel	Stainless Steel
WORKTOP	Polyethylene Cut Board	Polyethylene Cut Board
Lid	Yes	Yes



S900



S903

CODE	221036 (PS200)	221038 (PS300)
DIMENSIONS (WxDxH)	900 x 700 x 1030 mm	1365 x 700 x 1030 mm
WEIGHT	68 KG	125 KG
POWER	240 W	330 W
GROSS CAPACITY	215 L	346 L
NET CAPACITY	172 L / 5 x GN 1/6 / 2 x GN 1/3 + GN 1/6	255 L / 8 x GN 1/6 / 4 x GN 1/3
SHELVES	1 per door	1 per door
DOORS	2	3
WORKTOP SIZE (WxD)	900 x 447 mm	1365 x 447 mm
TEMPERATURE	2 ~ 8°C	2 ~ 8°C
REFRIGERANT	R290	R290
CLIMATE CLASS	4	4
MATERIAL	Stainless Steel	Stainless Steel
WORKTOP	Stainless Steel	Stainless Steel
Lid	Yes	Yes



PS200



PS300



We can order the following products based on your requirements.

Please check with our sales team for the delivery date.

REFRIGERATION

Refrigerated Salad Counter



PS900

CODE	221037 (PS900)	221039 (PS903)
DIMENSIONS (WxDxH)	900 x 700 x 1110 mm	1365 x 700 x 1110 mm
WEIGHT	98 KG	174 KG
POWER	240 W	330 W
GROSS CAPACITY	215 L	346 L
NET CAPACITY	172 L / 5 x GN 1/6 / 2 x GN 1/3 + GN 1/6	255 L / 8 x GN 1/6 / 4 x GN 1/3
SHELVES	1 per door	1 per door
DOORS	2	3
WORKTOP SIZE (WxD)	900 x 490 mm	1365 x 490 mm
TEMPERATURE	2 ~ 8°C	2 ~ 8°C
REFRIGERANT	R290	R290
CLIMATE CLASS	4	4
MATERIAL	Stainless Steel	Stainless Steel
WORKTOP	Granite	Granite



PS903



PZ903

CODE	221042 (PZ903)
DIMENSIONS (WxDxH)	1380 x 700 x 1040 mm
WEIGHT	198 KG
POWER	330 W
GROSS CAPACITY	346 L
NET CAPACITY	255 L
SHELVES	1 per door
DOORS	3
WORKTOP SIZE (WxD)	1400 x 700 mm
TEMPERATURE	2 ~ 8°C
REFRIGERANT	R290
ENERGY EFFICIENCY CLASS	C
CLIMATE CLASS	5
MATERIAL	Stainless Steel
WORKTOP	Granite



PZ903 compatible with VRX1400/330
(top, sold separately)



S900VG

CODE	221067 (S900VG)	221068 (S903VG)
DIMENSIONS (WxDxH)	900 x 700 x 1315 mm	1365 x 700 x 1315 mm
WEIGHT	102 KG	126 KG
POWER	240 W / 240 V 50 Hz	330 W / 240 V 50 Hz
GROSS CAPACITY	215 L	346 L
NET CAPACITY	172 L / GN 1/1 + 2 x GN 1/3 + 5 x GN 1/6	255 L / 2 x GN 1/1 + 3 x GN 1/3 + 4 x GN 1/4
SHELVES	1 per door	1 per door
DOORS	2	3
WORKTOP SIZE (WxD)	900 x 120 mm	1365 x 120 mm
TEMPERATURE	2 ~ 8°C	2 ~ 8°C
REFRIGERANT	R290	R290
MATERIAL	Stainless Steel	Stainless Steel
WORKTOP	Polyethylene Cut Board	Polyethylene Cut Board
SNEEZE GUARD	Yes (Material: Glass)	Yes (Material: Glass)



S903VG



We can order the following products based on your requirements.

Please check with our sales team for the delivery date.



REFRIGERATION



Refrigerated Counter (SNACK series)

CODE	221021 (SNACK2100TN)	221027 (SNACK2100BT)	221022 (SNACK2200TN)	221064 (SNACK2200BT)
DIMENSIONS (WxDxH)	1350 x 600 x 850 mm	1350 x 600 x 850 mm	1350 x 600 x 950 mm	1350 x 600 x 950 mm
WEIGHT	66 KG	69 KG	68 KG	70 KG
POWER	210 W	250 W	210 W	250 W
GROSS CAPACITY	226 L	226 L	226 L	226 L
NET CAPACITY	160 L / 325 x 430 mm	160 L / 325 x 430 mm	160 L / 325 x 430 mm	160 L / 325 x 430 mm
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	2	2	2	2
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	C	D	C	D
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
BACKSPLASH	No	No	Yes	Yes



2100 / 3100 / 4100



2200 / 3200 / 4200

* Backsplash (100 mm)

CODE	221023 (SNACK3100TN)	221028 (SNACK3100BT)	221024 (SNACK3200TN)	221065 (SNACK3200BT)
DIMENSIONS (WxDxH)	1800 x 600 x 850 mm	1800 x 600 x 850 mm	1800 x 600 x 950 mm	1800 x 600 x 950 mm
WEIGHT	82 KG	86 KG	85 KG	89 KG
POWER	230 W	260 W	230 W	260 W
GROSS CAPACITY	346 L	346 L	346 L	346 L
NET CAPACITY	240 L / 325 x 430 mm	240 L / 325 x 430 mm	240 L / 325 x 430 mm	240 L / 325 x 430 mm
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	3	3	3	3
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	C	D	C	D
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
BACKSPLASH	No	No	Yes	Yes



SNACK3100TN/BT



* Optional: Replace hinged doors with drawers (Please inquire)

CODE	221025 (SNACK4100TN)	221029 (SNACK4100BT)	221026 (SNACK4200TN)	221066 (SNACK4200BT)
DIMENSIONS (WxDxH)	2230 x 600 x 850 mm	2230 x 600 x 850 mm	2230 x 600 x 950 mm	2230 x 600 x 950 mm
WEIGHT	102 KG	107 KG	106 KG	110 KG
POWER	250 W	340 W	250 W	340 W
GROSS CAPACITY	467 L	467 L	467 L	467 L
NET CAPACITY	322 L / 325 x 430 mm	322 L / 325 x 430 mm	322 L / 325 x 430 mm	322 L / 325 x 430 mm
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	4	4	4	4
TEMPERATURE	-2 ~ 8°C	-18 ~ -22°C	-2 ~ 8°C	-18 ~ -22°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	D	D	D	D
CLIMATE CLASS	5	5	5	5
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
BACKSPLASH	No	No	Yes	Yes



* Adjustable legs or castors (optional, please inquire)



We can order the following products based on your requirements.

Please check with our sales team for the delivery date.

REFRIGERATION

Refrigerated Pizza Counter



CODE	221032 (PZ2600)	221033 (PZ3600)
DIMENSIONS (WxDxH)	1500 x 800 x 1020 mm	2025 x 800 x 1020 mm
WEIGHT	252 KG	316 KG
POWER	340 W	400 W
GROSS CAPACITY	380 L	485 L
NET CAPACITY	311 L / 600 x 400 mm	415 L / 600 x 400 mm
SHELVES	1 per door	1 per door
DOORS	2	3
TEMPERATURE	-2 ~ 8°C	-2 ~ 8°C
REFRIGERANT	R290	R290
CLIMATE CLASS	5	5
MATERIAL	Stainless Steel	Stainless Steel
WORKTOP	Granite	Granite



PZ2600



PZ3600

Refrigerated Sandwich Counter



CODE	221030 (SH2000/800)	221031 (SH3000/800)	221050 (SH2000/800M)	221051 (SH3000/800M)
DIMENSIONS (WxDxH)	1500 x 800 x 1075 mm	2025 x 800 x 1075 mm	1500 x 850 x 1075 mm	2025 x 850 x 1075 mm
WEIGHT	123 KG	160 KG	138 KG	180 KG
POWER	340 W	400 W	340 W	400 W
GROSS CAPACITY	435 L	650 L	435 L	650 L
NET CAPACITY	394 L / 600 x 400 mm / 4 x GN 1/3 + 2 x GN 1/2	525 L / 600 x 400 mm / 10 x GN 1/3	394 L / 600 x 400 mm / 4 x GN 1/3 + 2 x GN 1/2	525 L / 600 x 400 mm / 10 x GN 1/3
SHELVES	1 per door	1 per door	1 per door	1 per door
DOORS	2	3	2	3
TEMPERATURE	2 ~ 8°C	2 ~ 8°C	2 ~ 8°C	2 ~ 8°C
REFRIGERANT	R290	R290	R290	R290
ENERGY EFFICIENCY CLASS	C	C	C	C
CLIMATE CLASS	4	4	4	4
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
WORKTOP	Stainless Steel	Stainless Steel	Granite	Granite



221050 (SH2000/800M)



221051 (SH3000/800M)





We can order the following products based on your requirements.

Please check with our sales team for the delivery date.



REFRIGERATION




Refrigerated Pizza Display


CODE	DIMENSION (WxDxH)	WEIGHT	POWER	NET CAPACITY	TEMPERATURE	REFRIGERANT
221069 (VRX1200/330)	1200 x 335 x 435 mm	35 KG	125 W	30 L / 5 x GN 1/4	2 ~ 8 °C	R600a
221043 (VRX1400/330)	1400 x 335 x 435 mm	38 KG	125 W	37 L / 6 x GN 1/4	2 ~ 8 °C	R600a
221071 (VRX1500/330)	1500 x 335 x 435 mm	40 KG	125 W	41 L / 7 x GN 1/4	2 ~ 8 °C	R600a
221072 (VRX1600/330)	1600 x 335 x 435 mm	42 KG	125 W	44 L / 7 x GN 1/4	2 ~ 8 °C	R600a
221073 (VRX1800/330)	1800 x 335 x 435 mm	44 KG	145 W	51 L / 9 x GN 1/4	2 ~ 8 °C	R600a
221074 (VRX2000/330)	2000 x 335 x 435 mm	47 KG	145 W	58 L / 10 x GN 1/4	2 ~ 8 °C	R600a

CODE	DIMENSION (WxDxH)	WEIGHT	POWER	NET CAPACITY	TEMPERATURE	REFRIGERANT
221044 (VRX1200/380)	1200 x 395 x 455 mm	38 KG	125 W	38 L / 3 x GN 1/3 + 1 X GN 1/2	2 ~ 8 °C	R600a
221045 (VRX1400/380)	1400 x 395 x 455 mm	40 KG	125 W	47 L / 6 x GN 1/3	2 ~ 8 °C	R600a
221046 (VRX1500/380)	1500 x 395 x 455 mm	45 KG	125 W	51 L / 5 x GN 1/3 + 1 X GN 1/2	2 ~ 8 °C	R600a
221047 (VRX1600/380)	1600 x 395 x 455 mm	46 KG	125 W	56 L / 7 x GN 1/3	2 ~ 8 °C	R600a
221048 (VRX1800/380)	1800 x 395 x 455 mm	47 KG	150 W	65 L / 8 x GN 1/3	2 ~ 8 °C	R600a
221049 (VRX2000/380)	2000 x 395 x 455 mm	50 KG	150 W	74 L / 9 x GN 1/3	2 ~ 8 °C	R600a

VRX330



VRX380





We can order the following products based on your requirements.

Please check with our sales team for the delivery date.

REFRIGERATION

ABS series

Stainless Steel Exterior



CODE	311012 (HA-R200SS)	311014 (HA-F200SS)
DIMENSIONS (WxDxH)	600 x 635 x 835 mm	600 x 635 x 835 mm
WEIGHT	43 KG	41 KG
POWER	110 W / 220-240 V 50 Hz	130 W / 220-240 V 50 Hz
GROSS CAPACITY	127 L	122 L
NET CAPACITY	99 L	97 L
INTERIOR DIMENSIONS (WxDxH)	500 x 468 x 660 mm	480 x 453 x 660 mm
SHELVES	2 + 1	2
SHELF UPPER / LOWER (WxD)	496 x 410 / 496 x 270 mm	425 x 412 mm
TEMPERATURE	0 ~ 8°C	-18 ~ -23°C
REFRIGERANT	R600A	R600A
ENERGY EFFICIENCY CLASS	A	—
CLIMATE CLASS	4	4



CODE	311006 (HA-R400SS)	311009 (HA-F400SS)
DIMENSIONS (WxDxH)	600 x 639 x 1875 mm	600 x 639 x 1875 mm
WEIGHT	58 KG	63 KG
POWER	150 W / 220-240 V 50 Hz	280 W / 220-240 V 50 Hz
GROSS CAPACITY	336 L	326 L
NET CAPACITY	267 L	249 L
INTERIOR DIMENSIONS (WxDxH)	500 x 468 x 1641 mm	480 x 453 x 1641 mm
SHELVES	4 + 1	6
SHELF UPPER / LOWER (WxD)	496 x 410 / 496 x 210 mm	425 x 412 mm
TEMPERATURE	0 ~ 8°C	-18 ~ -23°C
REFRIGERANT	R600A	R290
ENERGY EFFICIENCY CLASS	C	—
CLIMATE CLASS	4	4



CODE	311002 (HA-R600SS)	311004 (HA-F600SS)
DIMENSIONS (WxDxH)	775 x 744 x 1900 mm	775 x 744 x 1900 mm
WEIGHT	78 KG	87.5 KG
POWER	150 W / 220-240 V 50 Hz	350 W / 220-240 V 50 Hz
GROSS CAPACITY	562 L	534 L
NET CAPACITY	473 L	411 L
INTERIOR DIMENSIONS (WxDxH)	675 x 573 x 1644 mm	643 x 558 x 1644 mm
SHELVES	4 + 1	6
SHELF UPPER / LOWER (WxD)	668 x 525 / 668 x 210 mm	588 x 496 mm
TEMPERATURE	0 ~ 8°C	-18 ~ -23°C
REFRIGERANT	R600A	R290
ENERGY EFFICIENCY CLASS	C	—
CLIMATE CLASS	4	4



We can order the following products based on your requirements.

Please check with our sales team for the delivery date.



REFRIGERATION

€ White Exterior

ABS series

CODE	311011 (HA-R200)	311013 (HA-F200)
DIMENSIONS (WxDxH)	600 x 635 x 835 mm	600 x 635 x 835 mm
WEIGHT	34 KG	36 KG
POWER	110 W / 220-240 V 50 Hz	130 W / 220-240 V 50 Hz
GROSS CAPACITY	127 L	122 L
NET CAPACITY	99 L	97 L
INTERIOR DIMENSIONS (WxDxH)	500 x 468 x 660 mm	480 x 453 x 660 mm
SHELVES	2 + 1	2
SHELF UPPER / LOWER (WxD)	496 x 410 / 496 x 270 mm	425 x 412 mm
TEMPERATURE	0 ~ 8°C	-18 ~ -23°C
REFRIGERANT	R600A	R600A
ENERGY EFFICIENCY CLASS	A	—
CLIMATE CLASS	4	4



CODE	311005 (HA-R400)	311008 (HA-F400)
DIMENSIONS (WxDxH)	600 x 639 x 1875 mm	600 x 639 x 1875 mm
WEIGHT	64 KG	73 KG
POWER	150 W / 220-240 V 50 Hz	280 W / 220-240 V 50 Hz
GROSS CAPACITY	336 L	326 L
NET CAPACITY	267 L	249 L
INTERIOR DIMENSIONS (WxDxH)	500 x 468 x 1641 mm	480 x 453 x 1641 mm
SHELVES	4 + 1	6
SHELF UPPER / LOWER (WxD)	496 x 410 / 496 x 210 mm	425 x 412 mm
TEMPERATURE	0 ~ 8°C	-18 ~ -23°C
REFRIGERANT	R600A	R290
ENERGY EFFICIENCY CLASS	C	—
CLIMATE CLASS	4	4



CODE	311001 (HA-R600)	311003 (HA-F600)
DIMENSIONS (WxDxH)	775 x 744 x 1900 mm	775 x 744 x 1900 mm
WEIGHT	78 KG	94 KG
POWER	150 W / 220-240 V 50 Hz	350 W / 220-240 V 50 Hz
GROSS CAPACITY	562 L	534 L
NET CAPACITY	473 L	411 L
INTERIOR DIMENSIONS (WxDxH)	675 x 573 x 1644 mm	643 x 558 x 1644 mm
SHELVES	4 + 1	6
SHELF UPPER / LOWER (WxD)	668 x 525 / 668 x 210 mm	588 x 496 mm
TEMPERATURE	0 ~ 8°C	-18 ~ -23°C
REFRIGERANT	R600A	R290
ENERGY EFFICIENCY CLASS	C	—
CLIMATE CLASS	4	4





We can order the following products based on your requirements.

Please check with our sales team for the delivery date.

REFRIGERATION

Accessories



CODE	SP10526	SP10527	SP10528	SP10529	SP10892
Product	Guide Rail - SNACK	Guide Rail - Salad & GN	Guide Rail - SH & PZ	Guide Rail - Vertical Cabinet GN650/1410	Guide Rail - Vertical Cabinet GN600/1200
CODE	SP10556	SP10557			
Product	Castor - Salad	Castor + Brake - Salad			
CODE	SP10521	SP10522	SP10523	SP10524	SP10525
Product	Shelf - SNACK	Shelf - Salad & GN	Shelf - PZ & SH	Shelf - Vertical Cabinet GN650/1410	Shelf - Vertical Cabinet GN600/1200
CODE	SP10520	SP10571			
Product	Adjustable Feet - GN SH PZ	Adjustable Feet - Salad			

Back Bar Cooler



CODE	241005 (LG-128)	241006 (LG-198H)	241001 (LG-198S)
DIMENSIONS (WxDxH)	600 x 520 x 850 mm	900 x 520 x 850 mm	900 x 520 x 850 mm
WEIGHT	45 KG	62 KG	62 KG
POWER	230 W / 230 V 50 Hz	230 W / 230 V 50 Hz	230 W / 230 V 50 Hz
SHELVES	2	4	4
DOOR	1 Hinged	2 Hinged	2 Sliding
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C



CODE	241007 (LG-320H)	241002 (LG-320S)
DIMENSIONS (WxDxH)	1350 x 520 x 850 mm	1350 x 520 x 850 mm
WEIGHT	80 KG	80 KG
POWER	350 W / 230 V 50 Hz	350 W / 230 V 50 Hz
SHELVES	6	6
DOOR	3 Hinged	3 Sliding
TEMPERATURE	2 ~ 10°C	2 ~ 10°C

Drinks Cabinet



LG360XPB


LG800BFB

CODE	241011 (LG360XPB)	241012 (LG350XFB)	241013 (LG800BFB)
DIMENSIONS (WxDxH)	620 x 635 x 1732 mm	620 x 635 x 1935 mm	1000 x 730 x 2036 mm
WEIGHT	72 KG	75 KG	146 KG
POWER	180 W / 230 V 50 Hz	225 W / 230 V 50 Hz	480 W / 230 V 50 Hz
CAPACITY	360 L	350 L	800 L
SHELF DIMENSIONS (WxD)	530 x 380 mm	530 x 380 mm	490 x 435 mm
TEMPERATURE	2 ~ 10°C	2 ~ 10°C	2 ~ 10°C
ILLUMINATED UPPER PANEL	No	Yes	Yes



NOTES





HAMOKI



**28 Maryland Road,
Tongwell, Milton Keynes,
MK15 8HF**



+44 (0)1908 616115

+44 (0)7704 731230



sales@hamoki.co.uk



www.hamoki.co.uk