

T2

Compact 43 cm Scrubber-Dryer

- Experience Tennant performance while maintaining your budget
- Clean small, congested spaces easily
- Deliver superior cleaning and floor safety
- Lower fatigue and increase operator satisfaction with low push force pad-assistance



Dramatically improve cleanliness and safety in small spaces.

Enhance productivity

Increase operation efficiency by completely cleaning and drying small, congested areas in one pass. Additionally, Tennant T-series durability ensures maximum machine uptime.

Ensure superior cleaning performance

Provide the highest level of cleanliness with 23 kg of down pressure and 230 rpm agitation – all delivered through a 0.75 kW brush motor; the most powerful in its class.

Maintain maximum hygiene

Reduce scrubber-dryer tank mould and bacteria with Tennant's easy-to-clean hygienic recovery tank and debris tray.



ENGINEERED FOR ENVIRONMENTAL SAFETY

Increase indoor environmental quality.

Provide “anytime” operation with a 68 dBA sound level while optional maintenance-free batteries lower emissions, improving indoor air quality.

Maximize operational safety.

Brush assist action only occurs when an operator engages the “safety triggers” while scrubbing.

Reduce risk of slip-and-fall accidents.

Unsurpassed water recovery leaves small, congested spaces ready for foot traffic immediately.



Experience the industry's benchmark T-series, with the affordable T2 scrubber-dryer.

Enhance operator comfort and reduce fatigue with height-adjustable, “safety trigger” handle design.



Tennant's unique pad driver and squeegee holder make transporting or storing the T2 simple and easy.



Easily train new operators with the industry's most simplified controls – just power on and activate the triggers.



Optimise machine sanitisation with an easy clean-out rotomoulded recovery tank and debris tray.



T-SERIES SCRUBBER-DRYERS

T-Series scrubber-dryers optimise your facility health and safety with industry leading noise-levels and water recovery along with exclusive, fully cleanable hygienic tanks.

T1 380 mm

Corded scrubber-dryer with unmatched bi-directional water recovery and exclusive fully adjustable handle.



T2 430 mm

Experience cordless freedom with Tennant's smallest, most affordable battery scrubber-dryer.



T3 430, 510 mm

Ultra-quiet operation can now be combined with award winning FaST® or electrically converted water technology and fully-cleanable hygienic tanks.



T5 610-810 mm

Reach a higher level of cleanliness, health and safety with the environmentally-friendly T5 using standard, FaST or electrically converted water technologies.



T7 660-810 mm

Maximise comfort, agility and run time with a compact rider that features productivity enhancing economy mode.



SEEING IS BELIEVING

For a demonstration or additional information, contact us:

T2 WALK-BEHIND AUTOMATIC SCRUBBER-DRYER

Scrubbing System

Cleaning path	430 mm
Solution tank capacity	26 L

Productivity (per hour)

Theoretical Max	1720 m ²
Estimated Coverage	950 m ²

Drive System

Brush motor horsepower	0.75 kW
Brush RPM	230 rpm
Brush/pad pressure	23 kg

Recovery System

Recovery tank description	Full access & cleanable
Recovery tank capacity (includes demisting chamber)	36 L
Vacuum motor	0.30 kW– two stage
Vac motor CFM	31 L/sec
Vac motor sealed waterlift	9,9 kPa

Battery System

Optional Lead Acid / Run time	(2) 12V, 85 AH/ Up to 2 hours
Optional Gel / Run time	(2) 12V, 70 AH / Up to 1.75 hours

Dimensions/Weights

Product height	930 mm
Product length	1,120 mm
Product width (with squeegee)	695 mm
Product weight (with gel batteries)	136 kg

Decibel Rating

Operator's position*	68 dBA
----------------------	--------

* For CE compliance, sound level is measured as an A-weighted sound pressure level per ISO 11201 and reported in accordance with ISO 4871.

Warranty 24 Months (or max 2,000 running hours) on parts and 12 months (or max 1,000 running hours) on labour, whichever comes first, excluding wear items.

GENUINE TENNANT PARTS, SUPPLIES & SERVICE

Genuine Tennant Parts Advantage

Operate your machine with confidence by choosing genuine Tennant parts. Only authentic Tennant parts are engineered in conjunction with Tennant equipment. For years of worry-free operation, accept only genuine parts and supplies.

Direct Service Network

In Europe, Tennant offers a factory-trained, locally based network of more than 220 service technicians dedicated to keeping your cleaning program up and running. Protect your investment with a Tennant Service Agreement.

Choose one of the many Tennant Financial Solutions for easy and quick financing.

For more detailed information on these topics, please contact your Tennant sales person.

TENNANT UK LTD.

Gladstone Road
Northampton NN5 7PX
UNITED KINGDOM
Tel: 00800-2255 8366
Fax: 00800-3298 3662
Tel: 01604 583191 (local rate UK only)
Fax: 01604 587909 (local rate UK only)
E-mail: europe@tennantco.com

TENNANT CEE GmbH

Sommerfeld 1
5202 Neumarkt am Wallersee
AUSTRIA
Tel: +43 (0)6216 4524 & 4525
Fax: +43 (0)6216 4524 20
E-mail: office@tennant-cee.com

TENNANT EUROPE NV

Plantin & Moretuslei 220
2018 Antwerp
BELGIUM
Tel: +32 3 217 94 11
Fax: +32 3 217 94 19
E-mail: europe@tennantco.com