

ltem#:	178GDC10HCB		Project:	
•		Б.,	· · · · · · · · · · · · · · · · · · ·	
Otv:		Date:		Approval:

Avantco GDC-10-HC 21 5/8" Black Customizable Swing Glass Door Merchandiser Refrigerator with LED Lighting

Item#178GDC10HCB







Technical Data

Width	21 5/8 Inches	
Depth	21 5/8 Inches	
Height	63 Inches	
Power Cord Length	98 Inches	
Interior Width	18 7/8 Inches	
Shelf Width	18 Inches	
Interior Depth	18 5/16 Inches	
Shelf Depth	14 Inches	
Interior Height	41 1/4 Inches	
Amps	2.5 Amps	

Features

- Features (1) self-closing, anti-fog dual-pane tempered glass swing door with magnetic gaskets
- Interior LED lighting illuminates product; back lit exterior top panel attracts customers' attention
- 4 adjustable shelves with price tag strip on each shelf
- Easy to use digital temperature controls
- 115V; 1/3 hp compressor; R290 refrigerant

Certifications












Technical Data

Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	284 Watts	
Access Type	Doors	
Capacity	8.5 cu. ft.	
Capacity (per Shelf)	88 lb.	
Color	Black	
Compressor Location	Bottom Mounted	
Door Style	Swing	
Door Type	Glass	
Exterior Material	Black-Coated Steel	
Features	Customizable LED Lighting Self-Closing Doors	
Hinge Location	Right	
Horsepower	1/3 hp	
Installation Type	Freestanding	
Interior Color	White	
Number of Doors	1 Doors	
Number of Shelves	4 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Type	R-290	
Sections	1 Section	
Shelf Material	Epoxy-Coated Steel	
Temperature Range	33 - 40 Degrees F	
Туре	Merchandising Refrigeration	

Plan View



Notes & Details

Increase your sales of "grab and go" items like bottled tea and soda, or pre-packaged sandwiches and salads with this Avantco GDC-10-HC 21 5/8" black merchandising refrigerator! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek finish. And, since the housing is made from black coated steel, you can be sure that it will provide superior durability. This unit boasts an anti-fogging, dual-pane tempered glass swing door to ensure that customers always have a clear view of your products, while (4) epoxy coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate salads, wraps, or sandwiches. Interior LED lighting on the right side also works to illuminate and further merchandise your products.

Designed to maintain temperatures from 33-40 degrees Fahrenheit, this refrigerator boasts a bottom-mounted 1/3 hp compressor that runs on R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed-in place using polyurethane insulation. Other helpful features include self-closing aided by magnetic gaskets, automatic defrosting, and a digital temperature control. This item requires a 115V electrical connection for operation.



▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.