



# User Manual

USB 3.1 Type-C to Gigabit Ethernet  
+Type-C Charging Adapter



ES623006WH

# Contents

---

- 1.0 Introduction
- 2.0 Features
- 3.0 Specifications
- 4.0 Package contents
- 5.0 Operation
- 6.0 Connection diagram

## DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

## 1.0 Introduction

---

This is a USB-C to Gigabit Ethernet port with Type-C charging port adapter, designed for connecting the host computer to the network through the Gigabit Ethernet port. Besides, the USB-C female port can charge for the host computer and supply power for the adapter simultaneously. It can work on Macbook or Google new Chromebook Pixel and other USB-C supported devices.

## 2.0 Features

---

- Supports USB-C and Gigabit Ethernet port
- No extra driver software is required, and auto driver installation
- Supports 10/100 /1000Mbps bandwidth
- Supports twisted pair crossover detection and auto-correction
- Supports to charge for Macbook or Google new Chromebook Pixel and other USB-C supported devices and supply power for the adapter simultaneously
- Multiple USB-C interface supports plug and play, hot swap
- Easy to use and carry

## 3.0 Specifications

---

<b>Input/Output Connector</b>	
Input	USB-C Male x1 USB-C Female x1
Output	RJ45 x1
<b>Physical</b>	
Weight	22.9g
Size (L-W-H)	41X41X15(mm)
<b>Warranty</b>	
Limited Warranty	1 year
<b>Environmental</b>	
Operating Temperature	0°C to +45°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +70°C
Storage Humidity	5% to 90 % RH (no condensation)
<b>Power Supply</b>	
USB Female Charging Port	60W (20V/3A)
<b>Regulatory Approvals</b>	
Certifications	FCC, CE
<b>Accessory Adapter</b>	
User Manual	English Version

## 4.0 Package contents

---

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1
- User Manual x1


## 5.0 Operation

---

- 1) Connect the USB-C male port of this product to computer
- 2) Connect Gigabit Ethernet port of this product to Ethernet Router with an Ethernet cable
- 3) Automatically or manually set IP address of computer
- 4) Connect the Type C charging port, it can charge for the MacBook and support this adapter to work simultaneously

## 6.0 Connection diagram

---



Please note that all names, models and trademarks are the sole property of their respective owners. **eSTUFF®** is a registered trademark of EET Group A/S. Device composition and illustration shown on the packaging is for informative purposes only and may differ from the actual product.

Imported into the EU by EET Group A/S  
Tempovej 41, 2750 Ballerup, Denmark

Designed in Denmark  
Made in China

[www.estuff.eu](http://www.estuff.eu)

