

CP-Z32G

3MP 4G Pan/Tilt Camera

- 1/2.8" 3MP CMOS Image Sensor (0.9071 centimeters).
- 4mm Fixed Lens.
- H.265/H.264 Video Compression.
- Max. 15fps@3MP.
- Support RJ45 Port and 4G Sim.
- Support Two-way Audio Communication.
- Pan/Tilt Support: Pan: Up to 263°, Tilt: Up to 90°; 6 preset positions support.
- Support Micro SD Card 256GB.
- IR Range up to 20-30mtr, White light 15-20mtr.
- Support human detection. The device can turn on white light when someone breaks into the monitoring area. And the real-time alarm push information is sent on mobile app.
- With white light and infrared light, support three night vision mode: B/W mode, full color mode and Smart mode.
- IP66 waterproof, 4000V lightning protection, anti-surge.



System Overview

Adding further to your security and ensuring that you are safe all the time have been the reasons behind the introduction of the EzyKam Series by CP PLUS. The wide range of attractive cameras in the EzyKam Series are easy to install as they don't require any wiring and function as 4G-based plug and play surveillance devices with ultra HD view. These cameras are revolutionizing the way surveillance is conducted in retail stores, homes, offices, hospitals, warehouses, etc.

Functions

4G Sim Support

To eliminate the hassle of cables and switches, this camera has been 4G Sim enabled which makes it easier and better to conduct surveillance of any closed space.

THINK SECURITY
THINK CP PLUS



CP-Z32G

3MP 4G Pan/Tilt Camera

Functions

Nothing will be missed

This camera has been designed to catch everything in a room as it can be revolved completely to 360°, making it easier to just turn it or place it in any direction that requires more attention.

View and Talk

The most advanced feature of this surveillance device is that it can also be used as a gadget to interact with people when you are not in the same place without even having to place a call.

Motion Alert

Motion Alert technology allows you to get immediate alerts as soon a single motion is detected in the scene. This feature has reduced the effort put in surveillance by copious amounts and has eased the life of millions.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.

THINK SECURITY
THINK CP PLUS

 **CP PLUS**



CP-Z32G

3MP 4G Pan/Tilt Camera

Feature	Specification
Image Sensor	1/2.8" CMOS Sensor (0.9071 centimeters)
Video Compression	H.265/ H.264
Resolution	3MP
View Mode	HD and SD
Lens	4mm Fixed
Pan Range	Up to 263°, 0.1° ~ 20°/sec
Tilt Range	Up to 90°, 0.1° ~ 20°/sec
No of Presets	6 (site)
Tour	1 (Patrol)
Day-Night Mode	Smart Mode, Infrared Mode, Color Mode
Dynamic Range	Digital WDR
DNR	3D digital noise reduction
Image Flip	Support
Stream	Main stream: 2304 x 1296, Sub stream: 640 x 360
Frame Rate	Max 15fps, frame rate self-adaption
Audio	Two Way Audio
Audio Input	Built in Mic
Audio Output	Built-in Speaker
Audio Compression	AAC, G711
4G Band	FDD-LTE:B1/B3/B5/B8; TDD-LTE:B34/B38/B39/B40/B41
Human Detection	Support
Motion Tracking	Support
Motion Detection	Support

Feature	Specification
Alarm Notification Push	Support
Privacy Mode	Support
Onvif	Support
RTMP	Support
RJ45 Ethernet Port	10-100Mbps self-adaption
IR Array Distance	20-30mtr
White Light Distance	Spotlight 15-20mtr
IR Array LED	6 white LEDs and 6 infrared LEDs (Dual light)
Storage	Micro SD Card (Max 256GB)
Weather Proof	IP66 waterproof, 4000V lightning protection, anti-surge
Power Supply	DC 12V, 1A
Power Consumption	<15W
Working Temperature	-20℃ ~ 50℃
Working Humidity	<95% (no condensation)

Company Name:

CP PLUS (Aditya Infotech Ltd.)

F-28 Okhla Industrial Area, Phase 1,

New Delhi 110020, INDIA

Contact Mail ID :- customercare@cpplusworld.com

