

Overview

HP DESKTOP MINI PC ACCESSORIES

Mounting/Security

HP Desktop Mini v4+ VESA Sleeve	99T54AA
HP Desktop Mini v4+ VESA Sleeve with Power Supply Holder	99T55AA
HP Desktop Mini Power Supply Holder Kit v4+	657R3AA
HP Desktop Mini LockBox v2	3EJ57AA
HP Desktop Mini Port Cover v4	B6BS6AA
HP B300 PC Mounting Bracket + Power Supply Holder	7DB37AA

Optical Drive

HP Desktop Mini DVD DVD-Writer ODD Expansion Module	K9Q83AA
---	---------

Input / Output / HDD

HP Desktop Mini 2.5" SATA Drive Bay Kit v2	13L70AA
--	---------

Power

HP Desktop 65w Mini Power Supply Kit	L2X04AA
HP Desktop 90w Mini Power Supply Kit	L4R65AA

Other compatible accessory options

Stands and Chassis

HP Quick Release Bracket 2	6KD15AA
HP Desktop Mini Vertical Chassis Stand	G1K23AA

Security

HP Keyed cable lock 10mm kit	T1A62AA
HP Master Keyed Cable Lock 10mm Kit	T1A63AA

Technical Specifications

MOUNTING

HP Desktop Mini v4+ VESA Sleeve

Part number	99T54AA
Display compatibility	HP P / E / Z Series Display ¹
Platform compatibility	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP EliteDesk 600 Desktop Mini, HP Elite Mini 800 G9 Desktop PC
Dimensions (HxWxD)	7.3 x 6.43 x 1.77 in (18.5 x 16.33 x 4.5 cm)
VESA configuration	Compatible with 100 x 100 mm VESA mount
What's in the box	1 Security/Dual VESA Sleeve; 2x sets of Torx T15 screws, 1x set 20mm Philips #2 screw, 7mm and 2mm Spacers, Installation guide
Compatibility	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP EliteDesk 600 Desktop Mini, HP Elite Mini 800 G9 Desktop PC, HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP ProDesk 4 Mini G1i Desktop AI PC
Service support	One-year limited warranty

Note1: Limited compatible with P/E/Z series display, only support: HP Z34c G3, HP Z40c G3, HP Z24f G3, HP Z24n G3, HP Z24u G3, HP Z24q G3, Z24m G3, HP Z27q G3, HP Z27u G3, HP Z27k G3, HP Z32k G3, HP 724pf, HP 724pn, HP 724pu, HP 727pq, HP 727pu, HP 727pk, HP 727pm, HP 732pk, HP 734pm, HP 738pu, HP E24 G4, HP E24i G4, HP E24m G4, HP E24mv G4, HP E27q G4 , HP E27m G4, HP E34m G4, HP E22 G5, HP E24 G5, HP E24q G5, HP E24t G5, HP E24u G5, HP E27 G5, HP E27q G5, HP E27u G5, HP E27k G5, HP E32k G5, HP E45c G5, HP 524pf, HP 524pn, HP 524pu, HP 524pm, HP 527pq, HP 527pu, HP 527pm, HP 534pm, HP P24h G4, HP P34hc G4

HP Desktop Mini v4+ VESA Sleeve with Power Supply Holder

Part number	99T55AA
Display compatibility	HP P / E / Z Series Display ¹
Dimensions (HxWxD)	7.3 x 6.43 x 1.77 in (18.5 x 16.33 x 4.5 cm) (Dual VESA Sleeve v4+) + (18.8x10.0x3.9 cm) (PWR Supply Holder)
Weight	0.89 lb (404.5g) (Dual VESA Sleeve v3) + 0.52 lb (234 g) (PWR Supply Holder)
VESA configuration	Compatible with 100 x 100 mm VESA mount
What's in the box	1 Security/Dual VESA Sleeve; 1 Power Supply Holder kit; 2x sets of Torx T15 screws, 1x set 20mm Philips #2 screw, 7mm and 2mm Spacers, Installation guide
Compatibility	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP EliteDesk 600 Desktop Mini, HP Elite Mini 800 G9 Desktop PC, HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP ProDesk 4 Mini G1i Desktop AI PC
Service support	One-year limited warranty

Note1: Limited compatible with P/E/Z series display, only support: HP Z34c G3, HP Z40c G3, HP Z24f G3, HP Z24n G3, HP Z24u G3, HP Z24q G3, Z24m G3, HP Z27q G3, HP Z27u G3, HP Z27k G3, HP Z32k G3, HP 724pf, HP 724pn, HP 724pu, HP 727pq, HP 727pu, HP 727pk, HP 727pm, HP 732pk, HP 734pm, HP 738pu, HP E24 G4, HP E24i G4, HP E24m G4, HP E24mv G4, HP E27q G4 , HP E27m G4, HP E34m G4, HP E22 G5, HP E24 G5, HP E24q G5, HP E24t G5, HP E24u G5, HP E27 G5, HP E27q G5, HP E27u G5, HP E27k G5, HP E32k G5, HP E45c G5, HP 524pf, HP 524pn, HP 524pu, HP 524pm, HP 527pq, HP 527pu, HP 527pm, HP 534pm, HP P24h G4, HP P34hc G4

Technical Specifications

HP Desktop Mini Power Supply Holder Kit v4+¹

Part number	657R3AA
Dimensions (HxWxD)	6.3 x 1.6 x 9.6 in (16 x 4.16 x 24.61 cm)
Weight	Unpackaged: 1.3 lb (0.59 kg) Packaged: 1.65 lb (0.75kg)
Compatibility*	HP Elite Mini 800 G9 Desktop PC, HP ProDesk 600 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP 260 Desktop Mini. HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP ProDesk 4 Mini G1i Desktop AI PC
Possible Configurations	Supports 65W, 90W, 120W and 150W adapters.
What's in the box?	1 Power Supply Holder Kit; Installation Guide
Service support	One-year limited warranty

Note1: Only works with HP Desktop Mini v4+ VESA Sleeve (99T54AA) or HP B300 Mounting Bracket (2DW53AA) (Sold Separately)

HP Desktop Mini LockBox v2

Part number	3EJ57AA
Dimensions (HxWxD)	10.55 x 10.7 x 2.25 in (26.8 x 27.2 x 5.72 cm)
Weight	5.17 lb (2.34 kg)
Compatibility	The HP Desktop Mini LockBox V2 is compatible with the HP ProDesk 400 G2/G3/G4/G5/G6/G8/G9 Desktop Mini, HP ProDesk 405 G4/G6/G8 Desktop Mini, HP ProDesk 600 G3/G4/G5/G6/G9 Desktop Mini, HP EliteDesk 705 G3/G4/G5 Desktop Mini, HP EliteDesk 800 G2/G3/G4/G5/G6/G9 Desktop Mini, HP EliteDesk 805 G6/G9 Desktop Mini, HP Pro Mini 260 G9 Desktop
What's in the box	HP Desktop Mini Lock Box v2; Screw kit; Installation Guide

HP Desktop Mini Port Cover v4

Part number	B6BS6AA
Dimensions (HxWxD)	6.97 x 3.94 x 1.35 in (17.7 x 10.0 x 3.42 cm)
Weight	81 g
Compatible platforms	HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop AI PC, HP ProDesk 4 Mini G1i Desktop AI PC
What's in the box	1 Port Cover v4; Installation guide
Service and support	One-year limited warranty

Technical Specifications

HP B300 PC Mounting Bracket + Power Supply Holder

Part number	7DB37AA
Displays compatibility	E24 G4, E24i G4, E24m G4, E24mv G4, E27q G4, E27m G4, E34m G4
Platform compatibility	HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP Elite Mini 800 G9 Desktop PC, HP ProDesk 600Desktop Mini, HP ProDesk 4 Mini G1i Desktop AI PC, HP Pro Mini 400 G9 Desktop PC, HP 260 Desktop Mini.
Service and support	One-year limited warranty
Dimensions unpackaged (HxWxD)	6.3 x 3.8 x 9.7 in (16 x 9.65 x 24.63 cm)
Weight unpackaged	2.02 lb (917.2 g)
Dimensions packaged (HxWxD)	7.09 x 2.68 x 10.83 in (18 x 6.8 x 27.5 cm)
Weight packaged	1.2 kg
VESA Configurations	Compatible with 100 x 100 mm VESA mount
Product finish	HP Black
What's in the Box?	1 HP B300 PC Mounting Bracket; 1 Power Supply Holder Kit; 700 mm DisplayPort cable; 700mm USB A to B cable; 4 x 6mm screws; 4 x 10 mm screws; Installation Guide

NOTE: Power Supply Holder only supports up to [150W Adapter](#).

Summary of Changes

OPTICAL DRIVE

HP Desktop Mini DVD ODD Expansion Module

Part number	K9Q83AA	
Dimensions (H x W x D)	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)	
Weight	712g (25.12oz)	
Color	Jack Black	
Disc capacity	Up to 8.5 GB DVD double-layer or 4.7 GB standard single-layer	
Write / Read speeds		
	DVD+R	Up to 8X
	DVD+RW	Up to 8X
	DVD+R DL	Up to 6X
	DVD-R DL	Up to 6X
	DVD-R	Up to 8X
	DVD-RW	Up to 6X
	CD-R	Up to 24X
	CD-RW	Up to 24X
Host Interface	USB 3.0 Type B female connector	
Connectors Single output	USB 3.0 Type B	
Access times (typical reads, including setting)	Random	DVD-ROM: 160 ms (typical), CD-ROM: 140 ms (typical)
	Full Stroke	DVD-ROM: 280 ms (typical), CD-ROM: 280 ms (typical)
Power	Source	USB 3.0 Type B female connector
	DC Power Requirement	5 VDC $\pm$ 5%-100 mV ripple p-p
	DC Current	5 VDC - 1000 mA typical, 1600 mA maximum
Environmental (all conditions non-condensing)	Temperature (operating)	41° to 122° F (5° to 50° C)
	Relative Humidity (operating)	10% to 80%
	Maximum Wet Bulb Temperature (operating)	86° F (30° C)
VESA mount	Yes, 100mm	
Option kit contents	3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type AB USB to Type A cable, , 1 80mm USB 3.0 Type AB USB to Type A cable, Installation guide, Warranty	
Compatibility	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP Elite Mini 800 G9 Desktop PC.	

***NOTE:** These modules can be mounted to the DM directly and to another module with screws in the kit that allow the module to slide into place. All modules can be used with the PC that is wrapped in the Security/Dual VESA Sleeve, and all can be mounted onto a standard VESA mount (100mm sizing). Both options can be secured in place with a tamper-resistant screw. They are powered by a single USB connection cable. The HP 260 and ProDesk 400 can support 2 expansion modules at a time using 2 USB Type A ports on the back of the unit.

Summary of Changes

INPUT / OUTPUT / HDD

HP Desktop Mini 2.5 inch SATA Drive Bay Kit v2

Part number	13L70AA
Dimensions (HxWxD)	4.6 x 3.33 x 0.87 in (11.7 x 8.45 x 2.2 cm)
Weight	0.2 lb (89.5 g)
What's in the box	HP Desktop Mini 2.5" SATA Drive Bay Kit v2; Installation Guide
Country of origin	China
Compatibility	HP ProDesk 400/405 G6 Desktop Mini, HP ProDesk 600 G6 Desktop Mini, HP EliteDesk 800/805 G6 Desktop Mini, HP ProDesk 405 G8 Desktop Mini, HP Pro Mini 260 G9 Desktop, HP EliteDesk 800/805 G8 Desktop Mini, HP Elite Mini 800/805 G8 Desktop.

POWER

HP Desktop 65w Mini Power Supply Kit

Part number	L2X04AA
Dimensions (HxLxW) External Power Adapter	2.2 x 1.2 x 4.5 in (30 x 113.5 x 55 mm)
Total cord length	6 ft.
Standard Efficiency	65W 89% efficient
Operating Voltage Range	90 - 264 VAC
Rated Voltage Range	100 - 240 VAC
Rated Line Frequency	50/60 Hz
Current Leakage (NFPA 99: 2102)	Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1. Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
Option kit contents	Power supply, Power cable, Warranty
Compatibility	The HP Desktop Mini 65w Power Supply Kit is compatible with the HP 260 G1 DM (mini); HP 260 G2 DM (Mini); HP ProDesk 400 G2 DM (Mini); HP ProDesk 400 G3 DM (Mini); HP ProDesk 600 G2 Desktop Mini; HP ProDesk 600 G3 Desktop Mini; HP EliteDesk 705 G2 Desktop Mini; HP EliteDesk 705 G3 Desktop Mini; HP EliteDesk 800 G2 35W Desktop Mini; HP EliteDesk 800 G3 TWR; HP EliteDesk 800 G3 SFF; HP EliteDesk 800 G3 35W Desktop Mini; HP Collaboration PC G2; HP Elite Slice; HP Elite Slice for Meeting Rooms

*specific parts need to be localized

Summary of Changes

HP Desktop 90w Mini Power Supply Kit

Part number	L4R65AA
Dimensions (HxLxW) External Power Adapter	2.2 x 1.2 x 4.5 in (31.1 x 133 x 58 mm)
Total cord length	6 ft.
Standard Efficiency	65W active PFC 89% efficient
Operating Voltage Range	90 - 264 VAC
Rated Voltage Range	100 - 240 VAC
Rated Line Frequency	50/60 Hz
Current Leakage (NFPA 99: 2102)	Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1. Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
Option kit contents	Power supply, Power cable, Warranty
Compatibility	HP EliteDesk 705 Desktop Mini *specific parts need to be localized

STANDS AND CHASSIS

HP Quick Release Bracket 2

Part number	6KD15AA
Dimensions (HxWxD)	6.57 x 5.12 x 0.70 in (16.7 x 13.0 x 1.79 cm)
Weight	1.1 lb (0.49 kg)
What's in the box?	HP Quick Release Bracket; Screws (for attachment to VESA compliant monitor mounts); One Quick Release "locking" screw.

HP Desktop Mini Vertical Chassis Stand

Part number	G1K23AA
Dimensions (HxWxD)	6.30 x 4.61 x 0.79 in (16 x 11.7 x 2 cm)
Weight	0.10 lb (47 g)
Compatibility	HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP Elite Mini 800 G9 Desktop PC, HP ProDesk 600Desktop Mini, HP ProDesk 4 Mini G1i Desktop AI PC, HP Pro Mini 400 G9 Desktop PC, HP 260 Desktop Mini.
What's in the box?	HP Desktop Mini Vertical Chassis Stand; Installation Guide
Service support	One-year limited warranty

Summary of Changes

SECURITY

HP Keyed Cable Lock 10 mm

Part number	T1A62AA
Cable Length	6 ft (183cm)
Cable Diameter	0.177in (4.5mm)
Weight	4.23 oz (0.12 kg)
Compatible slot	Standard
Option kit contents	HP Keyed Cable Lock 10 mm, two keys and documentation

NOTE: This lock is not compatible with Desktop mini with a HP desktop mini dual vesa sleeve v2 (2JA32AA/7DB36AA)

HP Master Keyed Cable Lock 10 mm

Part number	T1A63AA
Cable Length	6 ft (183cm)
Cable Diameter	0.177in (4.5mm)
Weight	4.23 oz (0.12 kg)
Compatible slot	Standard
Option kit contents	HP Master Keyed Cable Lock 10 mm, two keys and documentation

