



2025

# Forest and Garden Products

Equipment and services for people enjoying outdoor work

**Boost your lawn care  
and garden work**

Meet our best range of battery solutions ever



# Get it right with Husqvarna

It can certainly be tricky to find the right garden products – those you can rely on, season after season. But since you picked up this catalogue, you're already one step closer. No matter which Husqvarna product you choose, it will be built to last and have a performance matching its purpose. Adding to that, there are helpful services, spare parts and accessories – and a great network of knowledgeable dealers. You can be sure that when getting a Husqvarna, you're getting it right.

## **INNOVATIVE SINCE 1689**

### **User-centric design and technology**

At Husqvarna we've worked with constant innovation since 1689, it's in our DNA. Innovation, for us, is about the future. We're constantly accelerating our transformation from mechanical to digital, petrol to battery and manual to autonomous, working with early stage innovations, extensive external partnering and new, user centric approaches. By continuously challenging ourselves, we aim to create even greater experiences for our customers, helping them towards the very best results.

## **A COMPREHENSIVE PRODUCT RANGE**

### **Which level suits your requirements?**

#### **COMPACT**

Essential, battery-powered tools within the Husqvarna Aspire™ range for tasks in the smallest gardens. Compact-sized, easy to use and effortless to store, with an ideal combination of performance and low maintenance. The intuitive, smart and sleek design enables easy interaction and smooth personal adjustments.

#### **CONVENIENT**

Machines optimised for occasional or casual use, ideal for smaller and easier garden tasks. These products are designed for improved convenience, easy use and low maintenance, without compromising on performance.

#### **ADVANCED**

Machines developed for frequent, more demanding use in the garden. These products are purposefully designed with advanced features and optimised performance to make your garden work more efficient and enjoyable.

#### **SUPERIOR**

Machines developed for tougher and larger tasks. These powerful, high capacity products are equipped with design solutions and technical features aimed at simplifying your outdoor work everywhere and every time, for a superior user experience.



### **PART-TIME PROFESSIONAL**

High-performance machines built for part-time professional use. Superb for those who need professional power, high capacity and comfortable features. A wide range of attachments for year-round use is also available.

### **PROFESSIONAL**

Machines developed for demanding full-time professional use. These products are carefully adapted to facilitate the workdays for commercial users, both in terms of user-friendliness and ergonomics as well as robustness and product durability.

HUSQVARNA AUTOMOWER®

# Celebrating 30 years of Automower®

Husqvarna, inventors of robotic mowing, started redefining lawn care in 1995. We have been at the forefront ever since and earned the trust of millions of customers across the globe. Proudly designed, developed and produced in Europe, Automower® robotic mower has become a benchmark for innovation, intelligence, and reliability. Now, we continue to push the boundaries of what's possible in lawn mowing technology.



## Impressive results on complex lawns

With 3.5 million units installed worldwide, we have perfected our Automower® robotic mowers to provide you with the perfect finish and lawn quality. Complex lawns with narrow passages? Hilly areas? No problem for Automower®. Every garden is unique, with its own challenges — all handled with outstanding results by our robotic mowers that work tirelessly, quietly and with no CO<sub>2</sub> emissions during use.\*

\*Please note that CO<sub>2</sub> emissions are generated during other stages of the product's lifecycle, such as production, charging and end-of-life disposal.



## NEW MODELS

## A NEW ERA OF MOWING

### Virtual boundaries



Enjoy an easy, wire free installation, where no boundary wires are needed. Husqvarna EPOS™ technology enables robust and precise virtual boundaries. You can easily make updates to your installation during the season — according to your garden's maintenance needs — via the Husqvarna Automower® Connect app. Precise and flexible area management enables you to define different areas of your lawn, apply different settings and schedules, or create temporary stay-out zones. With EPOS™ technology, the mower can run in parallel lines and create a variety of mowing patterns, such as stripes, triangles and checkerboard.

## TRUE EDGE CUTTING

### The best shortcut to minimised trimming

Save time and effort thanks to EdgeCut. Using a dedicated rear EdgeCut disc the mower can cut so close to the edges that only a minimum of grass is left uncut.



## HUSQVARNA AUTOMOWER® CONNECT

### Lawn care in the palm of your hand

Enjoy the convenience of complete command from both your smartphone and your smart home with the Husqvarna Automower® Connect app. From edge to edge and zone by zone\*, you can manage and monitor your Husqvarna robotic mower from anywhere in the world\* — freeing you from the task of mowing your lawn with the reliability to always achieve a premium cut. Make your lawn care as carefree as possible with Automower® Connect.

\* Available on selected mowers.



## STATE-OF-THE-ART LAWN CARE

### Explore intelligent lawn mapping

Build a tailored virtual map of your garden with customisable and flexible zone control, giving you complete control of your lawn directly from your smartphone via the Automower® Connect app. This enhanced virtual map, enabled via EPOS or AIM Technology, allows you to tailor the cut of your lawn by creating multiple work areas with different settings and temporary stay-out zones to suit your garden needs.



## Husqvarna Automower® advantages:

### 1 Flexible installation options

Depending on which Automower® model you chose, you can enjoy the benefits of a wire free installation with virtual boundaries, made possible by Husqvarna EPOS™ or install with physical boundary wires.

### 2 Manages narrow spaces

The Automower® robotic mower senses narrow passages and finds its way through narrow gaps.

### 3 Works in the rain

Automower® robotic mowers deliver great cutting results in any type of weather. Its vital parts are safely protected from rain, as well as dust and grass clippings.

### 4 Recharges automatically

The robotic mower finds its own way back to the charging station. It recharges for about 60 minutes, then resumes mowing – all without any effort on your part.

### 5 Operates quietly

You'll be surprised how quickly you forget about your robotic mower. You'll hardly notice it as it rolls around your garden doing its job quickly, quietly and efficiently.

### 6 Handles hills and slopes

Thanks to optimised design and intelligent behaviour, Automower® 435X AWD NERA robotic mowers can cope with slopes up to 70 % or 35°, whereas our other models easily handle inclinations of up to 50 %.



## HUSQVARNA LEASE PLUS

### Lease your perfect lawn

Would you like having an Automower® robotic mower in your garden for 3 or 5 years, at a fixed monthly cost? With installation, off-season storage, insurance, seasonal genuine Husqvarna blades and yearly maintenance included? That's our Husqvarna Lease Plus offer – a perfect lawn with minimum effort. Contact your local Husqvarna Dealer and find more information on [Husqvarna.com](https://www.husqvarna.com).



#### FIND YOUR BEST MATCH

Use our guide to find out which Automower® model best suits your lawn at [husqvarna.com/RoboticBuyingGuide](https://www.husqvarna.com/RoboticBuyingGuide)



#### MEET HUSQVARNA CEORA™

An autonomous solution designed to take care of large grass areas. Read more at [husqvarna.com/Ceora](https://www.husqvarna.com/Ceora)

#### READ ABOUT OUR AUTOMOWER® RANGE FOR PROFESSIONALS

Find out more about our entire range of robotic mowers and accessories by visiting [husqvarna.com/ProRoboticMowers](https://www.husqvarna.com/ProRoboticMowers)



## ROBOTIC MOWERS

### WIRE FREE RANGE

#### NEW AUTOMOWER® 435X AWD NERA



 **3,500/5,000 m²**  
 **70/50 %**  
 **30-70 mm**  
 **17.6 kg**

- Wire free installation via the included Husqvarna EPOS® technology
- Automower® all-wheel drive – superior slope/terrain performance
- Automower® Zone Control
- Object detection & avoidance
- Pivoting rear body design
- App control via cellular & Bluetooth\*

|                                        |                             |         |
|----------------------------------------|-----------------------------|---------|
| Automower® 435X AWD NERA, 970 74 52-21 | Price excl. VAT             | € 0.000 |
| Automower® leasing                     | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 450X NERA



 **5,000/7,500 m²**  
 **50/25 %**  
 **20-60 mm**  
 **15.0 kg**

- Wire free installation optional
- Object detection and avoidance
- Automower® Zone Control
- Automower® Guidance
- App control via cellular, WiFi & Bluetooth\*
- Selectable mowing pattern\*\* optional

|                                    |                             |         |
|------------------------------------|-----------------------------|---------|
| Automower® 450X NERA, 970 53 53-21 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 97-01        | Price excl. VAT             | € 0.000 |
| Automower® leasing                 | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 430X NERA



 **3,200/4,800 m²**  
 **50/25 %**  
 **20-60 mm**  
 **14.6 kg**

- Wire free installation optional
- Object detection and avoidance
- Automower® Zone Control
- Automower® Guidance
- App control via cellular, WiFi & Bluetooth\*
- Selectable mowing pattern\*\* optional

|                                    |                             |         |
|------------------------------------|-----------------------------|---------|
| Automower® 430X NERA, 970 53 52-21 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 97-01        | Price excl. VAT             | € 0.000 |
| Automower® leasing                 | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 410XE NERA



 **1,000/1,500 m²**  
 **30/20 %**  
 **20-55 mm**  
 **12.1 kg**

- Wire free installation optional
- EdgeCut for minimised trimming
- Automower® Zone Control
- Object detection and avoidance
- App control via cellular, WiFi & Bluetooth\*
- Selectable mowing pattern\*\* optional

|                                     |                             |         |
|-------------------------------------|-----------------------------|---------|
| Automower® 410XE NERA, 970 65 44-21 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 95-01         | Price excl. VAT             | € 0.000 |
| Automower® leasing                  | Price/month incl. VAT, from | € 0.000 |

#### NEW AUTOMOWER® 405XE NERA



 **600/900 m²**  
 **30/20 %**  
 **20-55 mm**  
 **12.1 kg**

- Wire free installation optional
- EdgeCut for minimised trimming
- Automower® Zone Control
- Object detection and avoidance
- App control via cellular, WiFi & Bluetooth\*
- Selectable mowing pattern\*\* optional

|                                     |                             |         |
|-------------------------------------|-----------------------------|---------|
| Automower® 405XE NERA, 970 65 43-21 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 95-01         | Price excl. VAT             | € 0.000 |
| Automower® leasing                  | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 320 NERA



 **2,200/3,300 m²**  
 **50/25 %**  
 **20-60 mm**  
 **12.8 kg**

- Wire free installation optional
- App control via WiFi & Bluetooth\*
- Automower® Zone Control
- Rough terrain handling
- GPS-assisted navigation
- Selectable mowing pattern\*\* optional

|                                   |                             |         |
|-----------------------------------|-----------------------------|---------|
| Automower® 320 NERA, 970 53 51-21 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 97-01       | Price excl. VAT             | € 0.000 |
| Automower® leasing                | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 310E NERA



 **1,000/1,500 m²**  
 **30/20 %**  
 **20-55 mm**  
 **12.2 kg**

- Wire free installation optional
- EdgeCut for minimised trimming
- Automower® Zone Control
- App control via WiFi & Bluetooth\*
- Selectable mowing pattern\*\* optional

|                                    |                             |         |
|------------------------------------|-----------------------------|---------|
| Automower® 310E NERA, 970 65 41-12 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 95-01        | Price excl. VAT             | € 0.000 |
| Automower® leasing                 | Price/month incl. VAT, from | € 0.000 |

#### NEW AUTOMOWER® 305E NERA



 **600/900 m²**  
 **30/20 %**  
 **20-55 mm**  
 **12.2 kg**

- Wire free installation optional
- EdgeCut for minimised trimming
- Automower® Zone Control
- App control via WiFi & Bluetooth\*
- Selectable mowing pattern\*\* optional

|                                    |                             |         |
|------------------------------------|-----------------------------|---------|
| Automower® 305E NERA, 970 65 30-21 | Price excl. VAT             | € 0.000 |
| EPOS® Plug-in, 970 75 95-01        | Price excl. VAT             | € 0.000 |
| Automower® leasing                 | Price/month incl. VAT, from | € 0.000 |

#### HUSQVARNA EPOS® PLUG-IN



- Wire free installation
- High precision
- No wire breakages
- Selectable mowing pattern\*\*

|                                                                                     |                 |         |
|-------------------------------------------------------------------------------------|-----------------|---------|
| Husqvarna EPOS® Plug-in for 305E NERA/405XE NERA/310E NERA/410XE NERA, 970 75 95-01 | Price excl. VAT | € 0.000 |
| Husqvarna EPOS® Plug-in for 320 NERA/430X NERA/450X NERA, 970 75 97-01              | Price excl. VAT | € 0.000 |

### BOUNDARY WIRE RANGE

#### AUTOMOWER® 415X



 **1,500 m²**  
 **40/15 %**  
 **20-50 mm**  
 **9.7 kg**

- Automower® Zone Control
- App control via cellular & Bluetooth\*
- GPS-assisted navigation
- Systematic Passage Mowing
- Hose washable

|                                                    |                             |         |
|----------------------------------------------------|-----------------------------|---------|
| Automower® 415X, 970 47 17-21                      | Price excl. VAT             | € 0.000 |
| Recommended installation kit: Medium, 967 97 22-01 | Price excl. VAT             | € 0.000 |
| Automower® leasing                                 | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 405X



 **600 m²**  
 **40/15 %**  
 **20-50 mm**  
 **9.7 kg**

- Automower® Zone Control
- App control via cellular & Bluetooth\*
- GPS-assisted navigation
- Systematic Passage Mowing
- Hose washable

|                                                   |                             |         |
|---------------------------------------------------|-----------------------------|---------|
| Automower® 405X, 970 45 62-21                     | Price excl. VAT             | € 0.000 |
| Recommended installation kit: Small, 967 97 21-01 | Price excl. VAT             | € 0.000 |
| Automower® leasing                                | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 315 Mark II



 **1,500 m²**  
 **40/15 %**  
 **20-50 mm**  
 **9.4 kg**

- App control via Bluetooth\*
- Systematic Passage Mowing
- Automatic Passage Handling
- Hose washable
- Weather timer

|                                                    |                             |         |
|----------------------------------------------------|-----------------------------|---------|
| Automower® 315 Mark II, 970 52 68-21               | Price excl. VAT             | € 0.000 |
| Recommended installation kit: Medium, 967 97 22-01 | Price excl. VAT             | € 0.000 |
| Automower® leasing                                 | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 310 Mark II



 **1,000 m²**  
 **40/15 %**  
 **20-50 mm**  
 **9.4 kg**

- App control via Bluetooth\*
- Systematic Passage Mowing
- Automatic Passage Handling
- Hose washable
- Weather timer

|                                                    |                             |         |
|----------------------------------------------------|-----------------------------|---------|
| Automower® 310 Mark II, 970 52 67-21               | Price excl. VAT             | € 0.000 |
| Recommended installation kit: Medium, 967 97 22-01 | Price excl. VAT             | € 0.000 |
| Automower® leasing                                 | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® 305



 **600 m²**  
 **40/15 %**  
 **20-50 mm**  
 **9.4 kg**

- App control via Bluetooth\*
- Systematic Passage Mowing
- Automatic Passage Handling
- Hose washable
- Weather timer

|                                                   |                             |         |
|---------------------------------------------------|-----------------------------|---------|
| Automower® 305, 967 97 40-21                      | Price excl. VAT             | € 0.000 |
| Recommended installation kit: Small, 967 97 21-01 | Price excl. VAT             | € 0.000 |
| Automower® leasing                                | Price/month incl. VAT, from | € 0.000 |

#### AUTOMOWER® ASPIRE® R4



 **400 m²**  
 **25/10 %**  
 **20-45 mm**  
 **5.9 kg**

- App control via WiFi & Bluetooth\*
- Hose washable
- Systematic passage handling
- Husqvarna Storage System Compatible

|                                                   |                             |         |
|---------------------------------------------------|-----------------------------|---------|
| Aspire® R4, 970 56 85-21                          | Price excl. VAT             | € 0.000 |
| Recommended installation kit: Small, 967 97 21-01 | Price excl. VAT             | € 0.000 |
| Leasing                                           | Price/month incl. VAT, from | € 0.000 |

 Working area capacity, irregular/systematic, m² (+/- 20 %)
  Maximum slope capacity, inside/at boundary, %

 Cutting height, min-max, mm
  Weight, kg
 \*\*Increases area capacity and creates patterns like stripes, triangles, etc.

HUSQVARNA ASPIRE™

# Enjoy smarter garden work with compact, efficient tools

Husqvarna Aspire™ is a range of efficient garden tools with compact, flexible design and smart details to make your garden work enjoyable. The 18V **POWER FOR ALL** ALLIANCE battery system provides truly cordless convenience and great performance. Ideal for you who want to keep your own little garden the greatest place to be — with the least possible work effort.

## Storage rail

Each Aspire™ product has a bespoke metal hook, ready to mount directly on the wall for easy and stable storage. The storage rail provides an even neater and more flexible solution.

## Hedge trimmer

Lightweight, with double-action cutting blades, powerful motor and 50 cm long cutting deck. Comes with a smart leaf catcher.

## Blower

High blow force adjustable in 3 steps for optimal performance.

## Shrub Shear

Multi-purpose tool for precision grass trimming and shaping of bushes.

## Pruner

2-in-1 tool, efficient hand pruner with extendable telescopic shaft for a ladder-free pruning experience.

## Chainsaw

Compact, easy-to-use chainsaw for garden clearing and DIY projects.

## Trimmer

Easily adjustable for super-precise trimming.

## Robotic mower

Compact Automower® model packed with smart features, for lawns up to 400 m².

## Lawn mower

Easy to lift and foldable, taking up minimum storage space. Telescopic stepless adjustable handles. Easy to manoeuvre in all corners of your lawn.

## SMART DESIGN FOR SMOOTH HANDLING

### Spend more time enjoying your garden

The Husqvarna Aspire™ products are all high quality and carefully designed, with a sleek appearance and intuitive use in mind, to make your garden work nothing but effortless and enjoyable. The tools are easy to get started with and need little or no maintenance. Their low weight and high-performance motors help you get the work done efficiently and in no time.

## POWER FOR ALL BATTERY SYSTEM

### Experience flexible power

The **POWER FOR ALL** ALLIANCE is one of the largest cross-brand 18 Volt battery systems worldwide, stretching across a multitude of home and garden applications. The **POWER FOR ALL** ALLIANCE gathers a multiple of leading brands such as Husqvarna, Bosch, Gardena, Wagner and Rapid. You'll only need one charger and one battery for all your garden products.



**EXPLORE MORE**

Find out more about Husqvarna Aspire™ at [husqvarna.com/aspire](https://husqvarna.com/aspire)

## READ MORE ABOUT OUR AUTOMOWER® RANGE ONLINE

Find out more about our entire range of robotic mowers and accessories by visiting [husqvarna.com/Automower](https://husqvarna.com/Automower)



## COMPLETE YOUR GARDEN KIT WITH BUNDLE LEASING

Discover all our bundle leasing options by visiting: [husqvarna.com/services-aspire](https://husqvarna.com/services-aspire)



# HUSQVARNA ASPIRE™ RANGE

## PRODUCTS

### LAWN MOWER ASPIRE™ LC34-P4A



34 cm  
25-65 mm  
11.8 kg

- Power Boost™
- Compact and foldable
- Telescopic stepless handle height adjustment
- Husqvarna Storage System Compatible
- 18V **POWER FOR ALL ALLIANCE** battery
- Digital onboarding

|                                                           |                 |         |
|-----------------------------------------------------------|-----------------|---------|
| Aspire™ LC34-P4A, 970 64 83-01, excl. battery and charger | Price excl. VAT | € 0.000 |
| Aspire™ LC34-P4A, 970 64 83-06, incl. 18-C100 and 18-B72  | Price excl. VAT | € 0.000 |

### SHRUB SHEAR ASPIRE™ S20-P4A / S20-P4A + ASPIRE™ POLE-P4A



20 & 13 cm  
2,800 cuts/min  
1.0/2.7 kg

- Multifunctional for grass and bushes
- Switch attachments without using tools
- Compact size and light weight
- Made for easy storage
- 18V **POWER FOR ALL ALLIANCE** battery

|                                                                             |                 |         |
|-----------------------------------------------------------------------------|-----------------|---------|
| Aspire™ S20-P4A, 970 71 66-02, excl. battery and charger                    | Price excl. VAT | € 0.000 |
| Aspire™ S20-P4A, 970 71 66-04, incl. 18-B36 and charger                     | Price excl. VAT | € 0.000 |
| Aspire™ S20-P4A + Aspire™ Pole-P4A, 970 71 67-02, excl. battery and charger | Price excl. VAT | € 0.000 |
| Aspire™ S20-P4A + Aspire™ Pole-P4A, 970 71 67-02, excl. battery and charger | Price excl. VAT | € 0.000 |

### TRIMMER ASPIRE™ T28-P4A



28 cm  
2.6 kg

- Automatic line feed
- Telescopic shaft
- Dual lines
- Compact and effective
- Husqvarna Storage System Compatible
- 18V **POWER FOR ALL ALLIANCE** battery
- Digital onboarding

|                                                          |                 |         |
|----------------------------------------------------------|-----------------|---------|
| Aspire™ T28-P4A, 970 62 02-11, excl. battery and charger | Price excl. VAT | € 0.000 |
| Aspire™ T28-P4A, 970 62 02-13, incl. 18-B45 and charger  | Price excl. VAT | € 0.000 |
| Aspire™ T28-P4A, 970 62 02-16, incl. 18-B72 and charger  | Price excl. VAT | € 0.000 |

### CHAINSAW ASPIRE™ C15X-P4A



20-30 cm  
28 cm  
2.6 kg

- Fine chain and high cutting speed
- Tool-less chain tensioning
- Compact and lightweight
- Husqvarna Storage System Compatible
- 18 V **POWER FOR ALL ALLIANCE** battery

|                                                          |                 |         |
|----------------------------------------------------------|-----------------|---------|
| Aspire™ C15-P4A, 970 72 05-02, excl. battery and charger | Price excl. VAT | € 0.000 |
| Aspire™ C15-P4A, 970 72 05-04, incl. battery and charger | Price excl. VAT | € 0.000 |

### HEDGE TRIMMER ASPIRE™ H50-P4A



50 cm  
2,800 cuts/min  
3.1 kg

- High cutting speed and leaf catcher (included)
- Compact and light weight
- Husqvarna Storage System Compatible
- 18V **POWER FOR ALL ALLIANCE** battery
- Digital onboarding

|                                                          |                 |         |
|----------------------------------------------------------|-----------------|---------|
| Aspire™ H50-P4A, 970 62 03-11, excl. battery and charger | Price excl. VAT | € 0.000 |
| Aspire™ H50-P4A, 970 62 03-13, incl. 18-B45 and charger  | Price excl. VAT | € 0.000 |

### BLOWER ASPIRE™ B8X-P4A



8 N  
10 m³/min  
2.0 kg

- Three speed settings
- High blow force
- Husqvarna Storage System Compatible
- 18V **POWER FOR ALL ALLIANCE** battery
- Digital onboarding

|                                                          |                 |         |
|----------------------------------------------------------|-----------------|---------|
| Aspire™ B8X-P4A, 970 62 04-11, excl. battery and charger | Price excl. VAT | € 0.000 |
| Aspire™ B8X-P4A, 970 62 04-13 incl. 18-B72 and charger   | Price excl. VAT | € 0.000 |

### PRUNER ASPIRE™ P5-P4A / P5-P4A + ASPIRE™ POLE-P4A



1/4"  
15 cm  
1.3/2.8 kg

- Removable pole with 1.7 m reach
- Compact and high performing
- Husqvarna Storage System Compatible
- 18V **POWER FOR ALL ALLIANCE** battery
- Digital onboarding

|                                                |                 |         |
|------------------------------------------------|-----------------|---------|
| Aspire™ P5-P4A, N/A                            | Price excl. VAT | € 0.000 |
| Aspire™ P5-P4A + Aspire™ pole-P4A, 970 7167-02 | Price excl. VAT | € 0.000 |

## BATTERIES & CHARGERS

### BATTERY P4A 18-B45 / P4A 18-B72



- P4A 18-B45:**
- Compact and light weight
  - 18V **POWER FOR ALL ALLIANCE**

- P4A 18-B72:**
- Compact and light weight
  - More power and runtime
  - 18V **POWER FOR ALL ALLIANCE**

|                                          |                 |         |
|------------------------------------------|-----------------|---------|
| P4A 18-B45, 970 60 08-01, 45 Wh, 0.36 kg | Price excl. VAT | € 0.000 |
| P4A 18-B72, 970 60 09-01, 72 Wh, 0.66 kg | Price excl. VAT | € 0.000 |

### BATTERY P4A 18-B36 / P4A 18-B108



- P4A 18-B36:**
- Compact and light weight
  - 18V **POWER FOR ALL ALLIANCE**

- P4A 18-B108:**
- Compact and light weight
  - Maximum power
  - Excellent runtime
  - 18V **POWER FOR ALL ALLIANCE**

|                                            |                 |         |
|--------------------------------------------|-----------------|---------|
| P4A 18-B36, 970 72 93-01, 36 Wh, 0.36 kg   | Price excl. VAT | € 0.000 |
| P4A 18-B108, 970 72 15-01, 108 Wh, 0.67 kg | Price excl. VAT | € 0.000 |

### CHARGER P4A 18-C100



- Compact
- Status indicator
- 18V **POWER FOR ALL ALLIANCE**

|                                         |                 |         |
|-----------------------------------------|-----------------|---------|
| P4A 18-C100, 970 60 10-01, 70 W, 0.4 kg | Price excl. VAT | € 0.000 |
|-----------------------------------------|-----------------|---------|

### CHARGER P4A 18-C50 / P4A 18-C170



- P4A 18-C50:**
- Compact
  - 18V **POWER FOR ALL ALLIANCE**

- P4A 18-C170:**
- Compact
  - Speedy charging
  - Status indicator
  - Active Air Cooling
  - 18V **POWER FOR ALL ALLIANCE**

|                                           |                 |         |
|-------------------------------------------|-----------------|---------|
| P4A 18-C50, 970 72 94-01, 50 W, 0.21 kg   | Price excl. VAT | € 0.000 |
| P4A 18-C170, 970 72 16-01, 170 W, 0.63 kg | Price excl. VAT | € 0.000 |

## STORAGE SOLUTION

### STORAGE RAIL



- Compact size
- Durable aluminium
- Premium design

|                            |                 |         |
|----------------------------|-----------------|---------|
| Storage rail, 536 65 57-01 | Price excl. VAT | € 0.000 |
|----------------------------|-----------------|---------|

### STORAGE HOOK KIT



- Multiple use
- Robust and durable
- Premium design
- 5 hooks included

|                                |                 |         |
|--------------------------------|-----------------|---------|
| Storage hook kit, 536 65 60-01 | Price excl. VAT | € 0.000 |
|--------------------------------|-----------------|---------|

Working area capacity, m² (+/- 20%) Maximum slope capacity, inside/at boundary, % Weight, kg  
Cutting width, min-max, cm Cutting height, min-max, cm Knife length, cm Cuts per minute  
Cutting swath, cm Blow force, N Air flow in pipe, m³/min Chain pitch, inch Bar length, cm

## EXTEND YOUR STORAGE POTENTIAL

Discover all our storage solutions by visiting [husqvarna.com/storage](https://husqvarna.com/storage)



HUSQVARNA BLi-X 36 V BATTERY SYSTEM

# Charge up for the better

Cordless convenience and less noise. High consistent performance. And, on top of that, zero CO<sub>2</sub> emissions during use\*. It's hard to find any reason for not choosing a battery product within the Husqvarna BLi-X 36 Volt system for your gardening work. Even so, we continuously develop our battery system to deliver more power, more runtime, more convenience. All with the aim to make tomorrow's work even better for you.



## FIND YOUR PERFECT MATCH



### BATTERY ADVISOR

What machine suits you best? Let our advisor guide you.  
[husqvarna.com/BatteryAdvisor](https://husqvarna.com/BatteryAdvisor)



### BATTERY PRODUCTS

Explore our range of chargers, adapters and battery products.  
[husqvarna.com/battery](https://husqvarna.com/battery)

\*Please note that CO<sub>2</sub> emissions are generated during other stages of the product's lifecycle, such as production, charging and end-of-life disposal.

## HUSQVARNA BLI-X 36V BATTERY SYSTEM

### A flexible battery system

The high performing Husqvarna BLI-X 36 Volt battery system offers a great variety of options, from lightweight integrated to backpack batteries. They are quick to recharge and even quicker to swap for continuous operation. The wide range of Husqvarna battery machines allows you to find a tailored battery solution that perfectly suits your task at hand.



### Husqvarna battery power advantages:

#### 1 High performance

Strong, durable motors, less vibrations and lower weight than comparable petrol machines, and smart, well-balanced design give you all the performance and comfort you need.

#### 2 Convenient work

No petrol fills, no starter cords, no cables. Easy to start, stop and use. Just take the battery from the charger, fit into the machine and you're ready to take on the job. The low noise motors also reduce the risk that anyone will be disturbed by your work..

#### 3 Zero CO<sub>2</sub> emission during use

Our battery powered products do not emit any CO<sub>2</sub> during use. Please note that CO<sub>2</sub> emissions are generated during other stages of the product's lifecycle, such as production, charging and end-of-life disposal.

#### 4 One system, many options

All products within the Husqvarna BLI-X 36 Volt system are built on a common platform. Whatever job you're up to, you can choose a battery optimised for your specific application.

#### 5 Water-resistant products

Many products in our battery range meet a high water resistance class. From Husqvarna 300 battery series and up most products are IPX4 water resistance classified.

#### 6 Wide range

Whatever battery machine you're looking for – a chainsaw, hedge trimmer, grass trimmer, brushcutter, leaf blower, lawn mower or dethatcher – we have the ideal Husqvarna machine for you.



### Extend your product's life with Husqvarna Connect

The Husqvarna Connect app gives you access to everything you need to make your product last longer. The app is a digital tool shed that provides easy access to information such as the Operator's Manual, Usage & Maintenance Guides, How-To Videos and the Husqvarna Dealer Locator. You can also buy the parts and accessories that fit your product via the app. Bluetooth® connectivity is available for a select range of models. We are continuously adding support for more products in the Husqvarna Connect app.



**CONNECT WITH US**

Read more about the benefits of Husqvarna Connect at [husqvarna.com/husqvarna-connect](https://husqvarna.com/husqvarna-connect)

# Battery power you can trust

Husqvarna's extensive experience in forest and garden products is also the core of our battery range. All the knowledge and commitment to innovation are built into each battery-powered tool, guaranteeing the same high performance you rely on from any Husqvarna product. So, feel confident taking on anything from simple tasks to demanding projects. Get it right with Husqvarna.

## FIND YOUR PERFECT MATCH



### BATTERY ADVISOR

What machine suits you best? Let our advisor guide you.  
[husqvarna.com/BatteryAdvisor](https://husqvarna.com/BatteryAdvisor)



### BATTERY PRODUCTS


Explore our range of chargers, adapters and battery products.  
[husqvarna.com/battery](https://husqvarna.com/battery)

## NEVER RUN OUT OF POWER

### Choose the optimal capacity for your work

How long can you work on a full charge? It depends, both on the capacity of the battery you choose and what kind of work you do. You'll find the perfect fit in our range of fast-charging Husqvarna batteries and matching chargers. Add a little extra capacity and your work will be even more enjoyable. For guidance, see the chart on pages 38–39.





## Five common questions regarding our battery products

1

### Is it really powerful enough for my needs?

Husqvarna's battery range has inherited the tailored and reliable performance from our petrol-driven products. Choose a battery product that fits your needs and you can get the job done as efficiently as with petrol — but without the noise and fumes.

2

### Will it run out of charge before I'm finished?

With the more powerful battery models, one charge is often enough to get most everyday tasks done. A suggestion is to have a double set of batteries, so you can use one while charging the other. And with no fuel refilling, fewer parts and an electronically controlled drive system, there is less downtime.

3

### Is the user experience as good as with petrol?

If you haven't tried one of our battery products yet, you are in for a pleasant surprise. Vibrations and noise levels are kept at a minimum, with push-button starting you are instantly ready for action, and there is less need for maintenance and cleaning.

4

### Won't the technology soon be outdated?

The current battery platform has been developed to be future-proof — and backward compatibility will be ensured for new releases. The products and battery system are built to endure years of tough use and charging cycles.

5

### Is it worth the investment?

When switching to battery, the initial extra cost is unavoidable. The pay off will come over time when you use the same battery for different machines, need less servicing and repairs — and your way of working puts less strain on your body and the environment.

## Meet your new garden partners

Gathered to the right are some of our best battery products for larger gardens and smaller forest areas. If you're in search of powerful, reliable performance these are likely a perfect match for you — all prepared to get your piece of land in perfect shape. Learn more about their individual skills on the product pages at the back of this catalogue.



# When lawn mowing becomes enjoyable

Imagine the sensation of walking barefoot onto your fresh, green, dewy grass while sipping your first cup of coffee in the morning sunlight. How could your day get off to a better start? At Husqvarna we love a great lawn as much as you do. Therefore, whichever way you prefer to care for it, we've got you covered. Take a walk behind your lawn mower and enjoy the action at your own pace. Or experience the thrill in the driver's seat of your ride-on mower. Whatever makes your lawn better, we'll support you.





## WALK-BEHIND MOWERS

### Match your lawn perfectly

Whichever size of mower that suits your lawn, our petrol- and battery-powered mowers alike have high-spec and easy-starting engines as well as durable cutting decks, delivering first class cutting results every time. So, no matter which Husqvarna model you choose, you can look forward to getting a healthy, well-kept lawn.

## RIDERS

### Enjoy working everywhere

On a Husqvarna rider you'll reach places you never thought possible. Mow the lawn in narrow spaces and across various terrain. With many different mowing options and a wide range of attachments for everything from mowing to snow throwing, your Rider will take you to a new level of performance.



## ZERO-TURN MOWERS

### A faster cut in every spot

On a Husqvarna zero-turn mower you get done quickly and efficiently. A zero turning radius means no grass is left uncut when you reach the end of a mowing row and make a 180° turn to start the next row. The comfortable operator functions allow you to focus fully on enjoying your work while achieving great cutting results.

## GARDEN TRACTORS

### First-class mowing on every lawn

With one of our garden tractors you'll achieve first-class results using the cutting method best suited to your lawn. For quick and effective cutting, choose a side-ejecting tractor. To collect clippings and achieve tidy results, a collector model is a good choice.



### Efficient machines with flexible attachments

Husqvarna's ride-on mowers are efficient machines that are versatile to the core. Choose from a wide range of attachments for all-round, all-year-round use: rollers, trailers, moss rakes, aerators, snow blades, and more. One machine — endless possibilities.



**OPTIMISE YOUR HUSQVARNA**

Explore our entire range of attachments by visiting [husqvarna.com/parts](https://husqvarna.com/parts)

## BATTERY LAWN MOWERS

### CONVENIENT

#### HUSQVARNA LC 137i



⚡ 500 W  
✂️ 37 cm  
⬆️ 25-75 mm  
⚖️ 15 kg

- savE™ and Power Boost™
- Push
- Collection, BioClip™ and rear discharge

LC 137i, 970 50 09-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LC 142iS / 142i



⚡ 550 W  
✂️ 42 cm  
⬆️ 25-75 mm  
⚖️ 19/17 kg

- savE™ and Power Boost™
- Self propelled, single speed/Push
- Collection, BioClip™ and rear discharge

LC 142iS, 970 54 19-01, excl. battery and charger

Price excl. VAT €0.000

LC 142i, 970 54 18-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LB 144i



⚡ 750 W  
✂️ 44 cm  
⬆️ 25-75 mm  
⚖️ 15.5 kg

- savE™ and Power Boost™
- Push
- BioClip™

LB 144i, 970 64 82-01, excl. battery and charger

Price excl. VAT €0.000

### ADVANCED

#### NEW HUSQVARNA LB 246iS



⚡ 900 W  
✂️ 46 cm  
⬆️ 25-75 mm  
⚖️ 26,5 kg

- Self propelled, single speed
- Double battery slots
- savE™ and Power Boost™
- BioClip™

LC 246iS, 970 78 75-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LC 247i



⚡ 750 W  
✂️ 47 cm  
⬆️ 20-75 mm  
⚖️ 24.5 kg

- Double battery slots
- savE™ and Power Boost™
- Push
- Collection, BioClip™ and rear discharge

LC 247i, 970 54 20-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LC 251iS / LC 251i



⚡ 900 W  
✂️ 51 cm  
⬆️ 25-75 mm  
⚖️ 27/26 kg

- Self propelled, single speed/Push
- Double battery slots
- savE™ and PowerBoost™
- Collection, side and rear discharge

LC 251iS, 970 72 26-01, excl. battery and charger

Price excl. VAT €0.000

LC 251i, 970 72 24-01, excl. battery and charger

Price excl. VAT €0.000

### SUPERIOR

#### Bluetooth HUSQVARNA LC 347iVX



⚡ 750 W  
✂️ 47 cm  
⬆️ 20-75 mm  
⚖️ 26 kg

- Bluetooth™ connectivity
- Double battery slots
- savE™ and Power Boost™
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge

LC 347iVX, 967 86 23-01, excl. battery and charger

Price excl. VAT €0.000

#### Bluetooth HUSQVARNA LC 353iVX



⚡ 900 W  
✂️ 53 cm  
⬆️ 20-75 mm  
⚖️ 28 kg

- Bluetooth™ connectivity
- Double battery slots
- savE™ and Power Boost™
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge

LC 353iVX, 967 86 20-01, excl. battery and charger

Price excl. VAT €0.000

## PART-TIME PROFESSIONAL

#### HUSQVARNA LB 448iV



⚡ 1,200 W  
✂️ 48 cm  
⬆️ 30-60 mm  
⚖️ 34 kg

- Double battery slots
- savE™ and Power Boost™
- Self-propelled, variable speed
- BioClip™
- Ergonomic, side-adjustable handle
- Weatherproof (IPX4)

LB 448iV, 970 71 25-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LB 448i



⚡ 1,200 W  
✂️ 48 cm  
⬆️ 30-60 mm  
⚖️ 28 kg

- Double battery slots
- savE™ and Power Boost™
- Push
- BioClip™
- Ergonomic, side-adjustable handle
- Weatherproof (IPX4)

LB 448i, 970 48 24-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LB 442i



⚡ 1,200 W  
✂️ 42 cm  
⬆️ 35-55 mm  
⚖️ 24.5 kg

- Double battery slots
- savE™ and Power Boost™
- Push
- BioClip™
- Ergonomic, side-adjustable handle
- Weatherproof (IPX4)

LB 442i, 970 48 23-01, excl. battery and charger

Price excl. VAT €0.000

### PROFESSIONAL

#### HUSQVARNA LB 553iV



⚡ 1,500 W  
✂️ 53 cm  
⬆️ 28-65 mm  
⚖️ 38 kg

- Double battery slots
- savE™ and Power Boost™
- Self-propelled, variable speed
- BioClip™
- Ergonomic, side-adjustable handle
- Weatherproof (IPX4)
- Battery backpack option

LB 553iV, 970 52 57-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LC 551iV



⚡ 1,500 W  
✂️ 51 cm  
⬆️ 26-74 mm  
⚖️ 39.5 kg

- Double battery slots
- savE™ and Power Boost™
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge
- Weatherproof (IPX4)
- Battery backpack option

LC 551iV, 970 62 60-01, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA LB 548i



⚡ 1,500 W  
✂️ 48 cm  
⬆️ 30-60 mm  
⚖️ 31 kg

- Double battery slots
- savE™ and Power Boost™
- Push
- BioClip™
- Ergonomic, side-adjustable handle
- Weatherproof (IPX4)
- Battery backpack option

LB 548i, 967 97 73-01, excl. battery and charger

Price excl. VAT €0.000

## PETROL LAWN MOWERS

### CONVENIENT

#### HUSQVARNA LC 140SP / LC 140P



📏 123 cm³  
⚡ 1.95 kW @ 3,000 rpm  
✂️ 40 cm  
⬆️ 25-75 mm  
⚖️ 27/25 kg

- Husqvarna engine
- Self-propelled single speed/Push
- Collection and rear discharge

LC 140SP, 970 48 82-01

Price excl. VAT €0.000

LC 140P, 970 48 81-01

Price excl. VAT €0.000

### HUSQVARNA LB 144



123 cm<sup>3</sup>  
1.95 kW @ 3,000 rpm  
44 cm  
25-75 mm  
22 kg

- Compact and easy to manoeuvre
- Easy storage and transport
- Dedicated mulching deck
- Powerful Husqvarna engine
- Adjustable handle height

LB 144, 970 72 21-01

Price excl. VAT €0.000

### HUSQVARNA LC 151S/LC 151



166 cm<sup>3</sup>  
2.7 kW @ 2,800 rpm  
51 cm  
25-75 mm  
32/30 kg

- Husqvarna engine
- Self propelled single speed/Push
- Collection, BioClip™ and side discharge

LC 151S, 970 48 84-01

Price excl. VAT €0.000

LC 151, 970 48 83-01

Price excl. VAT €0.000

## ADVANCED

### HUSQVARNA LB 244E



139 cm<sup>3</sup>  
2.2 kW @ 2,900 rpm  
44 cm  
25-75 mm  
23.5 kg

- Compact and easy to manoeuvre
- Easy storage and transport
- Electric start for easy start
- Dedicated mulching deck
- Powerful Husqvarna engine

LB 244E, 970 72 22-01

Price excl. VAT €0.000

### HUSQVARNA LC 247S/LC 247



139 cm<sup>3</sup>  
2.2 kW @ 2,900 rpm  
47 cm  
20-75 mm  
29.5/27.5 kg

- Husqvarna Engine
- Self propelled single speed/Push
- Collection, BioClip™ and rear discharge

LC 247S, 970 54 12-01

Price excl. VAT €0.000

LC 247, 970 54 11-01

Price excl. VAT €0.000

### HUSQVARNA LB 251S



166 cm<sup>3</sup>  
2.7 kW @ 2,800 rpm  
51 cm  
25-75 mm  
32 kg

- Husqvarna engine
- Self-propelled, single speed
- BioClip™ and side discharge

LB 251S, 970 48 80-01

Price excl. VAT €0.000

### HUSQVARNA LC 253S



166 cm<sup>3</sup>  
2.75 kW @ 2,900 rpm  
53 cm  
20-75 mm  
31.5 kg

- Husqvarna Engine
- Self-propelled, single speed
- Collection, BioClip™ and rear discharge

LC 253S, 970 54 15-01

Price excl. VAT €0.000

### HUSQVARNA LB 256SP



166 cm<sup>3</sup>  
2.7 kW @ 2,800 rpm  
56 cm  
25-75 mm  
33 kg

- Husqvarna Engine
- Self-propelled, single speed
- BioClip™ and side discharge

LB 256SP, 970 48 85-01

Price excl. VAT €0.000

## SUPERIOR

### HUSQVARNA LC 347VE/LC 347V



166 cm<sup>3</sup>  
2.75 kW @ 2,900 rpm  
47 cm  
20-75 mm  
31.5/30.5 kg

- Husqvarna engine
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge

LC 347VE, 970 54 14-01, with electric start

Price excl. VAT €0.000

LC 347 V, 970 54 13-01

Price excl. VAT €0.000

### HUSQVARNA LC 353VE/LC 353V



166 cm<sup>3</sup>  
2.75 kW @ 2,900 rpm  
53 cm  
20-75 mm  
33/32 kg

- Husqvarna engine
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge

LC 353VE, 970 54 17-01, with electric start

Price excl. VAT €0.000

LC 353 V, 970 54 16-01

Price excl. VAT €0.000

### HUSQVARNA LC 353AWD



166 cm<sup>3</sup>  
3.6 kW @ 3,200 rpm  
53 cm  
25-102 mm  
42 kg

- Honda engine
- Self-propelled variable speed
- Collection, BioClip™ and rear discharge
- All-wheel-drive

LC 353AWD, 970 45 01-01

Price excl. VAT €0.000

### HUSQVARNA LC 356VP



166 cm<sup>3</sup>  
3.1 kW @ 2,800 rpm  
56 cm  
25-75 mm  
37.5 kg

- Honda engine
- Self-propelled, variable speed
- Collection, BioClip™ and side discharge

LC 356VP, 967 98 88-01

Price excl. VAT €0.000

## PART-TIME PROFESSIONAL

### HUSQVARNA KLIPPO™ LB 453SQ



166 cm<sup>3</sup>  
2.75 kW @ 2,900 rpm  
53 cm  
30-60 mm  
33.5 kg

- Husqvarna Pro engine
- Self-propelled, single speed
- BioClip™
- Ergonomic, side-adjustable handle

KLIPPO™ LB 453SQ, 970 60 89-01

Price excl. VAT €0.000

### HUSQVARNA KLIPPO™ LB 453S



166 cm<sup>3</sup>  
3.3 kW @ 2,900 rpm  
53 cm  
30-60 mm  
33 kg

- Honda engine
- Self-propelled, single speed
- BioClip™
- Ergonomic, side-adjustable handle

KLIPPO™ LB 453S, 970 48 20-01

Price excl. VAT €0.000

### HUSQVARNA KLIPPO™ LB 448SQ/LB 448Q



166 cm<sup>3</sup>  
2.75 kW @ 2,900 rpm  
48 cm  
30-60 mm  
32.5/29 kg

- Husqvarna Pro engine
- Self-propelled, single speed/Push
- BioClip™
- Ergonomic, side-adjustable handle

KLIPPO™ LB 448SQ, 970 60 88-01

Price excl. VAT €0.000

KLIPPO™ LB 448Q, 970 60 87-01

Price excl. VAT €0.000

### HUSQVARNA KLIPPO™ LB 448S/LB 448



145 cm<sup>3</sup>  
2.7 kW @ 2,900 rpm  
48 cm  
30-60 mm  
30.5/27.5 kg

- Honda engine
- Self-propelled, single speed/Push
- BioClip™
- Ergonomic, side-adjustable handle

KLIPPO™ LB 448S, 970 48 19-01

Price excl. VAT €0.000

KLIPPO™ LB 448, 970 48 18-01

Price excl. VAT €0.000

### HUSQVARNA KLIPPO™ LB 442Q



166 cm<sup>3</sup>  
2.75 kW @ 2,900 rpm  
42 cm  
34-55 mm  
25.5 kg

- Husqvarna Pro engine
- Push
- BioClip™
- Ergonomic, side-adjustable handle

KLIPPO™ LB 442Q, 970 60 85-01

Price excl. VAT €0.000

## PROFESSIONAL

### HUSQVARNA KLIPPO® LB 553SQe



- 166 cm³
- 2.75 kW @ 2,900 rpm
- 53 cm
- 28-65 mm
- 38.5 kg
- Husqvarna Pro engine
- Self-propelled, single speed
- BioClip™
- Anti-vibration and side-adjustable handle

KLIPPO® LB 553SQe, 970 60 91-01

Price excl. VAT €0.000

### HUSQVARNA LC 551VBP



- 179 cm³
- 2.9 kW @ 2,800 rpm
- 51 cm
- 26-74 mm
- 52.5 kg
- Kawasaki engine
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge
- Blade brake clutch

LC 551VBP, 970 62 18-01

Price excl. VAT €0.000

### HUSQVARNA LC 551SP



- 179 cm³
- 2.9 kW @ 2,800 rpm
- 51 cm
- 26-74 mm
- 48.5 kg
- Kawasaki engine
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge

LC 551SP, 970 62 17-01

Price excl. VAT €0.000

### HUSQVARNA LC 551VQ



- 166 cm³
- 2.7 kW @ 2,800 rpm
- 51 cm
- 26-75 mm
- 51 kg
- Husqvarna Pro engine
- Self-propelled, variable speed
- Collection, BioClip™ and rear discharge

LC 551VQ, 970 60 94-01

Price excl. VAT €0.000

### HUSQVARNA KLIPPO® LB 548SQe



- 166 cm³
- 2.75 kW @ 2,900 rpm
- 48 cm
- 30-60 mm
- 34.5 kg
- Husqvarna Pro engine
- Self-propelled, single speed
- BioClip™
- Anti-vibration and side-adjustable handle

KLIPPO® LB 548SQe, 970 60 90-01

Price excl. VAT €0.000

## OTHER LAWN CARE

### HUSQVARNA NOVOLETTE SILENT 540/HICUT 64/EXCLUSIVE 54



- 40 cm
- 13-38/12-56/12-38 mm
- 9.1/8.7/8.3 kg
- Manual
- Push
- Reel blade
- Collector accessory available

Novollette Silent 540, 964 94 40-01

Price excl. VAT €0.000

Hicut 64, 964 95 40-02

Price excl. VAT €0.000

Exclusive 54, 964 91 40-01

Price excl. VAT €0.000

### HUSQVARNA GX 560



- 166 cm³
- 3.4 kW @ 3,150 rpm
- 50.5 cm
- 10-30 mm
- 18 kg
- Honda engine
- Push
- Hover model
- Working angle 45°

GX 560, 970 61 75-01

Price excl. VAT €0.000

## HUSQVARNA LC 141C



- 1,800 W
- 41 cm
- 25-75 mm
- 20.5 kg
- Corded
- Push
- Collection, BioClip™ and rear discharge

LC 141C, 967 09 93-01

Price excl. VAT €0.000

## HUSQVARNA DB 551



- 189 cm³
- 3.4 kW @ 3,200 rpm
- 51 cm
- 60-120 mm
- 58.5 kg
- Self-propelled, single speed
- Side discharge

DBY51, 970 44 90-01

Price excl. VAT €0.000

## READ MORE ABOUT OUR LAWN MOWERS ONLINE

Find more information on our entire range of walk-behind lawn mowers by visiting [husqvarna.com/LawnMowers](https://husqvarna.com/LawnMowers)



## READ MORE ABOUT OUR PARTS & ACCESSORIES ONLINE

Find more information about genuine parts and accessories by visiting [husqvarna.com/parts-accessories-lawn-mowers](https://husqvarna.com/parts-accessories-lawn-mowers)



## BATTERY RIDE-ON FRONT MOWERS

### CONVENIENT

#### HUSQVARNA R 112iC



- 3,300 W
- 85 cm
- 25-75 mm
- Compact size
- saveE™ and Power Boost™
- BioClip™ and rear discharge
- Up to 4,700 m² on one charge

R 112iC, 970 72 87-02

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

### ADVANCED

#### HUSQVARNA R 200iX



- 4,200 W
- 94-103 cm
- 25-75 mm
- Up to 4000m² in one charge
- saveE™ and Dynamic mowing
- BioClip™ and rear discharge
- Colour display
- Dual battery as option
- Fast charger as option

R 200iX, 970 64 99-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

#### HUSQVARNA R 200iX AWD



- 5,700 W
- 94-103 cm
- 25-75 mm
- All Wheel Drive (AWD)
- Up to 4000m² in one charge
- Fast charger as an option
- SaveE and Dynamic Mowing
- BioClip & Rear discharge
- Colour Display
- Dual battery as option

R 200iX AWD, 970 74 80-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## PETROL RIDE-ON FRONT MOWERS

### CONVENIENT

#### HUSQVARNA R 112C / R 112C5



- 8.4 kW @ 3,000 rpm
- 85 cm
- 25-75 mm
- Husqvarna engine
- Hydrostatic/manual transmission
- BioClip™ and rear discharge
- Compact size

R 112C, 967 17 84-02, hydrostatic transmission

Price excl. VAT €0.000

R 112C5, 967 17 85-02, manual transmission

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000



## WE'RE HERE TO HELP

Read more about the benefits of Services by Husqvarna at [husqvarna.com/ServicesbyHusqvarna](https://husqvarna.com/ServicesbyHusqvarna)

## ADVANCED

### HUSQVARNA R 214TC / R 214T



⚡ 12 kW @ 2,900 rpm  
↔ 94/94-103 cm  
↑ 25-75 mm

- Husqvarna engine
- Hydrostatic transmission
- BioClip® and rear discharge
- Turn key start

|                                                       |                             |         |
|-------------------------------------------------------|-----------------------------|---------|
| R 214TC, 970 54 23-01, cutting deck Combi 94 included | Price excl. VAT             | € 0.000 |
| Leasing                                               | Price/month incl. VAT, from | € 0.000 |
| R 214T, 970 54 22-01                                  | Price excl. VAT             | € 0.000 |
| Leasing                                               | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 214C / R 214



⚡ 8.4/9.5 kW @ 3,000 rpm  
↔ 94/94-103 cm  
↑ 25-75 mm

- Husqvarna engine
- Hydrostatic transmission
- BioClip® and rear discharge
- Turn key start

|                                                     |                             |         |
|-----------------------------------------------------|-----------------------------|---------|
| R 214C, 970 51 94-01 cutting deck Combi 94 included | Price excl. VAT             | € 0.000 |
| Leasing                                             | Price/month incl. VAT, from | € 0.000 |
| R 214, 970 54 21-01                                 | Price excl. VAT             | € 0.000 |
| Leasing                                             | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 216T AWD



⚡ 12 kW @ 2,900 rpm  
↔ 94-103 cm  
↑ 25-75 mm

- Husqvarna engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- BioClip® and rear discharge
- Turn key start

|                          |                             |         |
|--------------------------|-----------------------------|---------|
| R 216T AWD, 970 54 24-01 | Price excl. VAT             | € 0.000 |
| Leasing                  | Price/month incl. VAT, from | € 0.000 |

## SUPERIOR

### HUSQVARNA RC 320Ts AWD



⚡ 12.7 kW @ 2,900 rpm  
↔ 103-112 cm  
↑ 25-75 mm  
📦 300 l

- Husqvarna engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- Power steering
- Collection and non-collection
- Floating cutting deck
- Turn key start

|                            |                             |         |
|----------------------------|-----------------------------|---------|
| RC 320Ts AWD, 970 62 12-01 | Price excl. VAT             | € 0.000 |
| Leasing                    | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA RC 318T



⚡ 12.7 kW @ 2,900 rpm  
↔ 103-112 cm  
↑ 25-75 mm  
📦 300 l

- Husqvarna engine
- Hydrostatic transmission
- Collection and non-collection
- Floating cutting deck
- Turn key start

|                       |                             |         |
|-----------------------|-----------------------------|---------|
| RC 318T, 970 62 11-01 | Price excl. VAT             | € 0.000 |
| Leasing               | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 316TsX AWD



⚡ 9.7 kW @ 3,100 rpm  
↔ 94-112 cm  
↑ 25-75 mm

- Kawasaki engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- Power steering
- BioClip® and rear discharge
- Floating cutting deck
- High-contrast segment display

|                            |                             |         |
|----------------------------|-----------------------------|---------|
| R 316TsX AWD, 970 54 29-01 | Price excl. VAT             | € 0.000 |
| Leasing                    | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 316TX AWD



⚡ 9.6 kW @ 2,900 rpm  
↔ 94-112 cm  
↑ 25-75 mm

- Kawasaki engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- BioClip® and rear discharge
- Floating cutting deck
- High-contrast segment display

|                           |                             |         |
|---------------------------|-----------------------------|---------|
| R 316TX AWD, 970 54 28-01 | Price excl. VAT             | € 0.000 |
| Leasing                   | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 316TX



⚡ 9.6 kW @ 2,900 rpm  
↔ 94-112 cm  
↑ 25-75 mm

- Kawasaki engine
- Hydrostatic transmission
- BioClip® and rear discharge
- Floating cutting deck
- High-contrast segment display

|                       |                             |         |
|-----------------------|-----------------------------|---------|
| R 316TX, 970 54 27-01 | Price excl. VAT             | € 0.000 |
| Leasing               | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 320X AWD



⚡ 10.3 kW @ 2,900 rpm  
↔ 94-112 cm  
↑ 25-75 mm

- Husqvarna engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- BioClip® and rear discharge
- Floating cutting deck
- Turn key start
- High-contrast segment display

|                          |                             |         |
|--------------------------|-----------------------------|---------|
| R 320X AWD, 970 54 26-01 | Price excl. VAT             | € 0.000 |
| Leasing                  | Price/month incl. VAT, from | € 0.000 |

### HUSQVARNA R 318X



⚡ 10.3 kW @ 2,900 rpm  
↔ 94-112 cm  
↑ 25-75 mm

- Husqvarna engine
- Hydrostatic transmission
- BioClip® and rear discharge
- Floating cutting deck
- Turn key start
- High-contrast segment display

|                      |                             |         |
|----------------------|-----------------------------|---------|
| R 318X, 970 54 25-01 | Price excl. VAT             | € 0.000 |
| Leasing              | Price/month incl. VAT, from | € 0.000 |

## PART-TIME PROFESSIONAL

### HUSQVARNA R 420TsX AWD



⚡ 14.0 kW @ 3,000 rpm  
↔ 103/112/122 cm  
↑ 25-75 mm

- Kawasaki FS-engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- Power steering
- BioClip® and rear discharge
- Drive-in-drive-out attachment frame
- Hydraulic equipment lift
- High-contrast segment display

|                            |                             |         |
|----------------------------|-----------------------------|---------|
| R 420TsX AWD, 967 64 84-01 | Price excl. VAT             | € 0.000 |
| Leasing                    | Price/month incl. VAT, from | € 0.000 |

## HUSQVARNA R 418TsX AWD



10.8 kW @ 3,000 rpm  
103–112 cm  
25–75 mm

- Kawasaki FS-engine
- Hydrostatic transmission
- All-Wheel Drive (AWD)
- Power steering
- BioClip® and rear discharge
- Drive-in-drive-out attachment frame
- Hydraulic equipment lift
- High-contrast segment display

R 418TsX AWD, 970 54 49-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## PROFESSIONAL

## HUSQVARNA P 524XR EFI



726 cm³  
15.6 kW @ 3,000 rpm  
112/122/137 cm  
25–100 mm

- Kawasaki FX-series, Electric Fuel Injection (EFI)
- Remote control option, remote control included
- Power steering
- All-Wheel Drive (AWD)
- Electric equipment lift
- Roll Over Protection system (ROPS)
- High contrast segment display
- Integrated connectivity
- Dual LED lights
- 360° warning lights

P 524XR EFI, 970 60 17-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## HUSQVARNA P 524X EFI



726 cm³  
15.6 kW @ 3,000 rpm  
112/122/137 cm  
25–100 mm

- Kawasaki FX-series, Electric Fuel Injection (EFI)
- Power steering
- All-Wheel Drive (AWD)
- Electric equipment lift
- Roll Over Protection system (ROPS)
- High contrast segment display
- Integrated connectivity
- Dual LED lights

P 524X EFI, 970 60 16-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## HUSQVARNA P 524X



726 cm³  
13.9 kW @ 3,000 rpm  
112/122 cm  
25–75 mm

- Kawasaki FX-series
- Power steering
- All-Wheel Drive (AWD)
- Electric equipment lift
- Roll Over Protection system (ROPS)
- High contrast segment display
- Integrated connectivity
- Dual LED lights

P 524X, 970 60 15-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000



## READ MORE ABOUT OUR RIDERS ONLINE

Find more information on our entire range of versatile Riders and cutting decks by visiting [husqvarna.com/RideOnFrontMowers](https://husqvarna.com/RideOnFrontMowers)



## HYBRID RIDE-ON FRONT MOWERS

### PROFESSIONAL

## HUSQVARNA P 535HX



1,123 cm³  
17.8 kW @ 3,000 rpm  
132–180 cm  
30–112 mm

- Kubota diesel engine
- Power steering
- Electric All-Wheel Drive (AWD)
- Dual drive motors, 5+5 kW
- Hydraulic equipment lift
- Roll Over Protection system (ROPS)
- Dynamic graphic display
- Quiet transport with hybrid driveline
- Grammer full suspension seat
- Plug-in hybrid
- Integrated connectivity – Fleet ready
- Hydraulic attachment kit

P 535HX, 967 98 55-03

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## DIESEL RIDE-ON FRONT MOWERS

### PROFESSIONAL

## HUSQVARNA P 525DX WITH CABIN



1,123 cm³  
17.8 kW @ 3,000 rpm  
132/155 cm  
30–112 mm

- Kubota diesel engine
- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- High contrast segment display
- Cabin with heating
- Grammer full suspension seat
- Hydraulic attachment kit
- Integrated connectivity – Fleet ready

P 525DX with cabin, 967 98 54-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## HUSQVARNA P 525DX



1,123 cm³  
17.8 kW @ 3,000 rpm  
132/155 cm  
30–112 mm

- Kubota diesel engine
- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- Roll Over Protection system (ROPS)
- High contrast segment display
- Integrated connectivity – Fleet ready
- Hydraulic attachment kit

P 525DX, 967 98 53-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## HUSQVARNA P 520DX



898 cm³  
14.5 kW @ 3,000 rpm  
132/155 cm  
30–112 mm

- Kubota diesel engine
- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- Roll Over Protection system (ROPS)
- High contrast segment display
- Integrated connectivity – Fleet ready

P 520DX, 967 98 52-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## READ ABOUT OUR FRONT MOWER RANGE

Find out more about our entire range of front mowers and accessories by visiting [husqvarna.com/ProRideOnFrontMowers](https://husqvarna.com/ProRideOnFrontMowers)



## READ MORE ABOUT PARTS & ACCESSORIES ONLINE

Find more information about our parts and accessories by visiting [husqvarna.com/uk/parts-for-ride-on-front-mowers/](https://husqvarna.com/uk/parts-for-ride-on-front-mowers/)



## ELECTRIC GARDEN TRACTORS

### CONVENIENT

#### HUSQVARNA TS 100i



⚡ 3,300 W  
 📏 95 cm  
 📏 25-100 mm

- Dynamic mowing for maximum runtime
- Electric drive system reduces maintenance
- Ergonomically located controls
- Almost silent in transport mode
- saveE™ for maximum runtime

TS 100i, 970 74 51-01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

#### HUSQVARNA TC 100i



⚡ 3,300 W  
 📏 95 cm  
 📏 25-100 mm  
 📏 250 l

- Dynamic mowing for maximum runtime
- Electric drive system reduces maintenance
- Ergonomically located controls
- Almost silent in transport mode
- saveE™ for maximum runtime

TC 100i, 970 74 50 -01

Price excl. VAT €0.000

Leasing

Price/month incl. VAT, from €0.000

## PETROL GARDEN TRACTORS

### CONVENIENT

#### HUSQVARNA TS 114



⚡ 9 kW @ 2,800 rpm  
 📏 95 cm  
 📏 25-100 mm

- Husqvarna engine
- Hydrostatic transmission
- Electric blade engagement
- Multiple cutting modes

TS 114, 970 62 25-01

Price excl. VAT €0.000

#### HUSQVARNA TC 114



⚡ 9 kW @ 2,800 rpm  
 📏 95 cm  
 📏 25-100 mm  
 📏 250 l

- Husqvarna engine
- Hydrostatic transmission
- Electric blade engagement
- Multiple cutting modes

TC 114, 970 62 23-01

Price excl. VAT €0.000

#### HUSQVARNA TS 112



⚡ 8 kW @ 2,800 rpm  
 📏 95 cm  
 📏 25-100 mm

- Husqvarna engine
- Hydrostatic transmission
- Multiple cutting modes
- Manual blade engagement

TS 112, 970 62 24-01

Price excl. VAT €0.000

#### HUSQVARNA TC 112



⚡ 8 kW @ 2,800 rpm  
 📏 95 cm  
 📏 25-100 mm  
 📏 200 l

- Husqvarna engine
- Hydrostatic transmission
- Multiple cutting modes
- Manual blade engagement

TC 112, 970 62 22-01

Price excl. VAT €0.000

### ADVANCED

#### HUSQVARNA TS 220T



⚡ 14,4 kW @ 2,800 rpm  
 📏 108 cm  
 📏 25-105 mm

- Efficient 108 cm cutting deck
- Cruise control
- Storage compartments for equipment
- Turn key start (automatic choke)
- Brushguard included

TS 220T, 970 72 83-01

Price excl. VAT €0.000

#### HUSQVARNA TC 220T



⚡ 14,4 kW @ 2,800 rpm  
 📏 108 cm  
 📏 25-105 mm  
 📏 350 l

- Wide cutting deck for efficient mowing
- Easily adjustable driver's seat
- Bag emptying assistance
- Powerful twin engine
- Large collection bag

TC 220T, 970 72 78-01

Price excl. VAT €0.000

#### HUSQVARNA TS 217T



⚡ 12,5 kW @ 2,800 rpm  
 📏 108 cm  
 📏 25-105 mm

- Efficient 108 cm cutting deck
- Storage compartments for equipment
- Turn key start (automatic choke)
- Brushguard included
- Easily adjustable drivers seat

TS 217T, 970 72 81-01

Price excl. VAT €0.000

#### HUSQVARNA TS 215T



⚡ 11,7 kW @ 2,800 rpm  
 📏 95 cm  
 📏 25-105 mm

- Maneuvering facilitated by narrow design
- Storage compartments for equipment
- Turn key start (no choking)
- Wide range of cutting heights
- Easily adjustable driver's seat

TS 215T, 970 72 80-01

Price excl. VAT €0.000

#### HUSQVARNA TC 215T



⚡ 11,7 kW @ 2,800 rpm  
 📏 95 cm  
 📏 25-105 mm  
 📏 300 l

- Bag empty assistance – easier bag emptying
- Turn key start (Automatic choke)
- Wide range of cutting heights
- Easily adjustable driver's seat

TC 215T, 970 72 77-01

Price excl. VAT €0.000

### READ MORE ABOUT OUR TRACTOR RANGE ONLINE

Find more information on our entire range of tractors by visiting [husqvarna.com/GardenTractors](https://husqvarna.com/GardenTractors)



## ZERO-TURN MOWERS

### ADVANCED

#### HUSQVARNA Z 242F



📏 726 cm³  
 ⚡ 13.9 kW @ 2,800 rpm  
 📏 107 cm  
 📏 38-102 mm

- Kawasaki engine
- Hydrostatic transmission
- Collection, mulching and side discharge
- ClearCut™ cutting deck

Z 242F, 967 66 57-04

Price excl. VAT €0.000

### PART-TIME PROFESSIONAL

#### HUSQVARNA Z 454X



📏 726 cm³  
 ⚡ 16.1 kW @ 3,000 rpm  
 📏 137 cm  
 📏 38-114 mm

- Kawasaki engine
- Hydrostatic transmission
- Collection, mulching and side discharge
- Commercial cutting deck
- Roll Over Protection system (ROPS)
- Rubber discharge chute

Z 454X, 970 57 64-01

Price excl. VAT €0.000

#### HUSQVARNA Z 448



📏 726 cm³  
 ⚡ 16.1 kW @ 3,000 rpm  
 📏 122 cm  
 📏 38-114 mm

- Kawasaki engine
- Hydrostatic transmission
- Collection, mulching and side discharge
- Commercial ClearCut™ deck
- Roll Over Protection system (ROPS)

## PROFESSIONAL

## HUSQVARNA Z 560X



852 cm<sup>3</sup>  
 17.9 kW @ 3,000 rpm  
 152 cm  
 25-127 mm

- Kawasaki FX801V engine
- Hydrostatic transmission
- Collection, mulching and side discharge
- Roll Over Protection system (ROPS)
- Commercial 4.5 mm thick deck with cast iron spindles
- Full suspension seat

Z 560X, 970 64 09-01

Price excl. VAT €0.000

## READ MORE ABOUT OUR ZERO-TURN MOWERS

Find more info about Husqvarna's zero-turn mowers at [husqvarna.com/ZeroTurnMowers](https://husqvarna.com/ZeroTurnMowers)



## GARDEN SHREDDERS

## SUPERIOR

## NEW HUSQVARNA GS 340is



1400 W  
 40 mm  
 23.5 kg

- Quick-folding and compact design
- Compatible with Husqvarna tool holders
- Automatic gear speed adjustment
- Auto Reverse for clogged branches

GS 340is, 970 78 92-01

Price excl. VAT €0.000

## DETHATCHERS

## CONVENIENT

## HUSQVARNA S 138i



900 W  
 38 cm  
 -8 - +5 mm  
 19.5 kg

- 2-in-1 scarifier and dethatcher
- Battery-powered with double battery slots
- savE™ and Power Boost™
- Push
- Collection and rear discharge

S 138i, 967 92 22-06, excl. battery and charger

Price excl. VAT €0.000

## HUSQVARNA S 138C



1,600 W  
 38 cm  
 -8 - +5 mm  
 19 kg

- 2-in-1 scarifier and dethatcher
- Corded
- Push
- Collection and rear discharge

S 138i, 967 92 22-06, excl. battery and charger

Price excl. VAT €0.000

## PROFESSIONAL

## HUSQVARNA S 500 PRO



212 cm<sup>3</sup>  
 4 kW @ 3,300 rpm  
 50 cm  
 -5 - 0 mm  
 66 kg

- Rato engine
- Push

S 500 Pro, 970 65 29-01

Price excl. VAT €0.000

## LEARN MORE ABOUT OUR DETHATCHERS

Find more information on our entire range by visiting [husqvarna.com/dethatchers](https://husqvarna.com/dethatchers)



## TILLERS

## CONVENIENT

## HUSQVARNA TF 120



79 cm<sup>3</sup>  
 1.5 kW @ 3,200 rpm  
 46 cm  
 15 cm

- Rato engine
- Detachable, manual chain transmission
- 1 step forward
- Vertically adjustable handlebar

TF 120, 967 10 08-03

Price excl. VAT €0.000

## CHECK OUT HUSQVARNA'S RANGE OF TILLERS ONLINE

Get more information on our tillers by visiting [husqvarna.com/tillers](https://husqvarna.com/tillers)



Cylinder displacement, cm<sup>3</sup>
 Net power at preset rpm, kW
 Cutting width, min-max, cm  
 Cutting height, min-max, cm
 Working width, cm
 Working depth, cm  
 Working width, cm
 Intake height, cm
 Branch diameter, mm



179 cm<sup>3</sup>  
 3.5 kW @ 3,600 rpm  
 60 cm  
 25 cm

- Rato engine
- Detachable, manual chain transmission
- 1 step forward, 1 reverse
- Vertically adjustable handlebar

TF 225, 967 10 09-01

Price excl. VAT €0.000

## SUPERIOR

### HUSQVARNA TF 335



212 cm<sup>3</sup>  
 4 kW @ 3,300 rpm  
 80 cm  
 30 cm

- Rato engine
- Detachable, manual chain transmission
- 2 steps forward, 1 reverse
- Vertically and horizontally adjustable handlebar

TF 335, 970 65 27-01

Price excl. VAT €0.000

### HUSQVARNA TF 325



212 cm<sup>3</sup>  
 4 kW @ 3,300 rpm  
 60 cm  
 30 cm

- Rato engine
- Detachable, manual chain transmission
- 1 step forward, 1 reverse
- Vertically adjustable handlebar

TF 325, 970 65 26-01

Price excl. VAT €0.000

### HUSQVARNA TR 348



212 cm<sup>3</sup>  
 4 kW @ 3,300 rpm  
 48 cm  
 15 cm

- Rato engine
- Manual chain alloy transmission
- 2 steps forward, 1 step reverse
- Vertically and horizontally adjustable handlebar

TR 348, 970 65 28-01

Price excl. VAT €0.000

### HUSQVARNA T 300RH COMPACT PRO



25 cm<sup>3</sup>  
 0.6 kW @ 6,500 rpm  
 28 cm  
 15 cm

- Honda engine
- Detachable, worm gear chain transmission
- 1 step forward
- Tine shield


T 300RH Compact Pro, 967 33 01-01

Price excl. VAT €0.000

## PART-TIME PROFESSIONAL

## PART-TIME PROFESSIONAL

### HUSQVARNA ST 430T



163 cm<sup>3</sup>  
 9.3 kW @ 3,400 rpm  
 420 cm  
 90 cm  
 76 cm  
 58 cm

- Honda engine
- Detachable, pneumatic chain transmission
- 2 steps forward, 1 reverse
- Vertically and horizontally adjustable handlebar
- Pneumatic tire engagement
- LED headlights
- Key Electric Start
- Power steering
- Track drive system

Price excl. VAT €0.000

## SERVICES

ST 430T, 970 52 97-01

Price excl. VAT €0.000

## CONVENIENT

### NEED MORE INFO ON OUR SNOW THROWERS?

See our entire range of snow throwers online by visiting [husqvarna.com/SnowThrowers](https://husqvarna.com/SnowThrowers)



61 cm  
 53.3 cm

- Remote chute rotator
- 13" snow terrain tires

ST 124, 970 44 93-02

Price excl. VAT €0.000

## ADVANCED

### HUSQVARNA ST 224



212 cm<sup>3</sup>  
 4.4 kW @ 3,600 rpm  
 61 cm  
 58 cm

- Husqvarna engine
- Friction disc
- LED headlights
- Power steering

ST 224, 970 52 86-01

Price excl. VAT €0.000

## SUPERIOR

### HUSQVARNA ST 330



389 cm<sup>3</sup>  
 7.6 kW @ 3,600 rpm  
 76 cm  
 58 cm

- Husqvarna engine
- Friction disc
- Cast iron impeller
- LED headlights
- Power steering

ST 330, 970 52 91-01

Price excl. VAT €0.000

### HUSQVARNA ST 324



252 cm<sup>3</sup>  
 5.8 kW @ 3,600 rpm  
 61 cm  
 58 cm

- Husqvarna engine
- Friction disc
- Cast iron impeller
- LED headlights
- Power steering

ST 324, 970 52 89-01

Price excl. VAT €0.000



## WE'RE HERE TO HELP

Read more about the benefits of Services by Husqvarna at [husqvarna.com/ServicesbyHusqvarna](https://husqvarna.com/ServicesbyHusqvarna)

# Make the cutting experience better

At Husqvarna we've been making chainsaws for more than 60 years. And we've never stopped improving our concept. Always seeking the ideal combination of maneuverability, durability and cutting capacity for just about any requirements. Here you'll find your ideal size and type of chainsaw — battery- or petrol-powered. Making your cutting experience better, no matter where you're going.

## What you always get in a Husqvarna chainsaw:

### 1 Reliable design

Efficient chainsaw work is not just synonymous with power. A durable construction is equally important when we design our saws, as it has always been a foundation for the trust our users have in our brand.

### 2 Optimal performance

For certain fuel-powered chainsaws, AutoTune™ automatically adjusts the engine for optimal operation based on temperature, fuel type, altitude, etc. The battery chainsaws all feature efficient motors with an impressive power-to-weight ratio.

### 3 Easy starting

For both our petrol- and battery-powered chainsaws, quick, easy starts are imperative. So, we've made sure to develop technology to meet these demands. You get started with a push of a button or an easy pull of a cord — as easy as it should be.

### 4 Effortless efficiency

Whatever type and size of Husqvarna chainsaw you choose, you'll always get a saw that's designed to make your cutting experience as effortless as possible. That's the essence of our professional heritage.



## FARM AND COUNTRY

### Larger saws to fit your bigger jobs

Our range of larger chainsaws includes several models developed for all-round use. This type of saw is appreciated among farmers and landowners who use the saw for various jobs and sometimes need to fell a tree.



## HOME AND GARDEN

### Smaller saws are great for garden clearing

A smaller chainsaw is easier to handle and the best choice if you mostly use it to prune smaller trees and coarser shrubs in the garden around your house. This size of saw is also very suitable for cutting firewood for domestic use.



## CHAINSAW ACADEMY

### Learn about correct and efficient chainsaw work



Welcome to Husqvarna Chainsaw Academy — our online source about how to work correctly, conveniently and efficiently at all times. You'll find everything from guides about choosing the right chainsaw, planning the felling and making the directional notch to limbing and crosscutting. Includes tips on what to wear, and useful tools and accessories. Go to [chainsawacademy.husqvarna.com](https://chainsawacademy.husqvarna.com)

### Stay protected

Our range of protective clothes, boots and gloves — made from high-quality materials — are lightweight, comfortable and packed with smart innovations. Each job comes with different requirements, so our range of protective clothing has been developed for a wide range of tasks and situations.



#### ALL PROTECTIVE EQUIPMENT

Explore the entire range and find what suits your job at [husqvarna.com/PPE](https://husqvarna.com/PPE)

# Designed by Husqvarna for your Husqvarna


For even more rewarding chainsaw work, treat your saw and yourself with the very best accessories. We've used our long experience in forestry to develop a range of accessories adapted to make your saw even better. Everything from our sharp, pre-stretched X-CUT™ chains and durable X-FORCE™ guide bars, as well as filing kits, felling aids and wedges, to our own fuel and oil options, are designed for your Husqvarna chainsaw.

**X-CUT**



## LONGER AND BETTER CUTTING PERFORMANCE WITH X-CUT™

The X-CUT™ chain is pre-stretched at the factory so you can work longer before re-tensioning is needed. The risk of damaging the cutting system with a slack chain is also decreased.



**WE'VE GOT YOU COVERED**

See the entire range of accessories, oils and lubricants  
at [husqvarna.com/ChainsawParts](https://husqvarna.com/ChainsawParts)




## HUSQVARNA X-PRECISION™ SP21G

SP21G is a semi-chisel PIXEL .325" mini 1.1 mm chain with low kickback, especially developed to increase the cutting speed and efficiency for battery chainsaws and petrol tree care saws. The chain is energy efficient, and the optimised geometry delivers a consistently smooth cut. Fits the X-PRECISION™ bars.




## HUSQVARNA X-FORCE™ BARS

X-FORCE™ is Husqvarna's answer for finding the perfect guide bar that is light yet robust enough to withstand harsh working conditions over a long period of time. Developed together with Husqvarna X-CUT™ chains, specially optimised for Husqvarna chainsaws.



## HUSQVARNA X-PRECISION™ BARS

The X-PRECISION™ bars are designed specifically for use with the X-PRECISION™ chains. The optimised overall geometry and small nose radius provide efficient cutting with precise control, excellent bore cutting properties and reduced risk of kickback.



The X-CUT™ chain delivers outstanding sharpness and — even more importantly — sharpness that lasts considerably longer before filing is needed

X-CUT™ is made for making faster cuts, and it's ready to be used straight out of the box. The smooth cutting reduces the feed force needed, making the work easier on your body.

Thanks to the intuitive golden tie strap function, you easily locate the starting point, making filing the chain easier



### HUSQVARNA X-CUT™ S93G

This semi-chisel 3/8" mini 1.3 mm S93G chain is developed to fit smaller rear- and top-handle saws. Optimised geometry and grinding provides high cutting speed as well as low kick back. High efficiency balanced against the available power from the chainsaw will enable a smooth and precise cut.



### HUSQVARNA X-CUT™ SP33G

Semi-chisel Pixel .325" 1.3 mm chain with low kick back and low stretch. The narrow kerf equals impressive cutting efficiency. Developed for professional use on mid-size chainsaws, up to 55 cc. Original equipment on most Husqvarna 550 XP\* chainsaws.



### HUSQVARNA X-CUT™ S35G

Semi-chisel .325" 1.5 mm chainsaw chain developed for everyday professional use on 50–60 cc saws. A tough and reliable chain with a robust, pre-stretched standard chassis. Offers long-lasting sharpness, outstanding durability with low stretch and high cutting efficiency.

## BATTERY CHAINSAWS

### ADVANCED

#### HUSQVARNA 225i



3/8" mini  
30–35 cm  
3.1 kg

- Intuitive keypad with battery status
- savE™ for maximum runtime
- Brushless motor
- Battery through body design

225i, 970 54 75-03, excl. battery and charger

Price excl. VAT €0.000

225i, 970 54 75-06, incl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA 240i



3/8" mini  
30–45 cm  
3.5 kg

- Brushless MaxTorque motor
- Intuitive key pad with battery status
- savE™ for maximum runtime
- Battery through body design

240i, 970 60 11-01, excl. battery and charger

Price excl. VAT €0.000

240i, 970 60 11-03, excl. battery and charger

Price excl. VAT €0.000

### SUPERIOR

#### HUSQVARNA 435i



.325" mini  
35–40 cm  
2.8 kg

- 35 cc class cutting performance
- Weatherproof (IPX4)
- User-friendly keypad
- Husqvarna's flexible 36V system BLI-X
- Battery through body design

435i, 14", 970 71 80-14, excl. battery and charger

Price excl. VAT €0.000

435i, 16", 970 71 82-16, excl. battery and charger

Price excl. VAT €0.000

Leasing

Price excl. VAT €0.000

### PROFESSIONAL

#### HUSQVARNA 542i XP\*



.325" mini/  
.325"  
30–40 cm  
3.7 kg

- Brushless E-TORQ™ motor
- savE™ for maximum runtime
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40 cc class cutting performance with BLI300

542i XP\*, 970 64 70-12, with Bluetooth\*, excl. battery and charger

Price excl. VAT €0.000

542i XP\*, 970 66 65-16, excl. battery and charger

Price excl. VAT €0.000

542i XP\*G, 970 64 71-12, heated handle, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA 540i XP\*



1/4"/  
.325" mini/  
3/8" mini  
30–40 cm  
2.9 kg

- Brushless E-TORQ™ motor
- savE™ for maximum runtime
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40 cc class cutting performance with BLI300

540i XP\*, 970 57 24-14, with Bluetooth\*, excl. battery and charger

Price excl. VAT €0.000

540i XP\*, 970 57 27-16, excl. battery and charger

Price excl. VAT €0.000

540i XP\*G, 970 56 80-12, heated handle, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA 535i XP\*



1/4" mini/  
.325" mini  
20–35 cm  
2.6 kg

- Brushless E-TORQ™ motor
- savE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- 35 cc class cutting performance with BLI300

535i XP\*, 10", 970 61 10-10, excl. battery and charger

Price excl. VAT €0.000

535i XP\*, 12", 970 61 10-12, excl. battery and charger

Price excl. VAT €0.000

## PETROL CHAINSAWS

### CONVENIENT

#### HUSQVARNA 135 Mark II



38.0 cm³  
1.6 kW  
3/8" mini  
35–40 cm  
4.7 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

135 Mark II, 967 86 18-14

Price excl. VAT €0.000

#### HUSQVARNA 130



38.0 cm³  
1.5 kW  
3/8" mini  
35–40 cm  
4.7 kg

- Low Vib™
- Husqvarna Air Injection™
- X-TORQ™ engine

130, 967 10 84-01

Price excl. VAT €0.000

#### HUSQVARNA 120 Mark II



38.2 cm³  
1.4 kW  
3/8" mini  
35–45 cm  
4.8 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

120 Mark II, 967 86 19-03

Price excl. VAT €0.000

### SUPERIOR

#### HUSQVARNA 460 RANCHER



60.3 cm³  
2.7 kW  
3/8"  
33–60 cm  
6.0 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

460 Rancher, 18", 970 61 40-18

Price excl. VAT €0.000

460 Rancher, 20", 970 61 40-20

Price excl. VAT €0.000

#### HUSQVARNA 455 RANCHER



55.5 cm³  
2.6 kW  
.325"/3/8"  
33–60 cm  
6.0 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

455 Rancher, 15", 970 61 37-15

Price excl. VAT €0.000

455 Rancher, 18", 970 61 37-18

Price excl. VAT €0.000

#### HUSQVARNA 450



50.2 cm³  
2.4 kW  
.325"  
33–50 cm  
4.9 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

450, 970 55 93-35

Price excl. VAT €0.000

450e, 970 55 95-35

Price excl. VAT €0.000

#### HUSQVARNA 445



45.7 cm³  
2.1 kW  
.325"  
33–50 cm  
4.9 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

445, 970 55 87-35

Price excl. VAT €0.000

445e, 970 55 89-35

Price excl. VAT €0.000

445e TrioBrake™, 970 55 92-35

Price excl. VAT €0.000

#### HUSQVARNA 440



40.9 cm³  
1.8 kW  
.325"  
33–45 cm  
4.4 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

440, 970 56 00-35

Price excl. VAT €0.000

440e, 970 56 01-35

Price excl. VAT €0.000

#### HUSQVARNA 435



40.9 cm³  
1.6 kW  
.325"  
33–45 cm  
4.2 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

435, 970 55 97-35

Price excl. VAT €0.000

435e, 970 55 98-35

Price excl. VAT €0.000

### PROFESSIONAL

#### HUSQVARNA 592 XP\*



92.7 cm³  
5.6 kW  
3/8"  
45–90 cm  
7.4 kg

- Connectivity ready
- Low Vib™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™ 3.0 with simple start technology

592 XP\*, 970 49 31-30

Price excl. VAT €0.000

592 XP\*G, 970 49 34-20, heated handle/carburettor

Price excl. VAT €0.000

### LEARN MORE ABOUT OUR CHAINSAWS

Find more information on our entire range of chainsaws at [husqvarna.com/chainsaws](https://www.husqvarna.com/chainsaws)



## HUSQVARNA 585



86.0 cm<sup>3</sup>  
5.1 kW  
3/8"  
45-90 cm  
7.5 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

585, 970 49 30-30

Price excl. VAT € 0.000

## HUSQVARNA 572 XP\*



70.6 cm<sup>3</sup>  
4.3 kW  
3/8"  
38-70 cm  
6.6 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™

572 XP\*, 966 73 31-18

Price excl. VAT € 0.000

572 XP\*G, 966 73 34-18, heated handle/carburettor

Price excl. VAT € 0.000

## HUSQVARNA 372 XP\*



70.7 cm<sup>3</sup>  
4.1 kW  
3/8"  
40-70 cm  
6.6 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

372 XP\*, 965 96 81-18

Price excl. VAT € 0.000

## HUSQVARNA 565



70.6 cm<sup>3</sup>  
3.7 kW  
3/8"  
38-70 cm  
6.5 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™

565, 966 73 39-18

Price excl. VAT € 0.000

## HUSQVARNA 365



70.7 cm<sup>3</sup>  
3.6 kW  
3/8"  
40-70 cm  
6.4 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

365, 966 48 83-18

Price excl. VAT € 0.000

## HUSQVARNA 562 XP\* Mark II



59.8 cm<sup>3</sup>  
3.5 kW  
3/8"  
38-70 cm  
6.1 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™ 3.0 with simple start technology

562 XP\* Mark II, 970 66 35-18

Price excl. VAT € 0.000

562 XP\*G Mark II, 970 66 36-18, heated handle/carburettor

Price excl. VAT € 0.000

## HUSQVARNA 560 XP\* Mark II



59.8 cm<sup>3</sup>  
3.5 kW  
.325"/3/8"  
33-60 cm  
5.9 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™ 3.0 with simple start technology

560 XP\* Mark II, 970 65 70-18

Price excl. VAT € 0.000

560 XP\*G Mark II, 970 65 69-18, heated handle/carburettor

Price excl. VAT € 0.000

## HUSQVARNA 555



59.8 cm<sup>3</sup>  
3.1 kW  
.325"/3/8"  
33-60 cm  
5.9 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™

555, 970 50 12-18

Price excl. VAT € 0.000

## HUSQVARNA 550 XP\* Mark II TrioBrake™



50.1 cm<sup>3</sup>  
3.0 kW  
.325"  
33-50 cm  
5.5 kg

- Low Vib™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™
- TrioBrake™

550 XP\* Mark II TB, 970 52 83-35

Price excl. VAT € 0.000

550 XP\*G Mark II TB, 970 52 84-35, heated handle/carburettor

Price excl. VAT € 0.000

## HUSQVARNA 550 XP\* Mark II



50.1 cm<sup>3</sup>  
3.0 kW  
.325"  
33-50 cm  
5.3 kg

- Low Vib™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™

550 XP\* Mark II, 967 69 08-35

Price excl. VAT € 0.000

550 XP\*G Mark II, 967 69 09-35, heated handle/carburettor

Price excl. VAT € 0.000

## HUSQVARNA 545 Mark II



50.1 cm<sup>3</sup>  
2.7 kW  
.325"  
33-50 cm  
5.3 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine
- AutoTune™

545 Mark II, 967 69 06-35

Price excl. VAT € 0.000

545 G Mark II, 967 69 07-35, heated handle/carburettor

Price excl. VAT € 0.000

## HUSQVARNA 543 XP\*



43.1 cm<sup>3</sup>  
2.2 kW  
.325"  
33-45 cm  
4.5 kg

- Low Vib™
- Smart Start™
- Husqvarna Air Injection™
- X-TORQ™ engine

543 XP\*, 966 77 61-35

Price excl. VAT € 0.000

## HUSQVARNA 540 XP\* Mark III



39.1 cm<sup>3</sup>  
1.9 kW  
.325" mini/3/8" mini  
30-40 cm  
4.1 kg

- X-TORQ™ engine
- Connectivity ready
- AutoTune™ 3.0 with simple start technology
- Low Vib™
- Husqvarna Air Injection™

540 XP\* Mark III, 970 73 65-14

Price excl. VAT € 0.000

## BATTERY TREE CARE CHAINSAWS

### PROFESSIONAL

#### HUSQVARNA T542i XP\*



.325" mini  
30-40 cm  
3.6 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40 cc class cutting performance with BLI200X

T542i XP\*, 970 64 68-12, excl. battery and charger

Price excl. VAT € 0.000

T542i XP\*, 970 66 63-16, Bluetooth®, excl. battery and charger

Price excl. VAT € 0.000

T542i XP\*G, 970 64 69-12, heated handle, excl. battery and charger

Price excl. VAT € 0.000

#### HUSQVARNA T540i XP\*



.325" mini/  
1/4" mini/  
1/4" Carving  
30-40 cm  
2.5 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40 cc class cutting performance with BLI200X

T540i XP\*, 970 57 23-12, excl. battery and charger

Price excl. VAT € 0.000

T540i XP\*, 970 57 26-22, carving, excl. battery and charger

Price excl. VAT € 0.000

T540i XP\*G, 970 56 81-12, heated handle, excl. battery and charger

Price excl. VAT € 0.000

#### HUSQVARNA T535i XP\*



.325" mini/  
1/4" mini  
25-35 cm  
2.4 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- 35 cc class cutting performance

T535i XP\*, 12", 967 89 39-12, excl. battery and charger

Price excl. VAT € 0.000

T535i XP\*, 14", 967 89 39-14, excl. battery and charger

Price excl. VAT € 0.000

## PETROL TREE CARE CHAINSAWS

### PROFESSIONAL

#### HUSQVARNA T540 XP\* Mark III



39.1 cm<sup>3</sup>  
1.9 kW  
.325" mini  
30-40 cm  
3.8 kg

- X-TORQ™ engine
- Connectivity ready
- AutoTune™ 3.0 with simple start technology
- Low Vib™
- Husqvarna Air Injection™

T540 XP\* Mark III, 970 51 79-12

Price excl. VAT € 0.000

#### HUSQVARNA T435



35.2 cm<sup>3</sup>  
1.5 kW  
3/8" mini  
30-35 cm  
3.4 kg

- X-TORQ™ engine
- Low Vib™
- Smart Start™

T435, 966 9 72-12

Price excl. VAT € 0.000

## HUSQVARNA T525



27.0 cm³  
 1.1 kW  
 1/4" / 1/4" mini / 3/8" mini  
 20–30 cm  
 2.7 kg

- X-TORQ® engine
- Low Vib™
- Husqvarna Air Injection™

T525, 970 60 63-12

Price excl. VAT €0.000

## BATTERY POLE SAWS

### CONVENIENT

#### HUSQVARNA 120iTK4



1/4"  
 25 cm  
 3.6 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Pole hedge trimmer compatibility
- Telescopic shaft
- 4 m reach

120iTK4, 970 51 59-01, pole saw, excl. battery and charger

Price excl. VAT €0.000

120iTK4, 970 51 59-03, pole saw and pole hedge trimmer attachment, excl. battery and charger

Price excl. VAT €0.000

HK4, 529 35 19-02, pole hedge trimmer attachment

Price excl. VAT €0.000

### PROFESSIONAL

#### HUSQVARNA 530iPX



3/8"  
 25–30 cm  
 180 cm  
 3.1 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable, slimmed designed cutting head

530iPX, 967 88 51-11, excl. battery and charger

Price excl. VAT €0.000

530iPX, 967 88 51-02, excl. battery and charger incl. backpack harness

Price excl. VAT €0.000

#### HUSQVARNA 530iP4



1/4"  
 25–30 cm  
 250 cm  
 3.4 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Slimmed designed cutting head

530iP4, 967 88 46-11, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA 530iPT5



1/4"  
 25–30 cm  
 400 cm  
 5.0 kg

- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Telescopic shaft
- Slimmed designed cutting head

530iPT5, 967 88 48-11, excl. battery and charger

Price excl. VAT €0.000

## PETROL POLE SAWS

### PROFESSIONAL

#### HUSQVARNA 525PT5S



25.4 cm³  
 1.0 kW  
 1/4"  
 25–30 cm  
 402 cm  
 7.0 kg

- X-TORQ® engine
- Auto return stop switch
- Stand alone starter
- Telescopic shaft

525PT5S, 967 32 96-01

Price excl. VAT €0.000

#### HUSQVARNA 525P4S



25.4 cm³  
 1.0 kW  
 3/8" mini  
 25–30 cm  
 243 cm  
 5.3 kg

- X-TORQ® engine
- Auto return stop switch
- Stand alone starter

525P4S, 967 32 94-01

Price excl. VAT €0.000

### FIND OUT ABOUT OUR POLE SAWS

See our entire range of pole saws and read more at [husqvarna.com/PoleSaws](https://www.husqvarna.com/PoleSaws)



## BATTERY HEDGE TRIMMERS

### CONVENIENT

#### HUSQVARNA 120iTK4



50 cm  
 2,800 cuts/min  
 4.5 kg

- Intuitive keypad
- saveE™ for maximum runtime
- Articulating cutting deck
- Pole saw compatibility
- Telescopic tube
- 4 m reach

120iTK4, 970 51 59-02, pole hedge trimmer, excl. battery and charger

Price excl. VAT €0.000

PK4, 529 35 19-01, pole saw attachment

Price excl. VAT €0.000

#### HUSQVARNA 215iHD55 / 215iHD45



55/45 cm  
 3,000 cuts/min  
 3.6/3.2 kg

- saveE™ for maximum runtime
- Intuitive keypad
- All metal gear box

215iHD55, 970 53 66-03, excl. battery and charger, with leaf catcher

Price excl. VAT €0.000

215iHD45, 970 53 65-01, excl. battery and charger

Price excl. VAT €0.000

215iHD45, 970 53 65-02, incl. battery 40-B70 and 40-C80

Price excl. VAT €0.000

215iHD45, Leasing

Price excl. VAT €0.000

### SUPERIOR

#### HUSQVARNA 322iHD60



60 cm  
 3,500 cuts/min  
 3.2 kg

- Intuitive keypad
- Weatherproof (IPX4)
- Stepless trigger
- All metal gear box

322iHD60, 970 46 64-01, excl. battery and charger

Price excl. VAT €0.000

Leasing

Price excl. VAT €0.000

### PROFESSIONAL

#### ⚡ HUSQVARNA 522iHDR60



60 cm  
 3,200 cuts/min  
 4 kg

- Intuitive keypad with battery status
- 3-speed mode
- Coarse-cut configuration
- Multi-position rear handle
- Integrated connectivity
- Weatherproof (IPX4)

522iHDR60, 970 46 62-02, excl. battery and charger

Price excl. VAT €0.000

Leasing

Price excl. VAT €0.000

#### ⚡ HUSQVARNA 522iHD75 / 522iHD60



75/60 cm  
 4,400 cuts/min  
 3.9/3.6 kg

- Intuitive keypad with battery status
- 3-speed mode
- Trim-cut configuration
- Multi-position rear handle
- Integrated connectivity
- Weatherproof (IPX4)

522iHD75, 970 46 61-02, excl. battery and charger

Price excl. VAT €0.000

522iHD60, 970 46 60-02, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA 520iHT4



55 cm  
 4,000 cuts/min  
 5.5 kg

- Brushless motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable cutter bar
- Rear impact guard
- Telescopic shaft

520iHT4, 967 97 12-03, excl. battery and charger

Price excl. VAT €0.000

#### HUSQVARNA 520iHE3



55 cm  
 4,000 cuts/min  
 4.15 kg

- Brushless motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable cutter bar
- Rear impact guard

520iHE3, 967 91 58-13, excl. battery and charger

Price excl. VAT €0.000

## HUSQVARNA 525iHE3 / 525iHE4 / 525iHF3



- 60/60/65 cm
- 4,400/4,400/4,200 cuts/min
- 4,8/5,0/4,6 kg
- Brushless motor
- 3-speed mode
- Intuitive keypad
- Intergated connectivity
- Weatherproof (IPX4)
- Adjustable cutter bar\*
- Rear impact guard\*
- \*not on 525iHF3

|                                                  |                 |         |
|--------------------------------------------------|-----------------|---------|
| 525iHE3, 970 70 49-03, excl. battery and charger | Price excl. VAT | € 0.000 |
| 525iHE4, 970 70 50-03, excl. battery and charger | Price excl. VAT | € 0.000 |
| 525iHF3, 970 70 51-03, excl. battery and charger | Price excl. VAT | € 0.000 |

## HUSQVARNA 525HE3



- 25.4 cm<sup>3</sup>
- 1.0 kW
- 5.9 kg
- 60 cm
- 4,400 cuts/min
- X-TORQ® engine
- Stand alone starter
- Auto return stop switch
- Heavy duty gearbox
- Rear impact guard

|                      |                 |         |
|----------------------|-----------------|---------|
| 525HE3, 967 94 49-01 | Price excl. VAT | € 0.000 |
|----------------------|-----------------|---------|

### WANT TO KNOW MORE ABOUT OUR HEDGE TRIMMERS?

See our entire range of hedge trimmers and read more at [husqvarna.com/HedgeTrimmers](https://husqvarna.com/HedgeTrimmers)



## PETROL HEDGE TRIMMERS

### CONVENIENT

#### HUSQVARNA 122HD60 / 122HD45



- 21.7 cm<sup>3</sup>
- 0.6 kW
- 4.9/4.7 kg
- 60/45 cm
- 4,050 cuts/min
- Low Vib™
- SmartStart™
- Auto return stop switch
- Adjustable rear handle

|                       |                 |         |
|-----------------------|-----------------|---------|
| 122HD60, 966 53 24-01 | Price excl. VAT | € 0.000 |
| 122HD45, 966 53 23-01 | Price excl. VAT | € 0.000 |

### SUPERIOR

#### HUSQVARNA 322HD60



- 21.7 cm<sup>3</sup>
- 0.7 kW
- 5.2 kg
- 60 cm
- 4,400 cuts/min
- Pro-grade triple grinded knife
- Pro-grade gear box
- Adjustable rear handle
- Easy start

|                       |                 |         |
|-----------------------|-----------------|---------|
| 322HD60, 967 65 89-02 | Price excl. VAT | € 0.000 |
|-----------------------|-----------------|---------|

### PROFESSIONAL

#### HUSQVARNA 522HDR75X / 522HDR60X



- 21.7 cm<sup>3</sup>
- 0.6 kW
- 5.2/5.0 kg
- 75/60 cm
- 3,200 cuts/min
- Low Vib™
- Standalone starter
- Auto return stop switch
- High-torque gear
- Coarse-cut blades
- 2-stage air filter

|                         |                 |         |
|-------------------------|-----------------|---------|
| 522HDR75X, 967 65 84-01 | Price excl. VAT | € 0.000 |
| 522HDR60X, 967 65 83-01 | Price excl. VAT | € 0.000 |

#### HUSQVARNA 522HD60X



- 21.7 cm<sup>3</sup>
- 0.6 kW
- 4.9 kg
- 60 cm
- 4,400 cuts/min
- Low Vib™
- Standalone starter
- Auto return stop switch
- High-speed gear
- 2-stage air filter

|                        |                 |         |
|------------------------|-----------------|---------|
| 522HD60X, 967 65 87-01 | Price excl. VAT | € 0.000 |
|------------------------|-----------------|---------|

#### HUSQVARNA 522HS75X



- 21.7 cm<sup>3</sup>
- 0.6 kW
- 5.0 kg
- 75 cm
- 4,400 cuts/min
- Low Vib™
- Standalone starter
- Auto return stop switch
- High-speed gear
- 2-stage air filter
- Single-sided with leaf catcher

|                        |                 |         |
|------------------------|-----------------|---------|
| 522HS75X, 967 65 92-01 | Price excl. VAT | € 0.000 |
|------------------------|-----------------|---------|

#### HUSQVARNA 525HF3S



- 25.4 cm<sup>3</sup>
- 0.9 kW
- 6.1 kg
- 65 cm
- 4,339 cuts/min
- X-TORQ® engine
- Standalone starter
- Auto return stop switch
- Metal skid plate
- Heavy-duty gearbox

|                       |                 |         |
|-----------------------|-----------------|---------|
| 525HF3S, 967 14 74-01 | Price excl. VAT | € 0.000 |
|-----------------------|-----------------|---------|

#### HUSQVARNA 525HE4



- 25.4 cm<sup>3</sup>
- 1.0 kW
- 6.3 kg
- 60 cm
- 4,400 cuts/min
- X-TORQ® engine
- Stand alone starter
- Auto return stop switch
- Heavy duty gearbox
- Rear impact guard

|                      |                 |         |
|----------------------|-----------------|---------|
| 525HE4, 967 94 51-01 | Price excl. VAT | € 0.000 |
|----------------------|-----------------|---------|

## BATTERY BLOWERS

### CONVENIENT

#### HUSQVARNA 120iB



- 10 N
- 10.3 m<sup>3</sup>/min
- 2.0 kg
- Brushless motor
- Intuitive keypad
- 3-speed mode

|                                                               |                 |         |
|---------------------------------------------------------------|-----------------|---------|
| 120iB, 967 97 61-01, excl. battery and charger                | Price excl. VAT | € 0.000 |
| 120iB, 967 97 61-02, incl. battery 40-B140 and charger 40-C80 | Price excl. VAT | € 0.000 |

#### HUSQVARNA 120iBV



- 7.2 N
- 7.36 m<sup>3</sup>/min
- 4.2 kg
- Vacuum kit
- Brushless motor
- Intuitive keypad
- 3-speed mode

|                                                 |                 |         |
|-------------------------------------------------|-----------------|---------|
| 120iBV, 970 64 98-01, excl. battery and charger | Price excl. VAT | € 0.000 |
|-------------------------------------------------|-----------------|---------|

### ADVANCED

#### HUSQVARNA 230iB



- 19.6 N
- 18.4 m<sup>3</sup>/min
- 2.6 kg
- Efficient brushless motor
- Stepless speed control
- Cruise control
- Boost effect
- Intuitive keypad

|                                                            |                 |         |
|------------------------------------------------------------|-----------------|---------|
| 230iB, 970 48 02-02, excl. battery and charger             | Price excl. VAT | € 0.000 |
| 230iB, 970 48 02-01, incl. battery BLI22 and charger QC250 | Price excl. VAT | € 0.000 |

### SUPERIOR

#### HUSQVARNA 340iBT



- 17 N
- 13.7 m<sup>3</sup>/min
- 6.3 kg
- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Ergonomic harness

|                                                 |                 |         |
|-------------------------------------------------|-----------------|---------|
| 340iBT, 967 79 62-03, excl. battery and charger | Price excl. VAT | € 0.000 |
| Leasing                                         | Price excl. VAT | € 0.000 |

#### HUSQVARNA 325iB



- 15 N
- 13 m<sup>3</sup>/min
- 2.5 kg
- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Weatherproof (IPX4)

|                                                |                 |         |
|------------------------------------------------|-----------------|---------|
| 325iB, 967 99 10-01, excl. battery and charger | Price excl. VAT | € 0.000 |
| Leasing                                        | Price excl. VAT | € 0.000 |

### PROFESSIONAL

#### NEW HUSQVARNA 530iB



- 18 N
- 16.3 m<sup>3</sup>/min
- 2.7 kg
- Brushless motor
- Intuitive keypad
- Fully variable speed mode
- Continuous boost mode
- Cruise control
- Weatherproof (IPX4)
- Integrated connectivity

|                                                |                 |         |
|------------------------------------------------|-----------------|---------|
| 530iB, 970 65 61-01, excl. battery and charger | Price excl. VAT | € 0.000 |
|------------------------------------------------|-----------------|---------|

## HUSQVARNA 550iBTX



 **21 N**  
 **15.6 m³/min**  
 **6.3 kg**

- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Weatherproof (IPX4)
- Ergonomic harness

550iBTX, 967 68 11-03 excl. battery and charger

Price excl. VAT **€ 0.000**

Leasing

Price excl. VAT **€ 0.000**

## PETROL BLOWERS

### CONVENIENT

#### HUSQVARNA 125BVX



 **28 cm³**  **12.5 N**  
 **0.8 kW**  **12 m³/min**  
 **4.4 kg**

- Cruise control
- Smart Start™
- Auto return stop switch
- S-shaped outlet
- Mulching function
- Vac capable

125BVX, 952 71 56-54

Price excl. VAT **€ 0.000**

#### HUSQVARNA 125B



 **28 cm³**  **12.5 N**  
 **0.8 kW**  **12 m³/min**  
 **4.3 kg**

- Cruise control
- Auto return stop switch
- S-shaped outlet

125B, 952 71 56-74

Price excl. VAT **€ 0.000**

### SUPERIOR

#### HUSQVARNA 345BT



 **51.7 cm³**  **22 N**  
 **1.6 kW**  **12.8 m³/min**  
 **10 kg**

- Intuitive choke
- Auto return stop switch
- Ergonomic harness
- 2-stage air filter

345BT, 970 46 69-03

Price excl. VAT **€ 0.000**

#### HUSQVARNA 360BT



 **65.6 cm³**  **30 N**  
 **2.8 kW**  **18 m³/min**  
 **10.5 kg**

- X-TORQ® engine
- Offset handle
- Cruise Control
- Adjustable Handle

360BT, 967 14 43-04

Price excl. VAT **€ 0.000**

### PROFESSIONAL

#### HUSQVARNA 525BX



 **25.4 cm³**  **15 N**  
 **0.9 kW**  **13 m³/min**  
 **4.4 kg**

- X-TORQ® engine
- Low Vib™
- Cruise control
- 2-stage air filter
- Smart Start™
- Auto return stop switch
- S-shaped outlet

525BX, 967 28 42-01

Price excl. VAT **€ 0.000**

#### HUSQVARNA 580BTS



 **75.6 cm³**  **40 N**  
 **3.3 kW**  **26 m³/min**  
 **11.8 kg**

- X-TORQ® engine
- Low Vib™
- Cruise control
- Ergonomic harness
- 2-stage air filter
- Husqvarna Air Injection™

580BTS, 966 62 96-01

Price excl. VAT **€ 0.000**

#### HUSQVARNA 570BTS



 **65.6 cm³**  **37 N**  
 **2.9 kW**  **22 m³/min**  
 **11.2 kg**

- X-TORQ® engine
- Low Vib™
- Cruise control
- Ergonomic harness
- 2-stage air filter

570BTS, 966 62 94-01

Price excl. VAT **€ 0.000**

### READ MORE ABOUT OUR BLOWERS

Find out more on our entire range of blowers  
by visiting [husqvarna.com/blowers](https://husqvarna.com/blowers)



## BATTERY TRIMMERS AND BRUSHCUTTERS

### ADVANCED

#### HUSQVARNA 215iL



 **31 cm**  
 **2.9 kg**

- Brushless motor
- Telescopic shaft
- Rapid replace trimmer head
- Plant guard
- Compact storage

215iL, 970 53 60-01, excl. battery and charger

Price excl. VAT **€ 0.000**

215iL, 970 53 60-05, incl. 40-B70 and 40-C80

Price excl. VAT **€ 0.000**

215iL, 970 53 60-03, incl. 40-B140 and 40-C80

Price excl. VAT **€ 0.000**

Leasing

Price excl. VAT **€ 0.000**

### SUPERIOR

#### HUSQVARNA 325iL



 **42 cm**  
 **3.0 kg**

- Brushless E-TORQ™ motor
- Weatherproof (IPX4)
- Soft Grip handle
- Digital UI

325iL, 970 56 68-01, excl. battery and charger

Price excl. VAT **€ 0.000**

#### HUSQVARNA 325iR



 **42 cm**  
 **3.5 kg**

- Brushless E-TORQ™ motor
- Weatherproof (IPX4)
- Soft Grip bullhorn handle
- Digital UI
- Balance harness
- Grass blade & trimmer head included

325iR, 970 56 69-01, excl. battery and charger

Price excl. VAT **€ 0.000**

Leasing

Price excl. VAT **€ 0.000**

#### HUSQVARNA 325iRJ



 **42 cm**  
 **3.0 kg**

- Brushless E-TORQ™ motor
- Weatherproof (IPX4)
- Soft Grip handle
- Digital UI
- J- handle
- Grass blade & trimmer head included

325iRJ, 970 56 70-01, excl. battery and charger

Price excl. VAT **€ 0.000**

### PROFESSIONAL

## HUSQVARNA 535iRXT



 **45 cm**  
 **4.9 kg**

- Brushless E-TORQ™ motor
- 3-speed mode
- Intuitive keypad with battery status
- ErgoFeed™ trimmer head
- LowVib™
- Integrated connectivity
- Weatherproof (IPX4)

535iRXT, 967 85 06-07, excl. battery and charger

Price excl. VAT **€ 0.000**

Leasing

Price excl. VAT **€ 0.000**

#### HUSQVARNA 535iRX



 **45 cm**  
 **4.9 kg**

- Brushless E-TORQ™ motor
- 3-speed mode
- Intuitive keypad with battery status
- LowVib™
- Weatherproof (IPX4)

535iRX, 967 85 06-05, excl. battery and charger

Price excl. VAT **€ 0.000**

## HUSQVARNA 535iFR



 **45 cm**  
 **4.5 kg**

- Brushless E-TORQ™ motor
- 3-speed mode
- Intuitive keypad with battery status
- Integrated connectivity
- Weatherproof (IPX4)

535iFR, 967 85 05-04, excl. battery and charger

Price excl. VAT **€ 0.000**

## HUSQVARNA 525iRXT



 **46 cm**  
 **4.2 kg**

- Brushless E-TORQ™ motor
- 3-speed mode
- Intuitive keypad with battery status
- ErgoFeed™ trimmer head
- LowVib™
- Integrated connectivity
- Weatherproof (IPX4)

525iRXT, 970 55 14-01, excl. battery and charger

Price excl. VAT **€ 0.000**

## B HUSQVARNA 525iLXT



- 46 cm
- 3.1 kg
- Brushless E-TORQ™ motor
- 3-speed mode
- Intuitive keypad with battery status
- ErgoFeed™ trimmer head
- Integrated connectivity
- Weatherproof (IPX4)

525iLXT, 970 55 15-01, excl. battery and charger

Price excl. VAT €0.000

## HUSQVARNA 520iRX



- 40 cm
- 3.8 kg
- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Two-way rotation

520iRX, 967 91 62-03, excl. battery and charger

Price excl. VAT €0.000

## HUSQVARNA 520iLX



- 40 cm
- 3.0 kg
- Brushless E-TORQ™ motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Two-way rotation

520iLX, 967 91 61-13, excl. battery and charger

Price excl. VAT €0.000

# PETROL TRIMMERS AND BRUSHCUTTERS

## CONVENIENT

### HUSQVARNA 122R



- 21.7 cm³
- 0.6 kW
- 43 cm
- 4.9 kg
- Trimmer head or grass blade
- Auto return stop switch
- Smart Start™
- Double shoulder harness
- Lightweight and well balanced

122R with grass blade, 970 73 24-01

Price excl. VAT €0.000

122R with trimmer head, 970 73 34-02

Price excl. VAT €0.000

### HUSQVARNA 122RJ



- 21.7 cm³
- 0.6 kW
- 43 cm
- 4.7 kg
- Grass blade
- Auto return stop switch
- Smart Start™
- Lightweight and well balanced
- Intuitive controls

122RJ, 967 19 34-02

Price excl. VAT €0.000

### HUSQVARNA 122L



- 21.7 cm³
- 0.6 kW
- 43 cm
- 4.7 kg
- Auto return stop switch
- Smart Start™
- Rapid replace trimmer head
- Lightweight and well balanced
- Intuitive controls

122L, 970 73 25-02

Price excl. VAT €0.000

### HUSQVARNA 122C



- 21.7 cm³
- 0.6 kW
- 43 cm
- 4.4 kg
- Auto return stop switch
- Smart Start™
- Rapid replace trimmer head

122C, 966 77 97-01

Price excl. VAT €0.000

### HUSQVARNA 129R



- 27.6 cm³
- 0.8 kW
- 43 cm
- 5.4 kg
- Auto return stop switch
- Smart Start™
- Standard double harness
- Rapid replace trimmer head
- Grass blade included

129R, 967 19 33-05

Price excl. VAT €0.000

### HUSQVARNA 129RJ



- 27.6 cm³
- 0.8 kW
- 43 cm
- 4.8 kg
- Auto return stop switch
- Smart Start™
- J-handle
- Single harness
- Rapid replace trimmer head
- Grass blade included

129RJ, 967 19 34-02

Price excl. VAT €0.000

### HUSQVARNA 129L



- 27.6 cm³
- 0.8 kW
- 43 cm
- 4.8 kg
- Auto return stop switch
- Smart Start™
- Rapid replace trimmer head

129L, 967 19 35-02

Price excl. VAT €0.000

## HUSQVARNA 129C



- 27.6 cm³
- 0.8 kW
- 43 cm
- 4.5 kg
- Auto return stop switch
- Smart Start™
- Rapid replace trimmer head

129C, 967 19 32-02

Price excl. VAT €0.000

## SUPERIOR

### HUSQVARNA 336FR



- 34.6 cm³
- 1.4 kW
- 47 cm
- 7.0 kg
- X-TORQ™ engine
- Auto return stop switch
- Balance 35 harness
- Tap'n go trimmer head
- Grass blade included
- Saw blade included

336FR, 966 60 47-03

Price excl. VAT €0.000

### HUSQVARNA 325R



- 27.6 cm³
- 0.9 kW
- 43 cm
- 5.5 kg
- Auto return stop switch
- Smart Start™
- Standard double harness

325R, 967 90 84-03

Price excl. VAT €0.000

### HUSQVARNA 325L



- 27.6 cm³
- 0.9 kW
- 43 cm
- 5.0 kg
- Auto return stop switch
- Smart Start™

325L, 967 90 83-03

Price excl. VAT €0.000

## PROFESSIONAL

### HUSQVARNA 555RXT



- 53.3 cm³
- 2.8 kW
- 54 cm
- 9.2 kg
- X-TORQ™ engine
- Standalone starter
- Auto return stop switch
- Low Vib™
- Smart Start™
- Balance XT2™ harness

555RXT, 966 62 90-01

Price excl. VAT €0.000

### HUSQVARNA 553RS



- 50.6 cm³
- 2.3 kW
- 46 cm
- 8.4 kg
- X-TORQ™ engine
- Standalone starter
- Smart Start™
- Standard double harness

553RS, 966 78 00-04

Price excl. VAT €0.000

### HUSQVARNA 253RJ



- 50.6 cm³
- 2.4 kW
- 46 cm
- 7.9 kg
- X-TORQ™ engine
- Standalone starter
- J-handle
- Standard double harness

253RJ, 966 98 90-03

Price excl. VAT €0.000

### HUSQVARNA 545RXT



- 45.7 cm³
- 2.2 kW
- 49 cm
- 8.7 kg
- X-TORQ™ engine
- Standalone starter
- Auto return stop switch
- Low Vib™
- Start mode
- AutoTune™
- Balance XT2™ harness

545RXT, 967 17 67-04

Price excl. VAT €0.000

### HUSQVARNA 545RX



- 45.7 cm³
- 2.1 kW
- 49 cm
- 8.9 kg
- X-TORQ™ engine
- Standalone starter
- Auto return stop switch
- Low Vib™
- Smart Start™
- Balance X™ harness

545RX, 966 01 59-02

Price excl. VAT €0.000

### HUSQVARNA 545FR



- 45.7 cm³
- 2.1 kW
- 49 cm
- 8.7 kg
- X-TORQ™ engine
- Auto return stop switch
- Low Vib™
- Smart Start™
- Balance X™ harness

545FR, 967 63 79-04

Price excl. VAT €0.000

### HUSQVARNA 543RS



- 40.1 cm³
- 1.4 kW
- 46 cm
- 7.4 kg
- X-TORQ™ engine
- Standalone starter
- Auto return stop switch
- Smart Start™
- Standard double harness

543RS, 966 77 99-01

Price excl. VAT €0.000

**HUSQVARNA 243RJ**

- 40.1 cm³
- 1.4 kW
- 46 cm
- 7.3 kg
- X-TORQ® engine
- Standalone starter
- J-handle
- Standard single harness

243RJ, 966 98 89-01

Price excl. VAT €0.000

**HUSQVARNA 535RX**

- 34.6 cm³
- 1.6 kW
- 47 cm
- 6.1 kg
- X-TORQ® engine
- Standalone starter
- Auto return stop switch
- Low Vib™

535RX, 966 62 88-02 with Balance 35 harness

Price excl. VAT €0.000

535RXT, 966 62 89-02 with Balance X™ harness

Price excl. VAT €0.000

**HUSQVARNA 535RJ**

- 34.6 cm³
- 1.6 kW
- 45 cm
- 6.0 kg
- X-TORQ® engine
- Auto return stop switch
- Standard single harness
- J-handle

535RJ, 966 62 87-02

Price excl. VAT €0.000

**HUSQVARNA 525RX / 525RXT Mark II**

- 25.4 cm³
- 1.0 kW
- 45 cm
- 5.5/5.8 kg
- X-TORQ® engine
- Standalone starter
- Auto return stop switch
- Smart Start™
- Large fuel tank
- Connectivity ready

525RX Mark II, 970 44 66-01, Balance 35 harness

Price excl. VAT €0.000

525RX T Mark II, 970 44 67-01, with Low Vib™ and Balance 55 harness

Price excl. VAT €0.000

**HUSQVARNA 525RJX**

- 25.4 cm³
- 1.0 kW
- 45 cm
- 4.3 kg
- X-TORQ® engine
- Standalone starter
- Auto return stop switch
- J-handle
- Standard single harness

525RJX, 966 77 71-01

Price excl. VAT €0.000

**READ MORE ABOUT OUR TRIMMERS**

Find more info on our entire range of trimmers at [husqvarna.com/GrassTrimmers](https://husqvarna.com/GrassTrimmers)

**MORE INFORMATION ON OUR BRUSHCUTTERS**

See our range of brushcutters and find more info online. Visit [husqvarna.com/brushcutters](https://husqvarna.com/brushcutters)

**READ MORE ABOUT PARTS AND ACCESSORIES ONLINE**

Find more information about trimmer lines and maintenance kits by visiting [husqvarna.com/parts-for-trimmers-and-brushcutters](https://husqvarna.com/parts-for-trimmers-and-brushcutters)

**HUSQVARNA 545FX AUTOTUNE™**

- 45.7 cm³
- 2.2 kW
- 8.2 kg
- X-TORQ® engine
- Low Vib™
- Auto return stop switch
- Start Mode
- AutoTune™
- Balance XT2™ harness

545FX AutoTune™, 967 17 65-04

Price excl. VAT €0.000

545FXT AutoTune™, 967 17 66-02, heated handles

Price excl. VAT €0.000

**HUSQVARNA 545F**

- 45.7 cm³
- 2.0 kW
- 8.4 kg
- X-TORQ® engine
- Low Vib™
- Auto return stop switch
- Smart Start™
- Balance X™ harness

545F, 967 88 45-02

Price excl. VAT €0.000

**HUSQVARNA 535FBX**

- 34.6 cm³
- 1.6 kW
- .325" Pixel
- 33 cm
- 12.4 kg
- X-TORQ® engine
- Low Vib™
- Auto return stop switch
- Detachable shaft
- Flexible saw suspension
- Total load distribution
- For top spacing

535FBX, 966 06 32-03

Price excl. VAT €0.000

**READ MORE ABOUT OUR FORESTRY CLEARING SAWS**

For our full range of products, please visit [husqvarna.com/ForestryClearingSaws](https://husqvarna.com/ForestryClearingSaws)

**BATTERY COMBI MACHINES****CONVENIENT****HUSQVARNA 110iL FLXi**

- 30 cm
- 3.2 kg
- Easily switchable 110iL FLXi
- Edging mode
- Automatic line feed
- Split shaft
- Compact storage
- Plant guard

110iL FLXi, 970 53 12-01, excl. battery and charger

Price excl. VAT €0.000

110iL FLXi, 970 53 12-02, incl. 40-B70 and 40-C80

Price excl. VAT €0.000

**SUPERIOR****HUSQVARNA 325iLK**

- 42 cm
- 2.4 kg
- Brushless E-TORQ® motor
- 3-speed mode
- Intuitive keypad with battery status
- Click-on attachments

325iLK, 967 85 01-03, incl. trimmer attachment, excl. battery and charger

Price excl. VAT €0.000

325iLK, 967 85 01-04, motor unit, excl. battery and charger

Price excl. VAT €0.000

**PROFESSIONAL****HUSQVARNA 525iLK**

- 42 cm
- 2.4 kg
- Brushless E-TORQ® motor
- 3-speed mode
- Intuitive keypad with battery status
- Integrated connectivity
- Weatherproof (IPX4)
- Click-on attachments

525iLK, 970 55 16-02, incl. trimmer attachment, excl. battery and charger

Price excl. VAT €0.000

525iLK, 970 55 16-01, motor unit, excl. battery and charger

Price excl. VAT €0.000

**BATTERY FORESTRY CLEARING SAWS****PROFESSIONAL****HUSQVARNA 530iPX**

- 3/8"
- 25-30 cm
- 180 cm
- 3.1 kg
- Brushless E-TORQ® motor
- saveE™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable, slimmed designed cutting head

530iPX, 967 88 51-11, excl. battery and charger

Price excl. VAT €0.000

530iPX, 967 88 51-02, excl. battery and charger incl. backpack harness

Price excl. VAT €0.000

**PETROL FORESTRY CLEARING SAWS****PROFESSIONAL****HUSQVARNA 555FX**

- 53.3 cm³
- 2.8 kW
- 8.9 kg
- X-TORQ® engine
- Low Vib™
- Auto return stop switch
- Smart Start™
- Balance XT2™ harness

555FX, 966 62 91-05

Price excl. VAT €0.000

555FXT, 966 62 92-03, heated handles

Price excl. VAT €0.000

**PETROL COMBI MACHINES****CONVENIENT****HUSQVARNA 129LK**

- 27.6 cm³
- 0.8 kW
- 43 cm
- 4.7 kg
- Auto return stop switch
- Smart Start™
- Click-on attachments

129LK, 967 19 36-03

Price excl. VAT €0.000

## PROFESSIONAL

### HUSQVARNA 535LK



34.6 cm<sup>3</sup>  
1.5 kW  
45 cm  
5.8 kg

- X-TORQ® engine
- Standalone starter
- Auto return stop switch
- Click-on attachments

535LK, 967 68 81-03

Price excl. VAT € 0.000

### HUSQVARNA 525LK



25.4 cm<sup>3</sup>  
1.0 kW  
46 cm  
4.5 kg

- X-TORQ® engine
- Standalone starter
- Auto return stop switch
- Smart Start™
- Click-on attachments

525LK, 967 14 83-02

Price excl. VAT € 0.000

## GET MORE INFORMATION ONLINE

Read more and see our entire range of combi machines and attachments at [husqvarna.com/GrassTrimmers](https://husqvarna.com/GrassTrimmers)



## COMBI MACHINES ATTACHMENTS

### ATTACHMENTS FOR 110iL FLXi

#### BLOWER, POLESAW, HEDGE TRIMMER, EXTENSION SHAFT



- Blower**
  - Efficient clearing of leaves and debris
  - Lightweight and easy to manoeuvre
- Pole saw**
  - Optimal performance for garden pruning
  - Precise cutting

- Hedge trimmer**
  - Efficient dual action blades
  - Customisable cutting position
- Extension shaft**
  - 80 cm increased reach

DB110 FLXi, 970 70 39-01, blower

Price excl. VAT € 0.000

DP110 FLXi, 970 70 38-01, pole saw

Price excl. VAT € 0.000

DH110 FLXi, 970 70 42-01, hedge trimmer

Price excl. VAT € 0.000

DE110 FLXi, 970 70 40-01, extension shaft

Price excl. VAT € 0.000

### ATTACHMENTS FOR LK MODELS

#### TRIMMER HEAD



- For light grass cutting
- Trimmer guard
- T35 Tap 'n Go™ trimmer head
- Shaft diameter 24 mm

TA 850/24, 537 35 35-03, fits 525iLK, 535LK, 525LK, 325iLK and 129LK

Price excl. VAT € 0.000

#### BRUSHCUTTER



- For tougher clearing of thick, high grass
- Combination guard
- Harness included
- Multi 255-4 grassknife
- Shaft diameter 24 mm

BCA 850/24, 967 18 59-02, fits 525iLK, 525LK, 325iLK and 129LK

Price excl. VAT € 0.000

#### HEDGE TRIMMERS



- Hedge trimmer attachments
- HA 860 with extended reach to trim high or very low down
- Cutting deck 55 cm
- Tube length 11 or 85 cm
- Shaft diameter 24 mm

HA 860, 596 31 66-03, fits 535FBX, 525iLK, 535LK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

HA 200, 596 31 65-03, fits 535LK, 525LK, 129LK and 122LK

Price excl. VAT € 0.000

#### BRISTLE BRUSH



- Sturdy brush that removes dirt from paths, driveways and even in deep grooves
- Width 60 cm
- Shaft diameter 24 mm
- Guard included

BR 600, 967 29 67-01, fits 525iLK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

#### SWEEPER



- High-capacity rubber broom that cleans sand and gravel from paths, driveways and lawns.
- Width 60 cm
- Shaft diameter 24 mm
- Guard included

SR 600-2, 967 29 44-01, fits 525iLK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

## DETHATCHER



- Cleans away moss to provide a healthier lawn.
- Width 60 cm
- Shaft diameter 24 mm
- Guard included

DT 600, 967 29 69-01, fits 525iLK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

## TILLER



- Ideal on delicate flowerbeds and around the base of trees.
- Shaft diameter 24 mm

CA 230, 967 29 42-01, fits 525iLK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

## EDGER



- Keeps lawns, pathways and flowerbeds looking good with straight, neat edging
- Shaft diameter 24 mm

ESA 850, 967 92 56-01 straight shaft, fits 525iLK, 535LK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

ECA 850, 967 92 55-04, curved shaft, fits 525iLK, 535LK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

## POLE SAW



- Pole saw attachment for pruning
- Gives extra reach when needed
- Cuts branches up to approx. 15 cm in thickness
- Length 110 cm or 73 cm
- Shaft diameter 24 mm

PA 1100, 537 18 33-27, 110 cm, fits 535FBX, 525iLK, 535LK, 525LK, 325iLK and 129LK

Price excl. VAT € 0.000

PAX 1100, 967 68 83-03, 110 cm, fits 525iLK, 535LK, 525LK, 325iLK and 129LK

Price excl. VAT € 0.000

PAX 730, 967 68 83-03, 73 cm, fits 525iLK, 535LK, 525LK, 325iLK and 129LK

Price excl. VAT € 0.000

## BLOWER



- Powerful blower that frees paths and driveways from leaves, litter and grass clippings
- Shaft diameter 24 mm

BA 101, 967 28 64-01, fits 525iLK, 535LK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

## WEED SCISSOR



- For weed control and grass edging along sidewalks and gravel paths
- Reduces the risk of scattering stones and debris
- Shaft diameter 24 mm

RA 850, 967 90 85-01, fits 525iLK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

RA-V, 967 90 86-01, fits 525iRXT, 525iLXT, 525RXT and 525RX

Price excl. VAT € 0.000

## EXTENSION



- Shaft extension that provides an extra reach of almost 80 cm.
- Shaft diameter 24 mm

EX 780, 967 29 71-01,

fits 535FBX, 525iLK, 535LK, 525LK, 325iLK, 129LK and 122LK

Price excl. VAT € 0.000

## BATTERIES AND CHARGERS

### FOR GUIDANCE SEE CHART ON PAGE 38-39

#### BLi950X



- Backpack battery
- Very high-capacity
- Long-lasting power
- Weatherproof
- Ergonomically designed harness
- Rechargeable up to 1,500 times
- For guidance, see the chart on pages 38-39
- ActiveCool

BLi950X, 967 09 32-01, 1.120 Wh, 9.4 kg incl. harness and adapter

Price excl. VAT € 0.000

BLi950X, 579 82 22-01, 1.120 Wh, 7.0 kg, battery only

Price excl. VAT € 0.000



#### NEW 40-B330X / 40-B220X / 40-B140X / 40-B540X



- Integrated battery
- Integrated connectivity
- High capacity/weight ratio
- Weatherproof (IPX4)
- Rechargeable up to 1,500 times
- ActiveCool

40-B140X, 970 60 79-01, 4 Ah, 144 Wh, 1.2 kg

Price excl. VAT € 0.000

40-B220X, 970 60 78-01, 6 Ah, 216 Wh, 1.4 kg

Price excl. VAT € 0.000

40-B330X, 970 60 77-01, 9 Ah, 324 Wh, 1.9 kg

Price excl. VAT € 0.000

40-B540X, 970 72 13-01, 15 Ah, 540 Wh, 2.9 kg — New

Price excl. VAT € 0.000



## WE'RE HERE TO HELP

Read more about the benefits of Services by Husqvarna at [husqvarna.com/ServicesbyHusqvarna](https://husqvarna.com/ServicesbyHusqvarna)

## BLi30 / 40-B140 / 40-B70



- Integrated battery
- Rechargeable up to 600 times
- ActiveCool

|                                             |                 |         |
|---------------------------------------------|-----------------|---------|
| BLi30, 967 93 77-01, 7.7 Ah, 270 Wh, 1.9 kg | Price excl. VAT | € 0.000 |
| 40-B140, 970 45 72-01, 4 Ah, 144 Wh, 1.3 kg | Price excl. VAT | € 0.000 |
| 40-B70, 970 45 71-01, 2 Ah, 72 Wh, 0.8 kg   | Price excl. VAT | € 0.000 |

## NEW 40-C500X / 40-C750X



- Fast charging
- ActiveCool
- LED indicator
- Desktop or wall mount (wall mount bracket available as an accessory)

|                                      |  |
|--------------------------------------|--|
| 40-C500X, 970 71 71-01, 1.7kg, 500 W |  |
| 40-C750X, 970 71 72-01, 1.9kg, 750 W |  |

Price excl. VAT € 0.000

## 40-C250 / 40-C80



- Desktop format
- LED indicator
- ActiveCool (40-C250)

|                                     |  |
|-------------------------------------|--|
| 40-C250, 970 76 05-01, 0.7kg, 250 W |  |
| 40-C80, 970 48 78-01, 0.41 kg, 70 W |  |

Price excl. VAT € 0.000

## QC80F



- 12V cigarette plug

|                                   |  |
|-----------------------------------|--|
| QC80F, 967 62 83-01, 0.6 kg, 80 W |  |
|-----------------------------------|--|

Price excl. VAT € 0.000

## FIND OUT MORE ABOUT OUR BATTERY PRODUCTS

Explore our range of chargers, adapters and battery products.

[husqvarna.com/Battery](https://husqvarna.com/Battery)



## PRESSURE WASHERS

### More cleaning with less water

Nature gives us everything we need — like water, which comes in handy when working around the house and garden. With our innovative pressure washers, you'll discover that water's washing performance is hard to beat. Fresh water should always be used sparingly, and Husqvarna's pressure washers use up to 80% less water to get the job done when compared to a regular hose.



## PRESSURE WASHERS

### CONVENIENT

#### HUSQVARNA PW 130

|             |
|-------------|
| 130 bar     |
| 324-465 l/h |
| 1,500 W     |
| 6 m         |

- Ultra-Flexible high-pressure hose
- Metal pump
- Rotary and flat jet nozzle
- Foam sprayer



|                      |  |
|----------------------|--|
| PW 130, 970 64 80-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

### ADVANCED

#### HUSQVARNA PW 240

|             |
|-------------|
| 140 bar     |
| 348-465 l/h |
| 1,800 W     |
| 8 m         |

- Ultra-Flexible high-pressure hose
- Metal pump
- Rotary and flat jet nozzle
- Foam sprayer



|                      |  |
|----------------------|--|
| PW 240, 970 64 81-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

### SUPERIOR

#### HUSQVARNA PW 350

|             |
|-------------|
| 150 bar     |
| 350-450 l/h |
| 2,100 W     |
| 9 m         |

- Hose reel with support guide
- Durable induction motor
- Storage for accessories
- Stubby gun for easy rinsing
- Nozzle and pressure setting guide



|                      |  |
|----------------------|--|
| PW 350, 970 72 58-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

#### HUSQVARNA PW 360

|             |
|-------------|
| 160 bar     |
| 350-450 l/h |
| 2,100 W     |
| 9 m         |

- Hose reel with support guide
- 3-in-1 Multi-Lance
- Multi-purpose tool
- Foam sprayer
- Durable induction motor



|                      |  |
|----------------------|--|
| PW 360, 970 72 62-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

#### HUSQVARNA PW 370

|             |
|-------------|
| 170 bar     |
| 380-500 l/h |
| 2,100 W     |
| 10 m        |

- Hose reel with support guide
- 3-in-1 Multi-Lance
- Guiding digital display
- Multi-purpose tool
- Foam sprayer



|                      |  |
|----------------------|--|
| PW 370, 970 72 66-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

#### HUSQVARNA PW 480

|             |
|-------------|
| 180 bar     |
| 540-610 l/h |
| 2,900 W     |
| 13 m        |

- Induction motor
- Steel reinforced high-pressure hose
- Long spray lance
- Low force grip
- Brass pump
- Internal detergent tank
- Rotary and flat jet nozzle



|                      |  |
|----------------------|--|
| PW 480, 970 46 83-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

#### HUSQVARNA PW 490

|             |
|-------------|
| 190 bar     |
| 570-650 l/h |
| 3,000 W     |
| 15 m        |

- Induction motor
- Steel reinforced high-pressure hose
- Long spray lance
- Low force grip
- Brass pump
- Internal detergent tank
- Ceramic coated pistons
- Rotary and flat jet nozzle



|                      |  |
|----------------------|--|
| PW 490, 970 46 84-01 |  |
|----------------------|--|

Price excl. VAT € 0.000

Leasing Price/month incl. VAT, from € 0.000

## LEARN MORE ABOUT PRESSURE WASHERS

Find more information on our pressure washers range by visiting [husqvarna.com/PressureWashers](https://husqvarna.com/PressureWashers)



## VACUUM CLEANERS

### ADVANCED

#### HUSQVARNA WDC 220



1,000 W  
20 l  
2.5 m

- Compact Wet & Dry vacuum cleaner
- Strong and reliable suction performance
- Intuitive controls
- Washable PET filter
- Smart storage

WDC 220, 967 90 79-01

Price excl. VAT € 0.000

Leasing

Price/month incl. VAT, from € 0.000

### SUPERIOR

#### HUSQVARNA WDC 325L



1,200 W  
25 l  
3.5 m

- Compact Wet & Dry vacuum cleaner
- Strong and reliable suction performance
- Intuitive controls
- Washable PET filter
- Smart storage
- Smart start/stop function when connected to power hand tools
- Variable speed control
- Dust class L certified

WDC 325L, 967 90 81-01

Price excl. VAT € 0.000

Leasing

Price/month incl. VAT, from € 0.000

#### READ MORE ABOUT OUR VACUUM CLEANERS

Find more info on our entire range of vacuum cleaners at [husqvarna.com/VacuumCleaners](https://husqvarna.com/VacuumCleaners)



#### HUSQVARNA K 4000



230/120/110V  
2,700/1,800/  
2,200 W  
350 mm  
8.5 kg

- Corded
- Elgard, overload protection
- "Pulling" rotation
- Simple blade change
- Replaceable arbor bushing

K 4000, 967 07 98-01, excl. battery and charger

Price excl. VAT € 0.000

## PETROL POWER CUTTERS

### PROFESSIONAL

#### HUSQVARNA K 1270



119 cm<sup>3</sup>  
5.8 kW  
350/400 mm  
13.3/13.7 kg

- Active Air Filtration\*
- SmartCarb™
- Poly-V belt
- X-TORQ™ engine

K 1270, 14", 967 97 87-01

Price excl. VAT € 0.000

K 1270, 16", 967 97 88-01

Price excl. VAT € 0.000

#### HUSQVARNA K 970 SMARTGUARD™



94 cm<sup>3</sup>  
4.8 kW  
350/400 mm  
11.9/12.8 kg

- Active Air Filtration\*
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-TORQ™ engine
- SmartTension™
- SmartGuard™

K 970 SmartGuard™, 14", 970 46 00-02

Price excl. VAT € 0.000

K 970 SmartGuard™, 16", 970 49 49-01

Price excl. VAT € 0.000

#### HUSQVARNA K 970



94 cm<sup>3</sup>  
4.8 kW  
350/400 mm  
11.0/11.6 kg

- Active Air Filtration\*
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-TORQ™ engine
- SmartTension™

K 970, 14", 967 34 80-01

Price excl. VAT € 0.000

K 970, 16", 967 34 81-01

Price excl. VAT € 0.000

#### HUSQVARNA K 770 SMARTGUARD™



74 cm<sup>3</sup>  
3.7 kW  
300/350 mm  
10.8/11.1 kg

- Active Air Filtration\*
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-TORQ™ engine
- SmartTension™
- SmartGuard™

K 770 SmartGuard™, 12", 970 49 48-01

Price excl. VAT € 0.000

K 770 SmartGuard™, 14", 970 46 00-02

Price excl. VAT € 0.000

#### HUSQVARNA K 770



74 cm<sup>3</sup>  
3.7 kW  
300/350 mm  
10/10.1 kg

- Active Air Filtration\*
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-TORQ™ engine
- SmartTension™

K 770, 12", 967 80 85-01

Price excl. VAT € 0.000

K 770, 14", 967 68 21-01

Price excl. VAT € 0.000

#### FIND OUT MORE ABOUT OUR POWER CUTTERS

Find more info on our entire range of power cutters at [husqvarna.com/PowerCutters](https://husqvarna.com/PowerCutters)



## BATTERY/CORDED POWER CUTTERS

### PROFESSIONAL

#### HUSQVARNA K 1 PACE™



300/350 mm  
7.2/7.4 kg

- PACE™ high-power battery system
- Brushless E-TORQ™ motor
- X-HALT™ blade brake function
- Intuitive keypad
- Weatherproof (IPX4)
- Integrated connectivity

K 1 PACE™, 12", 970 44 58-01, excl. battery and charger

Price excl. VAT € 0.000

K 1 PACE™, 14", 970 51 92-01, excl. battery and charger

Price excl. VAT € 0.000

#### HUSQVARNA K 1 PACE™ RESCUE



350 mm  
7.9 kg

- PACE™ high-power battery system
- Brushless E-TORQ™ motor
- X-HALT™ blade brake function
- Intuitive keypad
- Weatherproof (IPX4)
- Integrated connectivity

K 1 PACE™ Rescue, 970 51 93-01

Price excl. VAT € 0.000

#### HUSQVARNA K 540i



267 mm  
4.7 kg

- Specially developed blades
- X-Halt™ blade brake function
- Excellent for both wet and dry cutting
- One battery system
- Zero CO<sub>2</sub> emissions during use

K 540i, 970 66 40-01, excl. battery and charger

Price excl. VAT € 0.000

#### HUSQVARNA K 535i



230 mm  
3.5 kg

- Brushless E-TORQ™ motor
- Electric blade break
- save™ for maximum runtime
- Intuitive keypad
- Weatherproof (IPX4)
- Integrated carry loop

K 535i, 967 79 59-01, excl. battery and charger

Price excl. VAT € 0.000



WE'RE HERE TO HELP

Read more about the benefits of Services by Husqvarna at [husqvarna.com/ServicesbyHusqvarna](https://husqvarna.com/ServicesbyHusqvarna)

# How long will the battery last?

WORKING TIME ON ONE CHARGE

| APPLICATION                     | PRODUCT NAME                                                                        | BATTERY                                                                                      |                   |            |            |            |            |            |            |            |            |            |             |
|---------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
|                                 |                                                                                     | BLi10 <br>40-B70                                                                             | BLi20 <br>40-B140 | BLi30      | 40-B140X   | BLi200     | BLi200X    | 40-B220X   | BLi300     | 40-B330X   | 40-B540X   | BLi950X    |             |
| CHAINSAWS                       |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Take down/removal               |    | 542i XP®/XP® G¹ T542i XP®/XP® G¹ <br>540i XP®/XP® G¹ T540i XP®/XP® G¹                        | 40 min            | 1 h 20 min | 2 h 30 min | 1 h 15 min | 1 h 45 min | 1 h 45 min | 2 h        | 3 h        | 3 h        | 4 h 55 min | 12 h        |
| Pruning in tree                 |    | 542i XP®/XP® G¹ T542i XP®/XP® G¹ <br>540i XP®/XP® G¹ T540i XP®/XP® G¹ <br>535i XP® T535i XP® | 1 h               | 2 h        | 4 h        | 2 h 15 min | 3 h        | 3 h        | 3 h 30 min | 5 h 30 min | 5 h 30 min | 9 h        | 17 h 30 min |
| Pruning                         |    | 542i XP®/XP® G¹ 540i XP®/XP® G¹ <br>535i XP® T535i XP®                                       | 30 min            | 1 h        | 1 h 45 min | 55 min     | 1 h 15 min | 1 h 15 min | 1 h 30 min | 2 h 15 min | 2 h 15 min | 3 h 40 min | 7 h 30 min  |
|                                 |                                                                                     | 435i                                                                                         | 30 min            | 1 h        | 1 h 50 min | TBD        | 1 h 15 min | 1 h 15 min | 1 h 30 min | 2 h 15 min | 2 h 15 min | TBD        | 8 h 15 min  |
|                                 |                                                                                     | 240i                                                                                         | TBD               | 1 h        | 2 h        | TBD        | TBD        | TBD        | 1 h 15 min | TBD        | 2 h 15 min | TBD        | TBD         |
|                                 |                                                                                     | 225i                                                                                         | TBD               | 1 h        | 2 h        | TBD        | TBD        | TBD        | 1 h 15 min | TBD        | 2 h 15 min | TBD        | TBD         |
| Log cutting                     |    | 542i XP®/XP® G¹ 540i XP®/XP® G¹ <br>535i XP®                                                 | 15 min            | 30 min     | 45 min     | 30 min     | 35 min     | 35 min     | 40 min     | 1 h        | 1 h        | 1 h 40 min | 3 h 30 min  |
|                                 |                                                                                     | 435i                                                                                         | 15 min            | 30 min     | 45 min     | TBD        | 35 min     | 35 min     | 40 min     | 1 h        | 1 h        | TBD        | 4 h         |
|                                 |                                                                                     | 240i                                                                                         | TBD               | 30 min     | 45 min     | TBD        | TBD        | TBD        | 35 min     | TBD        | 1 h        | TBD        | TBD         |
|                                 |                                                                                     | 225i                                                                                         | TBD               | 30 min     | 40 min     | TBD        | TBD        | TBD        | 35 min     | TBD        | 1 h        | TBD        | TBD         |
| Carpenting                      |    | 542i XP®/XP® G¹ 540i XP®/XP® G¹ <br>535i XP® T535i XP®                                       | 1 h 15 min        | 2 h 30 min | 4 h 30 min | 2 h 30 min | 3 h        | 3 h        | 3 h 30 min | 5 h 30 min | 5 h 30 min | 9 h        | 18 h 45 min |
|                                 |                                                                                     | 435i                                                                                         | 1 h 15 min        | 2 h 30 min | 4 h 30 min | 2 h 30 min | 3 h        | 3 h        | 3 h 30 min | 5 h 30 min | 5 h 30 min | TBD        | 20 h 30 min |
| POWER ASCENDER                  |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Climbing                        | Husqvarna x Skylotec<br>Power Ascender                                              | —                                                                                            | —                 | —          | —          | —          | —          | —          | 230 metres | —          | 420 metres | —          | —           |
| POLE SAWS                       |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Pruning                         |    | 530iPT5 530iP4                                                                               | 40 min            | 1 h 30 min | 2 h 50 min | 1 h 30 min | 2 h        | 2 h        | 2 h 15 min | 3 h 30 min | 3 h 30 min | 5 h 40 min | 11 h 30 min |
|                                 |                                                                                     | 120iTK4-P                                                                                    | 45 min            | 1 h 35 min | 2 h 55 min | TBD        | 2 h 5 min  | 2 h 5 min  | 2 h 15 min | 3 h 30 min | 3 h 30 min | TBD        | 11 h 35 min |
|                                 |                                                                                     | DP110 FLXi                                                                                   | 40 min            | 1 h 30 min | 2 h 50 min | TBD        | 2 h        | 2 h        | 2 h 15 min | 3 h 30 min | 3 h 30 min | TBD        | 11 h 30 min |
| FORESTRY CLEARING SAW           |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Clearing                        |   | 530iPX                                                                                       | 30 min            | 1 h        | 2 h        | 1 h        | 1 h 20 min | 1 h 20 min | TBD        | 2 h 30 min | 2 h 30 min | 4 h 5 min  | 8 h 15 min  |
| BRUSHCUTTERS                    |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Forestry clearing               |  | 535iFR                                                                                       | —                 | 20 min     | 45 min     | 25 min     | 30 min     | 30 min     | 35 min     | 1 h        | 1 h        | 1 h 40 min | 3 h 20 min  |
| Tough cutting<br>(grass blade)  |  | 535iRXT 535iRX 535iFR                                                                        | —                 | 15 min     | 35 min     | 20 min     | 25 min     | 25 min     | 30 min     | 45 min     | 45 min     | 1 h 15 min | 2 h 25 min  |
|                                 |                                                                                     | 525iRXT                                                                                      | —                 | 20 min     | 40 min     | 25 min     | 30 min     | 30 min     | 35 min     | 55 min     | 55 min     | 1 h 30 min | 3 h         |
|                                 |                                                                                     | 325iR 325iRJ                                                                                 | 15 min            | 30 min     | 55 min     | TBD        | 40 min     | 40 min     | 45 min     | 1 h 10 min | 55 min     | TBD        | 2 h 50 min  |
| Tough cutting<br>(trimmer head) |  | 535iRXT 535iRX 535iFR                                                                        | —                 | 10 min     | 20 min     | 10 min     | 15 min     | 15 min     | 15 min     | 30 min     | 30 min     | 50 min     | 1 h 50 min  |
|                                 |                                                                                     | 525iRXT                                                                                      | —                 | 15 min     | 30 min     | 15 min     | 20 min     | 20 min     | 20 min     | 40 min     | 40 min     | 1 h        | 2 h 15 min  |
|                                 |                                                                                     | 325iR 325iRJ                                                                                 | 10 min            | 20 min     | 40 min     | TBD        | 30 min     | 30 min     | 30 min     | 50 min     | 1 h        | TBD        | 2 h 50 min  |
| TRIMMERS                        |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Tough grass cutting             |  | 525iLXT                                                                                      | —                 | 15 min     | 30 min     | 15 min     | 20 min     | 20 min     | 25 min     | 40 min     | 40 min     | 1 h        | 1 h 50 min  |
|                                 |                                                                                     | 525iLK²                                                                                      | —                 | 15 min     | 30 min     | 20 min     | 25 min     | 25 min     | 30 min     | 40 min     | 40 min     | 1 h        | 2 h 15 min  |
|                                 |                                                                                     | 520iRX 520iLX                                                                                | 30 min            | 1 h        | 1 h 50 min | 30 min     | 40 min     | 40 min     | 45 min     | 1 h 15 min | 1 h 15 min | 2 h        | 4 h 15 min  |
|                                 |                                                                                     | 325iLK 325iL                                                                                 | 10 min            | 20 min     | 40 min     | TBD        | 30 min     | 30 min     | 30 min     | 50 min     | 1 h        | TBD        | 2 h 50 min  |
| Light grass cutting             |  | 525iLXT 525iLK²                                                                              | —                 | 30 min     | 1 h        | 30 min     | 40 min     | 40 min     | 45 min     | 1 h 15 min | 1 h 15 min | 2 h        | 4 h 10 min  |
|                                 |                                                                                     | 520iRX 520iLX                                                                                | 30 min            | 1 h        | 1 h 50 min | 1 h        | 1 h 20 min | 1 h 20 min | 1 h 30 min | 2 h 15 min | 2 h 15 min | 3 h 40 min | 8 h 15 min  |
|                                 |                                                                                     | 325iLK 325iL                                                                                 | 20 min            | 45 min     | 1 h 15 min | TBD        | 50 min     | 50 min     | 1 h        | 1 h 40 min | 2 h        | TBD        | 5 h 40 min  |
|                                 |                                                                                     | 215iL                                                                                        | 30 min            | 1 h        | 1 h 50 min | TBD        | 1 h 15 min | 1 h 15 min | 1 h 30 min | 2 h 20 min | 2 h 30 min | TBD        | TBD         |
|                                 |                                                                                     | 110iL FLXi                                                                                   | 30 min            | 1 h        | 1 h 50 min | TBD        | 1 h 15 min | 1 h 15 min | 1 h 30 min | 2 h 20 min | 2 h 20 min | TBD        | TBD         |
| HEDGE TRIMMERS                  |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Tough cutting                   |  | 522iHDR60                                                                                    | 25 min            | 45 min     | 1 h 25 min | 45 min     | 1 h        | 1 h        | 1 h 10 min | 1 h 50 min | 1 h 50 min | 2 h 30 min | 6 h         |
|                                 |                                                                                     | 522iHD60 522iHD75                                                                            | 30 min            | 55 min     | 1 h 40 min | 55 min     | 1 h 10 min | 1 h 10 min | 1 h 20 min | 2 h 5 min  | 2 h 5 min  | 3 h 25 min | 7 h         |
|                                 |                                                                                     | 525iHF3 525iHE3 525iHE4                                                                      | 20 min            | 35 min     | 1 h 5 min  | 35 min     | 45 min     | 45 min     | 50 min     | 1 h 20 min | 1 h 20 min | 2 h 10 min | 4 h 25 min  |
|                                 |                                                                                     | 520iHT4 520iHE3                                                                              | 25 min            | 50 min     | 1 h 20 min | 45 min     | 1 h        | 1 h        | 1 h 10 min | 1 h 45 min | 1 h 45 min | 2 h 50 min | 6 h         |
| Light trimming                  |  | 522iHDR60 522iHD60 522iHD75                                                                  | 50 min            | 1 h 30 min | 2 h 55 min | 1 h 30 min | 2 h        | 2 h        | 2 h15 min  | 3 h 35 min | 3 h 35 min | 5 h 50 min | 12 h        |
|                                 |                                                                                     | 525iHF3 525iHE3 525iHE4                                                                      | 30 min            | 55 min     | 1 h 40 min | 55 min     | 1 h 10 min | 1 h 10 min | 1 h 20 min | 2 h 5 min  | 2 h 5 min  | 3 h 25 min | 6 h 55 min  |
|                                 |                                                                                     | 520iHT4 520iHE3                                                                              | 50 min            | 1 h 30 min | 3 h        | 1 h 30 min | 2 h        | 2 h        | 2 h 20 min | 3 h 45 min | 3 h 45 min | 6 h 25 min | 12 h 30 min |
|                                 |                                                                                     | 322iHD60                                                                                     | 45 min            | 1 h 30 min | 2 h        | 1 h 45 min | 2 h        | 2 h        | 2 h        | 2 h 30 min | 3 h        | TBD        | 7 h 30 min  |
|                                 |                                                                                     | 215iHD45                                                                                     | 45 min            | 1 h 30 min | 2 h        | 1 h 45 min | 2 h        | 2 h        | 2 h        | 2 h 30 min | 3 h        | TBD        | 7 h 30 min  |
|                                 |                                                                                     | 120iTK4-H                                                                                    | 1 h               | 2 h        | 4 h        | 1 h 45 min | 2 h        | 2 h        | 2 h        | 3 h 45 min | 4 h 30 min | TBD        | 12 h 30 min |
|                                 |                                                                                     | DH110 FLXi                                                                                   | 50 min            | 1 h 30 min | 3 h        | 1 h 45 min | 2 h        | 2 h        | 2 h        | 3 h 45 min | 3 h 45 min | TBD        | 12 h 30 min |
|                                 |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| BLOWERS                         |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Tough blowing                   |  | 550iBTX²                                                                                     | —                 | —          | —          | —          | —          | —          | —          | —          | —          | —          | 1 h         |
|                                 |                                                                                     | 530iB                                                                                        | 5 min             | 15 min     | 30 min     | 10 min     | 15 min     | 15 min     | 15 min     | 35 min     | 35 min     | 55 min     | 3 h 30 min  |
|                                 |                                                                                     | 340iBT³                                                                                      | TBD               | 15 min     | 35 min     | 30 min     | 20 min     | 20 min     | 35 min     | 35 min     | 45 min     | TBD        | —           |
|                                 |                                                                                     | 325iB                                                                                        | 10 min            | 20 min     | 40 min     | 25 min     | 25 min     | 25 min     | 35 min     | 45 min     | 45 min     | TBD        | 2 h 40 min  |
|                                 |                                                                                     | 230iB                                                                                        | 10 min            | 20 min     | 40 min     | 25 min     | 25 min     | 25 min     | 35 min     | 45 min     | 45 min     | TBD        | 2 h 40 min  |
|                                 |                                                                                     | 120iB                                                                                        | 15 min            | 30 min     | 50 min     | 35 min     | 30 min     | 30 min     | 45 min     | 50 min     | 55 min     | TBD        | 2 h 50 min  |
| Light blowing                   |  | 550iBTX²                                                                                     | —                 | —          | —          | —          | —          | —          | —          | —          | —          | TBD        | 1 h 45 min  |
|                                 |                                                                                     | 530iB                                                                                        | 15 min            | 30 min     | 50 min     | 30 min     | 35 min     | 35 min     | 40 min     | 1 h        | 1 h        | 1 h 40 min | 3 h 30 min  |
|                                 |                                                                                     | 340iBT³                                                                                      | 15 min            | 20 min     | 45 min     | 30 min     | 30 min     | 30 min     | 35 min     | 55 min     | 45 min     | TBD        | —           |
|                                 |                                                                                     | 325iB                                                                                        | 15 min            | 30 min     | 50 min     | 35 min     | 35 min     | 35 min     | 35 min     | 1 h        | 45 min     | TBD        | 3 h 30 min  |
|                                 |                                                                                     | 230iB                                                                                        | 15 min            | 30 min     | 50 min     | 30 min     | 35 min     | 35 min     | 1 h        | 1 h        | 1 h 20 min | TBD        | 3 h 30 min  |
|                                 |                                                                                     | 120iB                                                                                        | 20 min            | 35 min     | 1 h 10 min | 1 h        | 45 min     | 45 min     | 1 h 20 min | 1 h 25 min | 1 h 45 min | TBD        | 4 h 45 min  |
|                                 |                                                                                     | DB110 FLXi                                                                                   | 20 min            | 35 min     | 1 h 10 min | 1 h        | 45 min     | 45 min     | 1 h 20 min | 1 h 25 min | 1 h 45 min | TBD        | 4 h 45 min  |
|                                 |                                                                                     |                                                                                              |                   |            |            |            |            |            |            |            |            |            |             |
| Blowing & Vacuuming             |                                                                                     | 120iBV                                                                                       | 20 min            | 35 min     | 1 h 10 min | 1 h        | 45 min     | 45 min     | 50 min     | 1 h 25 min | 1 h 30 min | TBD        | 4 h 45 min  |

Best option    — = Not recommended.    TBD = Values were not available at time of printing.    ¹ Full capacity only provided by BLi200X/40-B220X or BLi300/40-B330X.    ² Requires BLi backpack batteries    ³ Run time refers to the use of two batteries    ⁴ Requires adapter plate and battery adapter for use with backpack battery. The runtimes are up-to times and correspond to work time using energy saving mode: actual work, basic maintenance and movement/climbing needed for generic operations. Given guidelines are indicative only and may not always be repeatable from one setting to another. Required battery temperature for charging: min. 5 °C max. 40 °C.

| APPLICATION                                    | PRODUCT NAME                                                                      | BATTERY               |                   |        |             |            |         |            |            |            |          |         |            |
|------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------|-------------------|--------|-------------|------------|---------|------------|------------|------------|----------|---------|------------|
|                                                |                                                                                   | BLi10 <br>40-B70      | BLi20 <br>40-B140 | BLi30  | 40-B140X    | BLi200     | BLi200X | 40-B220X   | BLi300     | 40-B330X   | 40-B540X | BLi950X |            |
| LAWN MOWERS                                    |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Mowing                                         |  | LC 551iV <sup>s</sup> | —                 | 10 min | —           | —          | 15 min  | TBD        | 20 min     | 30 min     | 30 min   | —       | 1 h 40 min |
|                                                |                                                                                   | LB 553iV <sup>s</sup> | —                 | —      | —           | —          | 20 min  | TBD        | 25 min     | 35 min     | 35 min   | —       | 1 h 50 min |
|                                                |                                                                                   | LB 548i <sup>s</sup>  | —                 | 15 min | —           | —          | 25 min  | TBD        | 30 min     | 35 min     | 35 min   | —       | 1 h 55 min |
|                                                |                                                                                   | LB 448iV              | —                 | —      | —           | —          | 20 min  | TBD        | 25 min     | 35 min     | 35 min   | —       | —          |
|                                                |                                                                                   | LB 448i               | —                 | 20 min | 35 min      | —          | 25 min  | TBD        | 30 min     | 45 min     | 45 min   | —       | —          |
|                                                |                                                                                   | LB 442i               | —                 | 25 min | 50 min      | —          | 35 min  | TBD        | 40 min     | 55 min     | 55 min   | —       | —          |
|                                                |                                                                                   | LC 353iVX             | —                 | 15 min | 30 min      | 15 min     | 20 min  | TBD        | TBD        | 35 min     | TBD      | —       | —          |
|                                                |                                                                                   | LC 347iVX             | —                 | 15 min | 30 min      | 15 min     | 20 min  | TBD        | TBD        | 40 min     | TBD      | —       | —          |
|                                                |                                                                                   | LC 251i               | —                 | 20 min | 40 min      | 20 min     | 25 min  | TBD        | TBD        | 40 min     | TBD      | —       | —          |
|                                                |                                                                                   | LC 251iS              | —                 | 15 min | 30 min      | 15 min     | 20 min  | TBD        | TBD        | 35 min     | TBD      | —       | —          |
|                                                |                                                                                   | LC 247i               | —                 | 20 min | 40 min      | 20 min     | 25 min  | TBD        | TBD        | 45 min     | TBD      | —       | —          |
|                                                |                                                                                   | LB 246iS              | —                 | 25 min | 50 min      | 25 min     | 30 min  | TBD        | TBD        | 1 h        | TBD      | —       | —          |
|                                                |                                                                                   | LB 144i               | —                 | 25 min | 50 min      | 25 min     | 30 min  | TBD        | TBD        | 1 h        | TBD      | —       | —          |
|                                                |                                                                                   | LC 142iS              | —                 | 30 min | 1 h         | 30 min     | 40 min  | TBD        | TBD        | 1 h 10 min | TBD      | —       | —          |
|                                                |                                                                                   | LC 142i               | —                 | 35 min | 1 h 5 min   | 35 min     | 45 min  | TBD        | TBD        | 1 h 15 min | TBD      | —       | —          |
| LC 137i                                        | 30 min                                                                            | 1 h                   | 1 h 55 min        | 1 h    | 1 h 15 min  | TBD        | TBD     | 2 h 15 min | TBD        | —          | —        |         |            |
| SHREDDERS                                      |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Shredding                                      | GS 340is                                                                          | —                     | 30 min            | 1 h    | TBD         | 40 min     | TBD     | TBD        | 1 h 10 min | TBD        | —        | —       |            |
| DETHATCHERS                                    |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Dethatching                                    | S138i                                                                             | —                     | 25 min            | 50 min | 25 min      | 30 min     | 30 min  | TBD        | 1 h        | TBD        | TBD      | —       |            |
| POWER CUTTERS                                  |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Cutting concrete garden plates (400×400×50 mm) | K 540i                                                                            | —                     | —                 | —      | —           | —          | —       | —          | 24 pcs     | 24 pcs     | TBD      | —       |            |
| Cutting granite (300×100 mm)                   | K 540i                                                                            | —                     | —                 | —      | —           | —          | —       | —          | 6 pcs      | 6 pcs      | TBD      | —       |            |
| Cutting concrete hollow blocks (150×167 mm)    | K 540i                                                                            | —                     | —                 | —      | —           | —          | —       | —          | 8 pcs      | 8 pcs      | TBD      | —       |            |
| Cutting concrete slab (990×140 mm)             | K 540i                                                                            | —                     | —                 | —      | —           | —          | —       | —          | 33 pcs     | 33 pcs     | TBD      | —       |            |
| Cutting concrete hollow blocks (150×167 mm)    | K 540i                                                                            | —                     | —                 | —      | —           | —          | —       | —          | 2 pcs      | 2 pcs      | TBD      | —       |            |
| Cutting concrete garden plates (40 mm)         | K 535i                                                                            | —                     | —                 | —      | —           | 22 pcs     | —       | 22 pcs     | 41 pcs     | 41 pcs     | TBD      | —       |            |
| Cutting roof tiles                             | K 535i                                                                            | —                     | —                 | —      | —           | 87 pcs     | —       | 87 pcs     | 164 pcs    | 164 pcs    | TBD      | —       |            |
| Cutting granite (70 mm)                        | K 535i                                                                            | —                     | —                 | —      | —           | 6 pcs      | —       | 6 pcs      | 10 pcs     | 10 pcs     | TBD      | —       |            |
| Cutting floor tiles (7 mm)                     | K 535i                                                                            | —                     | —                 | —      | —           | 144 pcs    | —       | 144 pcs    | 244 pcs    | 244 pcs    | TBD      | —       |            |
| WATER TANK                                     |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| In use                                         | WT 15i                                                                            | —                     | —                 | —      | 4 h         | 4 h 30 min | —       | 5 h        | 8 h        | 8 h        | TBD      | —       |            |
| CONCRETE PLACEMENT                             |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Screed                                         | BV 30i                                                                            | —                     | —                 | —      | TBD         | 40 min     | —       | 47 min     | 1 h 10 min | 1 h 10 min | TBD      | —       |            |
| COMPACTION                                     |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Forward Plate Compactor                        | LF 60i <sup>a</sup>                                                               | —                     | —                 | —      | —           | 25 min     | —       | 30 min     | 45 min     | 50 min     | —        | —       |            |
| DUST EXTRACTOR                                 |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Dust extraction                                | DE 110i                                                                           | —                     | —                 | —      | TBD         | 20 min     | —       | 20 min     | 40 min     | 40 min     | —        | —       |            |
| CORE DRILLING                                  |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Concrete slab (270 mm without rebar) Ø 25      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 12 holes   | 12 holes   | TBD      | —       |            |
| Concrete slab (270 mm without rebar) Ø 50      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 7 holes    | 7 holes    | TBD      | —       |            |
| Concrete slab (270 mm without rebar) Ø 75      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 5 holes    | 5 holes    | TBD      | —       |            |
| Concrete slab (270 mm without rebar) Ø 100     | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 3 holes    | 3 holes    | TBD      | —       |            |
| Leca 590×150×190 mm, Ø 25                      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 225 holes  | 225 holes  | TBD      | —       |            |
| Leca 590×150×190 mm, Ø 50                      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 175 holes  | 174 holes  | TBD      | —       |            |
| Leca 590×150×190 mm, Ø 75                      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 125 holes  | 125 holes  | TBD      | —       |            |
| Cinder block 390×150×167 mm, Ø 25              | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 65 holes   | 65 holes   | TBD      | —       |            |
| Cinder block 390×150×167 mm, Ø 50              | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 32 holes   | 32 holes   | TBD      | —       |            |
| Cinder block 390×150×167 mm, Ø 75              | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 15 holes   | 15 holes   | TBD      | —       |            |
| Brick 250×120×62 mm, Ø 25                      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 53 holes   | 53 holes   | TBD      | —       |            |
| Brick 250×120×62 mm, Ø 50                      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 40 holes   | 40 holes   | TBD      | —       |            |
| Brick 250×120×62 mm, Ø 75                      | DM 540i                                                                           | —                     | —                 | —      | —           | —          | —       | —          | 23 holes   | 23 holes   | TBD      | —       |            |
| WORK LIGHT                                     |                                                                                   |                       |                   |        |             |            |         |            |            |            |          |         |            |
| Setting 1 1000 lm                              | WL 8i                                                                             | —                     | —                 | —      | 20 h 50 min | 26 h       | —       | 26 h       | 48 h       | 48 h       | —        | —       |            |
| Setting 2 4000 lm                              | WL 8i                                                                             | —                     | —                 | —      | 5 h 40 min  | 7 h        | —       | 7 h        | 13 h       | 13 h       | —        | —       |            |
| Setting 3 8000 lm                              | WL 8i                                                                             | —                     | —                 | —      | 2 h 50 min  | 3 h 30 min | —       | 3 h 30 min | 6 h 30 min | 6 h 30 min | —        | —       |            |

## CHARGING TIME FOR DIFFERENT BATTERIES AND CHARGERS

| BATTERY       | CHARGING CYCLES UP TO | 40-C750X                                                                            |                                                                                     | 40-C500X                                                                            |                                                                                     | QC500                                                                               |                                                                                     | QC330                                                                               |                                                                                     | 40-C250                                                                             |                                                                                     | 40-C80                                                                              |                                                                                      | QC80 QC80F                                                                            |                                                                                       |
|---------------|-----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|               |                       | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                      |                                                                                      | CHARGING LEVEL                                                                        |                                                                                       |
|               |                       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| BLi10 40-B70  | 600                   | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 1 h 10 min                                                                          | 1 h 20 min                                                                           | 50 min                                                                                | 1 h 10 min                                                                            |
| BLi20 40-B140 | 600                   | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 25 min                                                                              | 40 min                                                                              | 30 min                                                                              | 45 min                                                                              | 2 h 30 min                                                                          | 2 h 35 min/<br>2 h 40 min                                                            | 1 h 50 min                                                                            | 2 h 10 min                                                                            |
| BLi30         | 600                   | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 45 min                                                                              | 1 h 5 min                                                                           | 1 h                                                                                 | 1 h 20 min                                                                          | 4 h 20 min                                                                          | 4 h 30 min                                                                           | 3 h 15 min                                                                            | 3 h 35 min                                                                            |
| 40-B140X      | 1500                  | 30 min                                                                              | 1 h                                                                                 | 30 min                                                                              | 1 h                                                                                 | 35 min                                                                              | 55 min                                                                              | 35 min                                                                              | 55 min                                                                              | 30 min                                                                              | 55 min                                                                              | 2 h 15 min                                                                          | 2 h 30 min                                                                           | —                                                                                     | 1 h 40 min                                                                            |
| BLi200        | 1500                  | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 35 min                                                                              | 55 min                                                                              | 3 h 30 min                                                                          | 3 h 15 min                                                                           | 2 h 25 min                                                                            | 2 h 40 min                                                                            |
| BLi200X       | 1500                  | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 30 min                                                                              | 50 min                                                                              | 35 min                                                                              | 55 min                                                                              | 3 h 30 min                                                                          | 3 h 15 min                                                                           | 2 h 25 min                                                                            | 2 h 40 min                                                                            |
| 40-B220X      | 1500                  | 20 min                                                                              | 40 min                                                                              | 20 min                                                                              | 45 min                                                                              | 20 min                                                                              | 40 min                                                                              | 35 min                                                                              | 55 min                                                                              | 50 min                                                                              | 1 h 5 min                                                                           | 3 h 20 min                                                                          | 3 h 30 min                                                                           | —                                                                                     | 2 h 25 min                                                                            |
| BLi300        | 1500                  | 35 min                                                                              | 1 h                                                                                 | 35 min                                                                              | 1 h                                                                                 | 35 min                                                                              | 1 h                                                                                 | 1 h                                                                                 | 1 h 20 min                                                                          | 1 h 5 min                                                                           | 1 h 30 min                                                                          | 4 h 10 min                                                                          | 4 h 25 min                                                                           | 4 h                                                                                   | 4 h 20 min                                                                            |
| 40-B330X      | 1500                  | 25 min                                                                              | 40 min                                                                              | 35 min                                                                              | 55 min                                                                              | 35 min                                                                              | 50 min                                                                              | 1 h                                                                                 | 1 h 15 min                                                                          | 1 h 20 min                                                                          | 1 h 30 min                                                                          | 5 h 10 min                                                                          | 5 h 15 min                                                                           | —                                                                                     | 3 h 55 min                                                                            |
| 40-B540X      | 1500                  | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                 | TBD                                                                                  | TBD                                                                                   | TBD                                                                                   |
| BLi950X       | 1500                  | 1 h 30 min                                                                          | 2 h 30 min                                                                          | 2 h                                                                                 | 2 h 50 min                                                                          | 1 h 40 min                                                                          | 2 h 20 min                                                                          | 3 h                                                                                 | 4 h 5 min                                                                           | —                                                                                   | —                                                                                   | —                                                                                   | —                                                                                    | —                                                                                     | —                                                                                     |

Required battery temperature for charging: min. 5 °C max. 40 °C



# Husqvarna Aspire™ 18V Battery System

## WORKING TIME ON ONE CHARGE

| APPLICATION                    |                                                                                     | PRODUCT NAME                                           | BATTERY        |                |                 |              |
|--------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------|----------------|----------------|-----------------|--------------|
|                                |                                                                                     |                                                        | P4A 18-B36     | P4A 18-B45     | P4A 18-B72      | P4A 18-B108  |
| PRUNER                         |                                                                                     |                                                        |                |                |                 |              |
| Pruning                        |  | Aspire™ P5-P4A <br>Aspire™ P5-P4A + Aspire™ pole-P4A   | 25 min         | 30 min         | 1 h             | 1 h 20 min   |
| TRIMMER                        |                                                                                     |                                                        |                |                |                 |              |
| Light grass cutting            |  | Aspire™ T28-P4A                                        | 20 min         | 25 min         | 50 min          | 1 h 15 min   |
| HEDGE TRIMMER                  |                                                                                     |                                                        |                |                |                 |              |
| Light trimming                 |  | Aspire™ H50-P4A                                        | 30 min         | 40 min         | 1 h 20 min      | 2 h          |
| BLOWER                         |                                                                                     |                                                        |                |                |                 |              |
| Light blowing                  |  | Aspire™ B8X-P4A                                        | 12 min         | 15 min         | 30 min          | 45 min       |
| LAWN MOWER                     |                                                                                     |                                                        |                |                |                 |              |
| Mowing                         |  | Aspire™ LC34-P4A                                       | 8 min          | 10 min         | 25 min          | 40 min       |
| SHRUB SHEAR                    |                                                                                     |                                                        |                |                |                 |              |
| Shaping / Trimming             |  | Aspire™ S20-P4A <br>Aspire™ S20-P4A + Aspire™ pole-P4A | 1 h 10 min     | 1 h 30 min     | 3 h             | 4 h 30 min   |
| CHAINSAW                       |                                                                                     |                                                        |                |                |                 |              |
| Pruning/Logging/<br>Carpenting |  | Aspire™ C15X-P4A                                       | 15 min/50 cuts | 20 min/62 cuts | 40 min/100 cuts | 1 h/150 cuts |



### CHARGING TIME FOR DIFFERENT BATTERIES AND CHARGERS

| BATTERY     | P4A 18-C50                                                                          |                                                                                     | P4A 18-C100                                                                         |                                                                                     | P4A 18-C170                                                                           |                                                                                       |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                      |                                                                                     | CHARGING LEVEL                                                                        |                                                                                       |
|             |  |  |  |  |  |  |
| P4A 18-B36  | —                                                                                   | 1 h 5 min                                                                           | —                                                                                   | 34 min                                                                              | 22 min                                                                                | 30 min                                                                                |
| P4A 18-B45  | —                                                                                   | 1 h 20 min                                                                          | —                                                                                   | 43 min                                                                              | 25 min                                                                                | 36 min                                                                                |
| P4A 18-B72  | —                                                                                   | 1 h 56 min                                                                          | —                                                                                   | 59 min                                                                              | 27 min                                                                                | 35 min                                                                                |
| P4A 18-B108 | —                                                                                   | 3 h 8 min                                                                           | —                                                                                   | 1 h 27 min                                                                          | 45 min                                                                                | 1 h 2 min                                                                             |

# Services by Husqvarna

Beyond easy ownership. Our services provide you with truly trouble-free use of our products. Options like extended warranty, service contracts and leasing are included to make using your Husqvarna product more enjoyable.

## HUSQVARNA WARRANTY PLUS

### Extend your coverage

With Husqvarna Warranty Plus you secure trouble-free performance of your Husqvarna for up to 5 years. The offering is available for a wide range of products and can be added up to 30 days after your purchase.

## HUSQVARNA SERVICE PLUS

### Enter the world of convenience

Husqvarna Service Plus is a 3 or 5-year all-inclusive service package for your robotic mower, meaning convenience and trouble-free ownership for you. We take care of maintenance, repairs and off-season storage\* at a fixed monthly cost.

## HUSQVARNA LEASE PLUS

### Lease your perfect lawn

With Husqvarna Lease Plus you can have an Automower® robotic mower, rider, Aspire bundle, or a select range of battery handheld products at a fixed monthly cost for a 3 or 5-year period. Afterwards, hand it back in to your dealer and upgrade to a new model and leasing offer. Installation, off-season storage\*, insurance and maintenance are included for Automower® robotic mowers.

## HUSQVARNA

|                                                                                                                     | Lease Plus | Service Plus | Warranty Plus |
|---------------------------------------------------------------------------------------------------------------------|------------|--------------|---------------|
| <b>Warranty repairs</b><br>Claimed according to factory warranty conditions for the extended warranty period.       | —          | —            | ✓             |
| <b>Repairs</b><br>According to terms and conditions. (Wear parts, consumables, misuse, abuse and neglect excluded.) | ✓          | ✓            | —             |
| <b>Yearly maintenance</b>                                                                                           | ✓          | ✓            | (✓)           |
| <b>Off-season storage*</b><br>For robotic mowers only.                                                              | ✓          | ✓            | —             |
| <b>Genuine Husqvarna blades</b><br>For robotic mowers only.                                                         | ✓          | ✓            | —             |
| <b>Installation**</b>                                                                                               | ✓          | (✓)          | (✓)           |
| <b>Product</b>                                                                                                      | ✓          | —            | —             |
| <b>Insurance</b>                                                                                                    | ✓          | —            | —             |

✓ = Included in the service offering. (✓) = Required but not included.

\*Only available in SE, NO, DK, FI. \*\*See local terms and conditions.



**WE'RE HERE TO HELP**

Read more about the benefits of Services by Husqvarna at [husqvarna.com/ServicesbyHusqvarna](https://husqvarna.com/ServicesbyHusqvarna)

Copyright © 2025 Husqvarna AB (publ). All rights reserved. Husqvarna and other product and feature marks are trademarks of Husqvarna Group or its licensors. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Husqvarna is under license.

[www.husqvarna.com](https://www.husqvarna.com)

Follow us on social media



Husqvarna conducts continuous product development and reserves the right to change designs, specifications, technical data and equipment levels without prior notification. As an operator you are responsible for the proper use of our products and so you should read and understand all instructions and warnings in the operator manuals before using the products. Consult your dealer about the equipment and performance of our products in your country, as this can vary per country. Regarding protective clothing and safety equipment, design and use of reflective clothing, carefully check the legal requirements in your country. Reasonable steps are taken to ensure that technical data is up-to-date at the time of publication. We cannot accept responsibility for printing errors.