

ASUS RT-AX82U WLAN-Router Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz

Marke : ASUS

Artikel-Code: 90IG05G0-MO3R10

Produktname : RT-AX82U

ASUS RT-AX82U. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 6 (802.11ax), WLAN Datentransferrate (max.): 5400 Mbit/s. Schnittstellentyp Ethernet-LAN: Gigabit Ethernet, Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s, Netzstandard: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ad. Unterstützte Sicherheitsalgorithmen: WPA-Enterprise, WPA2-PSK, WPA3-PSK, WPS, Firewall: SPI, DoS. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz, LED-Anzeigen: Leistung, WAN, WLAN



WAN-Verbindung		Protokolle	
Ethernet-WAN *	✓	Universal Plug and Play (UPnP)	✓
DSL-WAN *	✗	Design	
SIM-Karten-Slot *	✗	Produktfarbe	Schwarz
WAN-Verbindungstyp	RJ-45	Anzeigelicht	✓
Wireless LAN Funktionen		LED-Anzeigen	Leistung, WAN, WLAN
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)	Ein-/Ausschalter	✓
Top WLAN-Standard *	Wi-Fi 6 (802.11ax)	Produkttyp *	Tabletop-Router
WLAN Datentransferrate (max.) *	5400 Mbit/s	Lieferumfang	
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Mitgelieferte Kabel	LAN (RJ-45)
Modulation	1024-QAM	AC-Netzadapter	✓
Netzwerk		Garantiekarte	✓
Ethernet/LAN *	✓	Schnellstartübersicht	✓
Schnittstellentyp Ethernet-LAN *	Gigabit Ethernet	Antenne	
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Antennen-Design *	Extern
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ad	Anzahl der Antennen	4
Portweiterleitung	✓	Merkmale	
Port-Auslösung	✓	Eingebauter Prozessor	✓
Dynamisches DNS (DDNS)	✓	Prozessortaktfrequenz	1500 MHz
VPN-Server	PPTP Server, OpenVPN Server, IPSec server	Anzahl Prozessorkerne	3
VPN-Passthrough	✓	Speicherkapazität	512 MB
VPN Unterstützung	IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through IPSec server PPTP server OpenVPN server PPTP client L2TP client OpenVPN client	Flash-Speicher	256 MB
Mobiles Netzwerk		Upgradefähige Firmware	✓
3G	✗	Energie	
4G	✗	Energiequelle *	AC
		AC Eingangsspannung	110 - 240 V
		AC Eingangsfrequenz	50 - 60 Hz
		Ausgangsspannung	19 V
		Ausgangsstrom	1,75 A
		Betriebsbedingungen	
		Betriebstemperatur	0 - 40 °C

Anschlüsse und Schnittstellen		Betriebsbedingungen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4	Temperaturbereich bei Lagerung	0 - 70 °C
USB Anschluss *	✓	Relative Luftfeuchtigkeit in Betrieb	50 - 90%
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A	1	Luftfeuchtigkeit bei Lagerung	20 - 90%
Speicherkartenslot(s)	✗	Systemanforderung	
Gleichstrom-Anschluss (DC)	✓	Unterstützt Windows-Betriebssysteme	Windows 10, Windows 7, Windows 8
Management-Funktionen		Unterstützt Mac-Betriebssysteme	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Web-basiertes Management	✓	Gewicht und Abmessungen	
Quality of Service (QoS) Support	✓	Breite	265 mm
Reset-Knopf	✓	Tiefe	177 mm
WPS Sicherheit per Tastendruck	✓	Höhe	189 mm
MU-MIMO-Technologie	✓	Gewicht	810 g
Sicherheit		Verpackungsdaten	
Unterstützte Sicherheitsalgorithmen	WPA-Enterprise, WPA2-PSK, WPA3-PSK, WPS	Verpackungsbreite	385 mm
Firewall	✓	Verpackungstiefe	250 mm
Firewall	SPI, DoS	Verpackungshöhe	126 mm
Gastzugang	✓	Paketgewicht	2,59 kg
Kontrolle durch Eltern	✓	Logistikdaten	
Filterung	✓	Warentarifnummer (HS)	85176990
URL-Filterung	✓		
DMZ-Unterstützung	✓		



4718017648684

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-JUL-2024. Prints or copies of Information are only valid on the printed Publication date