

Version Info:

1. Firmware adapted for VIGI C340S(4mm) (UN) 1.0.
2. Compatible software versions: VIGI APP (iOS: 2.6.16, Android: 2.6.25).

New Features:

1. Added remote registration to support adding IPC to NVR over public networks.
2. Added support for RTMP.
3. Added support for motion recording mode.
4. Adapted to support VMS AI Snapshot.
5. Adapted to support VMS AI search using people and vehicle attributes.
6. Added support for password reset through VIGI APP with the same TP-Link ID.
7. Added support for VIGI OpenAPI.
8. Added support for one-click arming and disarming function.
9. Added support for users to set whether to automatically change to static IP when added by ONVIF.
10. Added time(12-hour/24-hour) and date (DD-MM-YYYY / YYYY-MM-DD / MM-DD-YYYY) format settings.
11. Added support for 802.1X.
12. Added support for web playback from SD card storage.

13. Added support for the Arabic language on the web interface.
14. Added customizable settings for Light Alarm and Sound Alarm.
15. Added support for log server.
16. Added support for detection rule frame in smart frame.
17. Added support for polygon drawing in event areas.
18. Added support for scene mode settings.
19. Added support for .wav and .mp3 audio formats in the Custom Audio feature of Sound Alarm.
20. Added a toggle switch for Object Filter in Event Settings.

Enhancements:

1. Optimized the stability of remote connections
2. Optimized the web initialization process.
3. Optimized mosaic display in Privacy Mask.
4. Optimized fast playback performance.
5. Optimized remote live view and playback performance for VIGI APP and VMS.
6. Optimized the unbinding rules for cloud accounts.

Bug Fixes:

1. Fixed some minor bugs.
2. Fixed several security issues.

Notes:

1. Firmware version 2.5.1 supports auto and manual upgrades from all

previous firmware versions, **except 2.5.0**.

2. Firmware version 2.5.0 cannot be upgraded to 2.5.1. Please upgrade directly to version 3.0.0 or higher.
3. After upgrading, your device cannot downgrade to any previous version.