


80cm 4 zone induction cooktop with integrated rangehood, bridging zones, touch slide control and Hob2Hood.



Product Details

FEATURES

| | | | |
|---|---|---|---|
| Bridge with eXtractor Hob Bridge with eXtractor Hob enhances kitchen design freedom and links zones for cooking flexibility. | SaphirMatt AntiScratch Surface The matt black ceramic cooking surface, scratch resistant and easy to clean keeping the hob looking new for longer. | Reusable carbon filters Maintain carbon filters with ease to ensure optimal extraction for fresher, cleaner kitchen air. | Individual zone controls Individual Zone Controls with separate timers and independent functions including PowerBoost and ActiveTouch. |
| Automatic Extractor Control Automatic Extractor Control adjusts as you cook | Timer The integrated timer helps you to plan your cooking when multi-tasking in the kitchen. | Pause Function The pause function sets zones to the lowest setting to keep dishes warm and prevent overcooking. | Child lock |

BENEFITS

MORE ROOM TO COOK

Experience kitchen planning freedom and flexibility with the Bridge with eXtractor Hob. This induction hob has a built-in extractor and Bridge function allowing you to combine two cooking zones into one large zone for greater versatility. Effortlessly accommodate large pots and long pans to master recipes that require specialist cookware, such as fish kettles and plancha grill plates.

SUPERIOR SCRATCH PROTECTION

The SaphirMatt AntiScratch surface provides superior protection against scratching compared to our standard ceramic hob surfaces*. The elegant black matt finish is resistant to fingerprints and stains making it easy to clean - keeping your hob looking new for longer. *Based on external tests, compared to our standard hob surface without special treatment or coating.

CARBON FILTERS FOR FRESHER AIR

Carbon filters effectively absorb odours to create a cleaner cooking environment. Reusable, low-maintenance carbon filters are simple to remove and can be easily washed by hand or in the dishwasher. Clean regularly to ensure optimal extraction performance for fresh kitchen air, constantly.

UNLIMITED COOKING OPTIONS

Individual Zone Controls allow you to create completely self-contained cooking areas. Each zone has separate timers and independent functions, including PowerBoost, ActiveTouch and child lock for customised control to finesse your cooking experience.

HANDS-FREE AUTO EXTRACTION

Automatic Extractor Control keeps your hands free to focus on what's important your cooking. The hob will automatically switch on and regulate the extractor according to your cooking activities, keeping your kitchen fresh while you concentrate on creating a delicious meal.

ITS ALL ABOUT TIMING

The integrated timer helps you to plan your cooking when multi-tasking in the kitchen. Program the desired duration and your appliance will automatically notify you when its time to check on your dishes.

WHY NOT HIT PAUSE

The pause function is useful if your cooking is interrupted. At the touch of a button all cooking zones will be reduced to the lowest heat setting to ensure dishes stay warm, but don't overcook.

CHILD PROOF

Activate the child lock function to prevent accidental operation of the hob when it's not in use.

Specifications

PRODUCT PROFILE

| | |
|---------------------------------|---------------------|
| Domestic warranty details (yrs) | 5 |
| Cooktop type | induction |
| Materials/Colour | matte black |
| Trim finish | bevelled sides only |

DIMENSIONS

| | |
|---------------------------|-----|
| Total product height (mm) | 229 |
| Total product width (mm) | 800 |
| Total product depth (mm) | 510 |
| Cut out width (mm) | 750 |
| Cut out depth (mm) | 490 |
| Cut out height (mm) | 225 |

CONTROLS

| | |
|-----------------------|--|
| Controls of Cooktops | Touch and Slide controls |
| Position of controls | front |
| Functions of Cooktops | automatic switch off,Hob2Hood,timer,pause,Bridging,PowerBoost,Child-lock |
| Indicators/display | residual heat warning lamps,3 level residual heat indicator |
| Features of Cooktop | minute minder,function lock,sound off,Hob2Hood Connectivity,Bridge zone |

ELEMENTS/BURNERS

LEFT FRONT ZONE

| | |
|------------------------|--------|
| Left front zone | Bridge |
| Left front Watts | 2300 |
| Left front boost watts | 3200 |
| Left front diameter mm | 210 |

CONTROLS

| | |
|------------------|-----------|
| Timer of Cooktop | countdown |
|------------------|-----------|

LEFT REAR ZONE

| | |
|----------------|--------|
| Left rear zone | Bridge |
|----------------|--------|

| | |
|-----------------|------|
| Left rear watts | 2300 |
|-----------------|------|

| | |
|-----------------------|-----|
| Left rear diameter mm | 210 |
|-----------------------|-----|

RIGHT FRONT ZONE

| | |
|------------------|-----------|
| Right front zone | induction |
|------------------|-----------|

| | |
|-------------------|------|
| Right front Watts | 1400 |
|-------------------|------|

| | |
|-------------------------|-----|
| Right front diameter mm | 145 |
|-------------------------|-----|

RIGHT REAR ZONE

| | |
|-----------------|-----------|
| Right rear zone | induction |
|-----------------|-----------|

| | |
|------------------|------|
| Right rear watts | 1800 |
|------------------|------|

| | |
|------------------------|-----|
| Right rear diameter mm | 180 |
|------------------------|-----|

ELECTRICAL SPECIFICATIONS

| | |
|-------------------|------|
| Connected load KW | 7.35 |
|-------------------|------|

| | |
|--------------------|-----------|
| Type of connection | hardwired |
|--------------------|-----------|

SHIPPING

| | |
|----------------------|-------|
| Shipping Volume (m3) | 0.167 |
|----------------------|-------|

| | |
|----------------------|-------|
| Shipping Weight (Kg) | 20.28 |
|----------------------|-------|

| | |
|-----------------------------|-----|
| Pack Dimensions Height (mm) | 330 |
|-----------------------------|-----|

OTHER FEATURES

| | |
|----------------------|-----|
| Integrated extractor | Yes |
|----------------------|-----|

| | |
|----------|-----|
| Hob2Hood | Yes |
|----------|-----|

| | |
|-------|-----|
| Timer | Yes |
|-------|-----|

| | |
|-------------|---------------|
| Filter type | grease filter |
|-------------|---------------|

SHIPPING

| | |
|---------------------------|-----|
| Pack Dimension Width (mm) | 875 |
| Pack Dimension Depth (mm) | 580 |

OTHER FEATURES

| | |
|--------------------------|-----------|
| Filter indicator | Yes |
| Motor type | brushless |
| Recirculation max (m3/h) | 650 |
| Recirc sound power dB(A) | 71 |


Dimensions



DIMENSION AND INSTALLATION GUIDE

6000 SERIES
NCH84B03FZ
80CM BUILT-IN INDUCTION HOB

| Dimensions | Width (mm) | Height (mm) | Depth (mm) |
|--------------|------------|-------------|------------|
| Cut-out (mm) | 750-780 | 225 | 490 |
| Product (mm) | 800 | 229 | 510 |



IMPORTANT
These dimensions are a guide only. All measurements are in millimetres (mm).
For complete installation instructions, refer to the manual provided with product.

© 2024 Electrolux S.E.A PTE. LTD. AEG_DIM_NCH84B03FZ_Oct24

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: customercare@aegausustralia.com.au

web: www.aeg.com/au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.aeg.com/au