

Pure & Easy



ASSEMBLY INSTRUCTIONS

FTPLSS-0049 FTPLSS-0050 FTPLSS-0051
FTPLSS-0055 FTPLSS-0056 FTPLSS-0057

ZJDBB-V1

NOTICE

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY
WICHTIG, FÜR SPÄTERE NACHSCHLAGE AUFBEWAHREN: SORGFÄLTIG LESEN
IMPORTANTE, GUARDAR PARA REFERENCIA FUTURA: LEER ATENTAMENTE
IMPORTANTE, CONSERVARE PER RIFERIMENTI FUTURI: LEGGERE ATTENTAMENTE
IMPORTANT, À CONSERVER POUR RÉFÉRENCE FUTURE : LIRE ATTENTIVEMENT





Assemble on a flat, clean and soft surface.

Auf einer flachen, sauberen und weichen Oberfläche zusammenbauen.

Assembler sur une surface plate, propre et douce.

Assemblare su una superficie piatta, pulita e morbida.

Ensamblar sobre una superficie plana, limpia y suave.



Professional installation is highly recommended.

Eine professionelle Installation wird dringend empfohlen.

Une installation professionnelle est fortement recommandée.

Si raccomanda vivamente l'installazione professionale.

Se recomienda altamente la instalación profesional.




Periodically Check That All Components Are Tightly Secured.

Überprüfen Sie Regelmäßig, Dass Alle Komponenten Fest Gesichert Sind.


Vérifiez Périodiquement Que Tous Les Composants Sont Bien Fixés.

Controllare Periodicamente Che Tutti I Componenti Siano Ben Fissati.

Verifique Periódicamente Que Todos Los Componentes Estén Bien Asegurados.



It is recommended that multiple people assemble this product.
Es wird empfohlen, dass mehrere Personen dieses Produkt zusammenbauen.
Il est recommandé que plusieurs personnes assemblent ce produit.
Si raccomanda che più persone assemblino questo prodotto.
Se recomienda que varias personas ensamblen este producto.



CARE AND SAFETY GUIDELINES

- The shed is intended for storage purposes only. It is not designed for habitation.
- It is strongly recommended to secure the shed to an immovable object or anchor to the ground by drilling holes in the shed floor (at the pre-marked locations) and inserting proper screws into the ground (screws are not included).
- Do not attempt assembly on windy or cold days.
- Periodically check the shed to ensure that it is stable and that the site is level.
- Be careful when handling parts with steel edges.
- When assembling or handling the shed, use only those tools listed in the user manual.
- Always wear work gloves, safety goggles and long sleeves when assembling or performing any maintenance on your shed.
- Avoid using a lawnmower or mechanical scythe near the shed.
- Wear safety goggles and always follow the manufacturer's instructions when using power tools.
- Wash the shed with a garden hose or a mild detergent solution. Do not use a metal brush or abrasive cleaners, including degreasers and oil- or acetone-based cleaning materials, as these may stain or damage the shed.
- Do not store hot items, such as recently used grills and blowtorches, and volatile chemicals in the shed.
- Avoid placing heavy items against the walls, as this may cause distortion.
- Keep the roof clear of accumulated snow and leaves. Large amounts of snow on the roof can damage the shed, making it unsafe to enter.
- Wind direction is an important factor to consider when determining the location of the shed. Reduce exposure to the wind, in general, and of the door side in particular. Keep doors closed and locked when the shed is not in use to prevent wind damage.
- Do not stand on the roof.
- Consult your local authorities to check if permits are required to erect the shed.

Installation precautions


1.Site preparation

Leveling the ground.



2. Set up the base

It is recommended to build a wooden base or concrete base.



3. Leave enough space

Operating space shall be reserved for external installation work.




4. Tools required for installation


(Note: Installation requires two people to work together.)




5. Parts are placed after unpacking






6. Disassemble the packaging cardboard box, unfold it and lay it on the floor to protect the floor.





PARTS


Item no.	Reference Image	Qty.	Item no.	Reference Image	Qty.
F.1(kc)		X1	F.13(kc)		X1
KCFFB.L8		X1	F.14(kc810)		X2
F.3(kc610)		X4	F.15(kc810)		X2
KCFBC		X3	F.17(kc)		X1
KCFRC		X2	F.18(kc)		X1
F.6(kc)		X2	F.19(kc)		X1
KCFFB.R8		X1	W.1(kc)		X2
F.8(kc810)		X6	W.2(kc)		X3
F.9(kc810)		X6	W.3(kc)		X8
F.10(kc810)		X2	W.4(kc)		X8
F.11(kc)		X2	W.6(kc)		X2
F.12(kc)		X1	W.7(kc)		X2

Item no.	Reference Image	Qty.	Item no.	Reference Image	Qty.
W.8(kc)		X1	W.16(kc)		X2
W.9(kc)		X1	R.1(kc)		X4
W.10(kc)		X1	R.2(kc610)		X4
HD.1(kc)		X2	kcRBLc		X2
W.11(kc)		X2	FR.1(kc8)		X6
W.12(kc)		X1	FR.2(kc)		X4
W.13(kc)		X2	FR.3(kc)		X1
W.14(kc)		X4	FR.14(kc)		X6
W.15(kd8)		X2	FlatRubber sealing stripe	 20mm*2mm	X4
VNR4.OUT		X2	FR.6(kc)		X2
VNR4.IN		X2	FR.7(kc610)		X4

Item no.	Reference Image	Qty.
HD.6(kc)		X2
R.4(kc)		X4
R.5(kc)		X8
R.6(kc)		X6
HD.2(kc)		X4
HD.3(kc)		X4
HD.4(kc)		X4
HD.5(kc)		X4
R.7(kc)		X4
R.8(kc610)		X2
KCRRC		X1


Item no.	Reference Image	Qty.
KCRRH		X2
KCRBC.L		X2
KCRBC.R		X2
FR.9(kc)		X3
FR.10(kc)		X3
FR.11(kc)		X2
FR.12(kc)		X1
FR.13(kc)		X1
WIN4.OUT		X2
WIN4.IN		X2
WIN4.PC		X2


Item no.	Reference Image	Qty.
Rubber sealing strip		X4
D.1(kd8)		X1
D.2(kc)		X1
D.3(kc)		X3
D.4(kc)		X4
HD.7(kc)		X4
HD.8(kc)		X2
HD.9(kc)		X1
HD.10(kc)		X1
DH		X1
DH.5		X2
D.5(kd8)		X1



Item no.	Reference Image	Qty.
FT.1	 ST5X14	X192
FT.2	 ST3.9X12	X357
FT.3	 ST3.9X30	X66
FT.4	 ST2.9X8	X28
FT.6	 ST4X14	X60
FT.7	 ST6X40	X42
FT.7A	 M6	X50
FT.8	 M6X16	X4
FT.9	 M6	X4
FT.10	 M6	X4
FT.11	 M3X6	X2
FT.12	 M8X80	X8

Item no.	Reference Image	Qty.
STICKER		X2
PADS		X2
Install the guide piece		X2

EXPLODED VIEW









ASSEMBLY

1




The threshold needs to be inserted into the corner and the holes must be aligned.


2



FT.3 12pcs



FT.1 2pcs



3

X2



F.8(kc810) 6pcs






F.9(kc810) 6pcs




F.10(kc810) 2pcs




FT.1 36pcs



4




5



6





FT.1 36pcs



7

Disassemble the packaging cardboard box, unfold it and lay it on the floor to protect the floor.



8








W.1(kc) 1pc



Install the guide piece 1pc

Please distinguish between the front and back of the panel.




Put in the guide piece to help installing the corner panel.

9




W.2(kc) 1pc

Plane view



Ensure the panels are fully inserted into the slots to avoid issues with inserting subsequent panels.

W.2(kc)




10




W.3(kc) 3pcs



W.4(kc) 3pcs




W.3(kc)




W.3(kc)

Ensure the panels are fully inserted into the slots to avoid issues with inserting subsequent panels.



W.4(kc)

W.3(kc)



W.4(kc)

W.3(kc)

11






W.6(kc) 1pc




Install the
guide piece

1pc

Please distinguish between the
front and back of the panel.



Put in the guide piece
to help installing the
corner panel.



12




W.4(kc) 2pcs




W.3(kc) 2pcs




W.2(kc) 1pc



W.4(kc)




Ensure the panels are fully inserted into the slots to avoid issues with inserting subsequent panels.



W.3(kc)

W.2(kc)



W.3(kc)

W.4(kc)



13







W.1(kc) 1pc



Install the guide piece 1pc

Please distinguish between the front and back of the panel.



Put in the guide piece to help installing the corner panel.

14







W.2(kc) 1pc



W.3(kc) 3pcs



W.4(kc) 3pcs



15






W.6(kc) 1pc




Install the
guide piece

1pc



Please distinguish between the front and back of the panel.





Put in the guide piece to help installing the corner panel.



16




17



18





W.11(kc) 2pcs W.12(kc) 1pc



19




FT.1 42pcs





20





W.13(kc) 1pc



W.16(kc) 1pc




21
X2




22




W.10(kc) 1pc




W.14(kc) 2pcs



W.10(kc)



W.14(kc)



W.10(kc)


23



HD.1(kc) 2pcs




FT.6 8pcs




24




W.13(kc) 1pc



W.16(kc) 1pc



W.14(kc) 2pcs




25











 (FR.7(kc610)) 4pcs (FR.6(kc)) 2pcs (FR.3(kc)) 1pc (FT.7) 8pcs (FT.7A) 12pcs (FT.8) 4pcs



26



FT.2 18pcs



27




R.2(kc610) 4pcs



R.1(kc) 4pcs



kcRBLC 2pcs



28



R.4(kc)

1pc




R.5(kc)

1pc






FT.2

2pcs



Note: Fix the top panels and the bar/ R.5(kc) with screws before installing on the roof.





29



R.7(kc) 1pc



FT.3 2pcs



30



R.4(kc)

1pc




R.5(kc)

1pc






FT.2

2pcs




Note: Fix the top panels and the bar/ R.5(kc) with screws before installing on the roof.





31



R.7(kc) 1pc



FT.3 2pcs



32



HD.3(kc)

2pcs





FT.2

4pcs




FT.3

4pcs



First, align the edge of top panels with the U-shaped top beam.



Fix the L component to the bar, then lock the screws.


33



HD.2(kc) 1pc



FT.2 2pcs



34



1pc


1 pc

4pcs



1pc

1 pc

1 pc




35



Repeat steps 28-34 to install the remaining panels.

36

 **R.8(kc610) 2pcs**  **KCRRC 1pc**  **Rubber sealing strip 4pcs**  **FT.2 8pcs**



37







FT.2

8pcs



FT.3

10pcs



The steps and tips for screws locking on skylight ridge :

- 1) Go from the front side(door side) to the back side.
- 2) Press down the upside of the skylight ridge, then lock the screws inside.
- 3) In the middle part, use the plier to pull down the skylight ridge, then lock the screws.

37



KRRH 2pcs




KCRBC.L 2pcs





KCRBC.R 2pcs





FT.2 12pcs



38



39




40








 (FR.1(kc8)) 4pcs (FR.14(kc)) 4pcs (FR.2(kc)) 4pcs (FT.2) 24pcs (FT.7) 16pcs (FT.7A) 16pcs




41



FT.2

8pcs



FT.3


4pcs

R.5(kc)

FR.2(kc)

FT.3


FT.2



42




FT.2 14pcs



WIR4.OUT 1pc



WIR4.IN 1pc




WIR4.PC 1pc




FT.4 14pcs






sealing strip 4pcs



43



44



45




HD.9(kc) 1pc







HD.7(kc) 2pcs




FT.6 4pcs





FT.11 2pcs



46








47



48






HD.7(kc) 2pcs
HD.10(kc) 1pc
DH.5 1pc
DH 1pc
FT.2 2pcs
FT.3 4pc
FT.6 6pcs



49





FT.6 8pcs



50




(FT.1) 2pcs (F.19(KC)) 1pc




51



PADS 2pcs



When the door does not close smoothly, it needs to be leveled or the hinges need to be adjusted.



52



HD.6(KC)

2pcs






FT.2

4pcs




FT.12

8pcs



53



Installation Completed

Installation Abgeschlossen

Installation Complétée

Installazione Completata

Instalación Completada

HELP CENTER



Inquiry



Assembly issue



Missing parts

If you encounter any difficulties during assembly, please contact us.

Wenn Sie während der Montage auf Schwierigkeiten stoßen, kontaktieren Sie uns bitte.

Si vous rencontrez des difficultés lors du montage, veuillez nous contacter.

Se incontri difficoltà durante il montaggio, ti preghiamo di contattarci.

Si encuentras alguna dificultad durante el ensamblaje, por favor contáctanos.

DISCLAIMER

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, unapproved modification, or neglect of this product.

Der Hersteller und Verkäufer lehnen ausdrücklich jegliche Haftung für Personenschäden, Sachschäden oder Verluste ab, egal ob direkt, indirekt oder zufällig, die durch falsche Anbringung, unsachgemäßen Gebrauch, unzureichende Wartung, nicht genehmigte Änderungen oder Vernachlässigung dieses Produkts entstehen.

El fabricante y vendedor renuncian expresamente a toda responsabilidad por lesiones personales, daños materiales o pérdidas, ya sean directos, indirectos o incidentales, derivados de la incorrecta colocación, uso inadecuado, mantenimiento insuficiente, modificación no aprobada o negligencia de este producto.

Il produttore e il venditore declinano espressamente ogni responsabilità per lesioni personali, danni materiali o perdite, dirette, indirette o incidentali, derivanti dall'errato fissaggio, uso improprio, manutenzione inadeguata, modifica non autorizzata o negligenza di questo prodotto.

Le fabricant et le vendeur déclinent expressément toute responsabilité en cas de blessures corporelles, de dommages matériels ou de pertes, qu'ils soient directs, indirects ou accessoires, résultant de la fixation incorrecte, de l'utilisation inappropriée, de l'entretien insuffisant, de la modification non approuvée ou de la négligence de ce produit.