

PRODUCT MANUAL

SKU: B0117-03001BK


BEFORE YOU BEGIN

1. Please read the instructions carefully and verify that each item is in the list.
2. Please retain these installation instructions for further reference and parts ordering information.

IMPORTANT

1. Please read the installation instructions carefully before you start.
2. If the vehicle is clean and free of other debris, it will be easy to install.
3. For your safety and to ensure a satisfactory installation, please complete all the installation steps in the order shown below.

PRODUCT INFORMATION




① Speaker	x2
② Bracket	x4
③ Throat Clamp	x8
④ M6xL50 Screw	x24
⑤ M6 Spring Washer	x16
⑥ M6 Flat Washer	x16
⑦ M6 Nut	x8
⑧ Amplifier Unit	x1
⑨ Power Extender	x1
⑩ Control Panel	x1
⑪ USB/AUX Extender	x1
⑫ Signal Extender	x2
⑬ Cable Tie	x20

Estimated installation time:

50 minutes


Required tools:

(to be prepared by oneself)




INSTALLATION TIPS

STEP 1




Pre-assemble the speaker [1] and bracket [2] together with eight screws [4], washers [5] and flat washers [6].




STEP 2




Fit the throat clamp onto the front and rear crossbeams of the vehicle's roof roll cage.

STEP 3


Adjust the position of support bracket [2] according to the distance of the roll bar, tighten the screw on the back of speaker [1] when it is in the appropriate position to secure it. And fix speaker [1] bracket [2] onto the roll bar through the throat pipe [3] as shown in the diagram (**Note: the bracket [2] is adjustable within a length range of 450-755mm/17.7-29.5in.**)

WIRING DIAGRAM**STEP 4****STEP 5**

FUNCTION AND OPERATION




1. Power/Mode button

Power on/off: long press  for power on function.

Mode switch: short press  to cycle through BT-AUX-USB mode.




2. Play/Pause button

1) When playing USB music, AUX music or Bluetooth music, short press  for pause function, short press again to resume playback.



3. Previous track/Decrease volume button


1) When playing USB music, AUX music or Bluetooth music, short press  for previous track selection.

2) During music playback, long press  for volume decrease function.




4. Next track/Increase volume button



1) When playing USB music, AUX music or Bluetooth music, short press  for next track selection.

2) During music playback, long press  for volume increase function.

BLUETOOTH PAIRING



Pair your phone with your speaker

- 1) Long press  and hold the power button to turn on;
- 2) Short press  again to switch to BT mode;
- 3) Bring your phone close to the main unit and turn on the Bluetooth function on your phone;
- 4) Search for the main unit's Bluetooth name "KEMIMOTO-T1" on your phone;
- 5) Once the Bluetooth connection is successful, the main unit will emit a "ding" sound.

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.