


IPEV0 TOTEM 120


Multimodal Collaboration Camera

USER MANUAL

























| Three modes of operation









1 2

Two lenses to switch between

TOTEM 120 build-in two lenses users can switch between with a press of a button.



120° Ultra-Wide lens

Provides an ultra-wide angle of view ideal for video conferencing, or capturing physical demonstrations.



80° Autofocus lens

Thanks to its autofocus, this lens is ideal for document sharing or capturing details of presentation materials. It can also be utilized for capturing a single speaker, without showing much of his/her surroundings.



Al Stage

When activated, Al Stage automatically frames the image based on the detected scenario.



With a single person in front of the camera, a close up of the user will be displayed, centered on his/her "portrait" area.



If more than one person is detected, the image will be framed around all of the meeting participants, ensuring that everyone stays in the shot and each participant is clearly visible.






Al Voice

This noise filter utilizes artificial intelligence, which was trained with over 500 million distinct data, and is highly effective in maintaining the natural sound of the human voice while removing disturbing environmental noise with high accuracy.

Buttons and indicators



IPEVO EyeStage™

For even more Al-powered video enhancement features, try IPEVO's software EyeStage. It includes additional AI framing modes for hybrid conferencing, presentations, and document sharing, as well as multiple display modes that combine the video feed from two cameras into one output that can be used as a virtual camera in conferencing apps.

*Minimum system requirements must be met when using EyeStage™. For minimum and recommended system requirements please refer to the EyeStage™ website below:



IPEVO EyeStage™

Free Download



FCC Declaration

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: [1] This device may not cause harmful interference, and [2] This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

VCCI-B

この装置は、クラスB情報技術装置です。この装置は、家庭環境で使用することを目的としていますが、 この装置がラジオやテレビジョン受信機に近接して使用されると、受信障害を引き起こすことがありま す。取扱説明書に従って正しい取り扱いをしてください。



Do not use/store the product in the following places:

- · Near heat sources
- Near steam or greasy smoke
- Locations with high humidity
- · Sandy or dusty places