FIWOTTTDA



AIR PURIFIER



USER MANUAL

MODEL: BREATHE NATURE 01



Contents

| 1. Safety Instructions |
|-----------------------------|
| 1 |
| II .Product Parts |
| 3 |
| III .Function Description |
| 3 |
| IV.Cleaning and Maintenance |
| 5 |
| V.Trouble Shooting |
| 7 |
| VI.Technical Specification |
| 8 |
| VII. Warranty |
| 9 |

Safety Instructions

Safety precautions for this product

In order to use this product better and prevent personal injury and material damage accidents, please read carefully and abide by the following contents in this manual.



The contents below must be strictly prohibited, otherwise the machine may be damaged or the personal safety of the user may be endangered.

- Do not allow any paint, insecticide, alcohol or chemical to be applied to the machine surface.
 Otherwise, surface cracks, electric shock and fire may be caused.
- If there is chemical composition accumulation inside the machine, it will be released from the air outlet with the opening of the machine, which is not conducive to health. Therefore, after the use of pesticides, please fully ventilate the room.
- Air purifier products should not be used in flammable, explosive and corrosive gas environment.
- Do not touch the air inlet and outlet when the machine is running. Do not insert hands or any
 objects into the air inlet and outlet to avoid injury or damage to the air purifier.
- Do not sit or place objects on the machine, otherwise it is easy to cause accidental loss or injury.
- Please do not use it in bathroom or other places with water. Otherwise, it may cause fire, electric shock, failure, etc.
- Do not transform, decompose and repair the machine without authorization, or it may cause fire, electric shock, failure, etc.



For the product and the personal safety, user must strictly operate the product according to the following content.

- When moving or maintaining the machine, please stop running and unplug the power plug.
- When not in use for a long time, please pull the power cord plug out of the socket.
- When the machine has peculiar smell, stop using and power off, contact after-sales personnel for inspection to avoid failure or fire.
- The air outlet is easy to fall into debris, please check before use to avoid children putting debris in.
- The air purifier should be placed at least 50 cm away from the wall or other obstacles.
- Children and people with disabilities must be used under the supervision of adults or their guardians.
- Children under supervision are not allowed to use the product as a toy. It is strictly forbidden
 to play on the product or trample on it at will.

1

Notes on power cord



Notes on power cord

- Do not use a power supply other than the rated voltage (110-240 V, 50 Hz). (otherwise, it may cause fire, electric shock, etc.)
- Please do not arbitrarily process, bend, pull, twist, tie the power cord close to high temperature objects. (damage of power line may cause fire and electric shock, etc.)
- Do not load or pinch it. (otherwise, it may cause fire, electric shock, short circuit, etc.)
- When the power cord or power plug is damaged, do not use it when the power socket is loose. (otherwise, it may cause fire, electric shock, short circuit, etc.)
- Do not use wet hands to plug and pull the power cord. (otherwise, it may cause electric shock, etc.)
- Please do not replace the power cord without authorization. If it is necessary to replace it due to damage, please contact US.
- Dust on power plug or socket should be cleaned regularly. (excessive dust and moisture may cause poor insulation, fire, electric shock, etc.)




Nonprofessionals are not allowed to dismantle the machine without authorization, in order to avoid the risk of electric shock. When replacing the filter screen, please first pull out the power plug.

If there is a fault, please remove it according to the troubleshooting method in the manual. If it can not be eliminated, please contact us:


service@fiwotttda.com

Product Parts



Function Description

Key name and function description



Power On/Off

Standby state: plug in the power supply, the buzzer "beeps", and the panel display is all on, 2 seconds later it goes out, enters the standby mode, the power on key indicator is half on.

Power on state: in standby mode, touch the power key, the device is in intelligent mode, the corresponding icon is lit, the air quality icon is green, the wind speed is corresponding to gear 2, and the UV light functions are turned on;

Shutdown state: in the power on state, touch the power key, the buzzer "beeps", the machine enters the shutdown state.

● Wind Speed ②

In the working state, touch the wind speed key, and the buzzer will give a prompt tone. The wind speed will be selected circularly according to the sequence of "auto \rightarrow gear $1\rightarrow$ gear $2\rightarrow$ gear $3\rightarrow$ gear $4\rightarrow$ gear $5\rightarrow$ sleep. The nixie tube will display" intelligent "-1-" \rightarrow "-2-" \rightarrow "-3-" \rightarrow "-4-" \rightarrow "-5-" \rightarrow sleep, and the wind speed number will be switched off after 3 seconds and change to PM2.5 numerical display.

Timer Function

When the machine is turned on, press the timing key to turn on the timing function. The buzzer will give a prompt tone, and the digital tube will display the corresponding timing time (PM2.5 icon is off). The timing time range is 01-24 hours. The timing setting sequence is $0h\rightarrow 1h\rightarrow 02h\rightarrow ...\rightarrow 23h\rightarrow 24h\rightarrow 0h$. Oh stands for quitting the timing. After selecting the corresponding time, no operating for 5 seconds the clock will enter the corresponding timing operation. The timing setting is successful. After 5 seconds, the digital tube displays the current PM2.5 value. To view the timing time, press the timer button once to display it. When the machine reaches the working time, it will automatically shut down and enter the standby mode.

Auto Mode

Press the wind speed key to enter the auto mode in the power on state, and the wind speed gear is determined according to PM2.5:

| PM2.5(µg/m³) | American AQI | Color of air quality indicator | Wind speed |
|--------------|--------------|--------------------------------|------------|
| 0.0-12.0 | 0-50 | Green (good) | Gear 1 |
| 12.1-35 | 51-100 | Yellow (moderate) | Gear 3 |
| 35.1+ | 100+ | Red (poor) | Gear 5 |

Sleep Mode

In the power on state, press the wind speed key to enter the sleep mode. After a delay of 3s, the screen turns dark (in order to avoid the trouble caused by frequent screen touching by users), the effect is: the backlight of power button and sleep mode icon is

half on, and other buttons are all off. In sleep mode, pressing any key for the first time can wake up all the indicator lights, but the function will not be switched; within 5 seconds press the key to exit the sleep mode. If you do not press any key for the second time within 5 seconds, the device will enter the "sleep mode" again.

UV-lamp

After the device is turned on, the UV lamp function will be turned on by default. Long press the timing button for 5S to turn off the UV; and press the timing button for 5S to turn on the UV.

Child Lock

Press and hold the wind speed key for 5s to turn on the child lock. At this time, all other buttons are unable to be used.

Press and hold the wind speed key for 5s to unlock the child lock.

• Filter Reminder

The service life of filter screen is 1800 hours (< 0.5 hours is saved as 0.5 hours and < 1 hours > 0.5 hours is saved as 1 hour), when the countdown of filter screen is 0, the indicator (blue light) of filter screen flickers (0.5s on 0.5s). Users are prompted to pay attention to the service life of the filter screen.

<u>User needs to purchase "Fiwotttda KJ380F series composite filter" for replacement.</u> If the filter screen reminder is triggered but the filter element is not reset, the filter screen icon will flash for 30 seconds and always on.

After the filter screen is replaced, the user can press the power button for 5S, and the buzzer will give out two sounds of "drip" to complete the filter element reset operation, and the filter screen icon will go out, so that the filter life will return to the total time of 1800 hours, and the filter screen replacement indicator light will go out. If the filter screen reminder is not triggered, it is necessary to press the wind speed key for 10 seconds at the same time to reset the filter element.

Cleaning and Maintenance

1. The machine is not allowed to be placed on soft or uneven surface, so as to avoid electric leakage caused by vibration or noise during operation.





- 2. Do not put any thin or hard objects in the machine to avoid damage to the machine.
- 3. When the machine is off or not used for a long time, please pull the power cord out of the socket and place the machine in a place out of reach.

4. In order to have a good purification effect, the front and back of the machine should be kept open to avoid blocking the air circulation.





- 5. When the machine is in maintenance, inspection and moving, please be sure to stop running and unplug the power plug. Otherwise, electric shock and injury may be caused.
- 6. After the use of purification filter material (composite filter screen) is expired, you can contact us to purchase.


Cut off the power supply for any of the following maintenance behaviors:

1. Clean appearance

When cleaning the appearance of the air purifier, please cut off the power supply and clean it with a soft and clean dry cloth. Do not use alcohol, gasoline, and other chemical solvents to clean.

2. Remove PE bags


Before using the air purifier for the first time, please open the filter bin of the air purifier, take out the filter, and remove the plastic bag, otherwise the product will not be able to purify the air normally.





3. Replace the filter screen

- 1)As shown in Figure A: lay the air purifier flat on the ground, hold the handle of the filter bin door and rotate it to the left to remove the filter.
- 2)As shown in Figure B: remove the plastic bag of new filter.
- 3)As shown in Figure C: put the new filter into the machine, align the filter screen door to the bottom, rotate it to the right and tighten it.
- 4)After replacing the filter screen, please reset the filter screen.
- * Special reminder: "Fiwotttda KJ380F series composite filter" cannot be cleaned.



Trouble Shooting

| Problem | Cause | Solution | |
|---|--|--|--|
| | The unit Is not plugged into an electrical outlet. | Connect the plug to a powered electrical outlet | |
| No power or response. | The outlet is not working properly. | Try plugging the air purifier into a different outlet | |
| ino power of response. | The power adapter is damaged. The air purifier Is defective or | Immediately discontinue use and contact Customer Support. | |
| | malfunctioning. | | |
| | The filter may be too dirty if it's used for a long time. | | |
| Unpleasant smell. | Using the air purifier in moist conditions or water entered in the filter. | Replace the filter. | |
| The air quality indicator always gets in red. | Dirty filters and room air is bad. | Replace the filter. | |
| The numbers have been fluctuating from 3 to 12. | cancitive | It means the air quality is good when the value is under 12. You need to pay attention when It goes higher than 35. | |
| Any faulty display of the LED numbers. | Auto Mode has just been turned on. | Allow the air purifier to run for 5 seconds. They will change a stabilized status based on the detected air quality. | |
| בט numbers. | The unit is defective or malfunctioning. | Immediately discontinue use and contact Customer Support. | |
| | Dirty filters. | Replace the air filters as instructed in the Replace the Air Filters section. | |
| Jnusual noise while operating. | | Place the filter properly. Please refer to the Getting Started and Replacing the Air Filters section. | |
| | The foreign object inside the unit. | Immediately discontinue use and contact Customer Support. DO NOT attempt to open the air purifier yourself. | |
| | | Place the air purifier on hard, flat surfaces. | |
| Significantly reduced airflow. | Not enough space around the unit. | Ensure that there are at least 15 inches (38 cm) between the unit and other objects. | |
| | Surrounding area exceeds the applicable area. | DO NOT use the air purifier outdoors. This appliance is designed for indoor use only. | |
| Poor air purification quality. | The air inlet or outlet is blocked. | Remove objects that block the air inlet or outlet. | |
| | The filter is not properly placed in housing. | Properly place filter as noted in the Getting Started and Replacing the Filters section. | |

Technical Specifications

| Product name | Air Purifier |
|---------------------------------------|---|
| Product model | Breathe Nature 01 |
| input voltage | AC 110 - 240V / 50-60Hz |
| Rated power | 42W |
| Noise | ≤67dB(A) |
| Net weight | 3.6kg |
| Clean air volume (particulate matter) | 400m³/h |
| Clean air volume (formaldehyde) | 30m³/h |
| HEPA Filter Grade | H13 |
| Operating temperature / humidity | -10 ~ 60 °C / 20 ~ 90% without condensation |
| Product size | 250×250×510mm |





OZONE DENSITY about Hepa Air Purifier

This product complies with the maximum allowable concentration of ozone of 0.050 parts per million by volume (ppmv) in a 24-hour period.

Warranty

| Product Name | Fiwotttda Air Purifier |
|------------------------------------|------------------------|
| Model | Breathe Nature 01 |
| Manufacturer Warranty Period | 1 Year |
| Please keep your order receipt for | future reference. |

TERMS & POLICY

Quality has always been Fiwotttda's top priority. For your 100% hassle-free shopping experience, Fiwotttda provides a 1-year manufacturer's limited warranty for KJ380F Air Purifiers.

• What's covered?

Defects due to faulty materials and workmanship of the product.

• What's NOT covered?

- 1.Damage caused by the owner when attempting to fix or altering the product by himself or herself.
- 2.Damage caused by misuse, abuse, neglect, alterations, or unauthorized repair.
- 3. Natural depreciation.

Warranty Period

Warranty becomes effective since the date of the original purchase and will last for one (1) year

• Who's covered?

This limited warranty is only effective for the original purchaser. It is NOT transferable.

• How to request warranty services?

To obtain the benefit of this warranty, please send an email to service@fiwotttda.com. Our customer service will address your issue promptly.

- What will Fiwotttda do?
- 1. Repair the item.
- 2. Replace the item if unrepairable.
- 3. Refund the item under certain circumstances.

ALL EXPRESSED AND IMPLIED WARRANTIES, INCLUDING THE WARRANTY OF MERCHANTABILITY, ARE LIMITED TO THE PERIOD OF THE LIMITED WARRANTY.



PAP22

DISPOSAL



This marking indicates that this product should not be disposed with other household wastes. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.