

安規證書

料號 :

Model Name PM301-12A,PM301-13A,PM301-13-2A,PM301-14A,PM301-16A,PM301-

17A,PM301-18A,PM301-12B,PM301-13B,PM301-13-2B,PM301-14B,PM301-16B,PM301-17B,PM301-18B,PM301-12C,PM301-13C,PM301-13-2C,PM301-

14C,PM301-16C,PM301-17C,PM301-18C,PM301-12A-12,PM301-13A-

12,PM301-13-2A-12,PM301-14A-12,PM301-16A-12,PM301-17A-12,PM301-18A-12,PM301-12B-12,PM301-13B-12,PM301-13-2B-12,PM301-14B-12,PM301-16B-12,PM301-17B-12,PM301-18B-12,PM301-12C-12,PM301-13C-12,PM301-13-

2C-12,PM301-14C-12,PM301-16C-12,PM301-17C-12,PM301-18C-

12,FSP300M-K36-12A,FSP300M-K36-15A,FSP300M-K36-19A,FSP300M-K36-24A,FSP300M-K36-30A,FSP300M-K36-36A,FSP300M-K36-48A,FSP300M-K36-12B,FSP300M-K36-15B,FSP300M-K36-19B,FSP300M-K36-24B,FSP300M-K36-30B,FSP300M-K36-36B,FSP300M-K36-48B,FSP300M-K36-12C,FSP300M-K36-

15C,FSP300M-K36-19C,FSP300M-K36-24C,FSP300M-K36-30C,FSP300M-K36-36C,FSP300M-K36-48C,FSP300M-K36-12AH,FSP300M-K36-

15AH,FSP300M-K36-19AH,FSP300M-K36-24AH,FSP300M-K36-30AH,FSP300M-K36-36AH,FSP300M-K36-48AH,FSP300M-K36-12BH,FSP300M-K36-15BH,FSP300M-K36-19BH,FSP300M-K36-

版次 : 03

文件編號 : SFD15059110-R2

作者 : wadezeng/曾建銘(KH)

SFA NO. : -

Trade mark : PROTEK POWER; FSP

安規種類 : UL/cUL醫療類

發行日期 : 2024/06/11 15:45:43

備註 : PM301 series, Medical, UL CoC升版到3.2版

新增FSP機種名稱

台灣 桃園市桃園區 330 建國東路 22 號 No. 22, Jianguo E. Rd., Taoyuan Dist., Taoyuan City 330, Taiwan(R.O.C)

TEL: +886-3-375-9888 FAX: +886-3-375-6966



Certificate of Compliance

Certificate Number:

UL-US-2407070-0

Report Reference:

E178020-20240222

Issue Date:

2024-02-22

Issued to:

FSP GROUP INC 2-3 E 3rd St Nanzih District Kaohsiung 811 Taiwan

This certificate confirms that representative samples of:

QQHM2 - Power Supplies, Medical and Dental - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

ANSI/AAMI ES60601-1:2005/A2:2021

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch

UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

Page 1 of 14

Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
FSP300M-K36-12Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-12CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-15Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-15CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. FSP300M-K36-19Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

of the Drimany where blank-fuse on both side and	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary. FSP300M-K36-19Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	Power Supplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	David Compliant for Marking I Francisco
FSP300M-K36-19AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	David Compliant for Madical Environment
FSP300M-K36-19AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	5 0 " (14 " 15 1
FSP300M-K36-19Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-19CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-24Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
SP=single fuse on Line side of the Primary. FSP300M-K36-24Af (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-24AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-24AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-24Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-24Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	1 ower oupplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-24BHf (With 10 CFM force air), Suffix "f"	Dawar Cumplies for Madical Equipment
can be blank or -SP indicates single fuse provided on Line	Power Supplies for Medical Equipment
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	Davias Complias for Madical Environment
FSP300M-K36-24BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-24Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-24CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-30Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
: g	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	1 ower cappines for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	i ower Supplies for Medical Equipment
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	Decree Occupies for Madical Engineers
FSP300M-K36-30BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-30CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-36Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0

Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-36Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-36Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medical Equipment
FSP300M-K36-36Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-36Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-36Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-36Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary. FSP300M-K36-36Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
FSP300M-K36-36Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
the Primary, where blank=fuse on both side and -
CD-single fuse on Line side of the Drimon,
SP=single fuse on Line side of the Primary.
FSP300M-K36-36BHf (With 10 CFM force air), Suffix "f" Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line
side of the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
FSP300M-K36-36BHf (Without force air), Suffix "f" can be Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
FSP300M-K36-36Cf, Suffix "f" can be blank or -SP Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,
where blank=fuse on both side and -SP=single fuse on
Line side of the Primary.
FSP300M-K36-36CHf, Suffix "f" can be blank or -SP Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,
where blank=fuse on both side and -SP=single fuse on
Line side of the Primary.
FSP300M-K36-48Af (With 10 CFM force air), Suffix "f" can Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side
of the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
FSP300M-K36-48Af (Without force air), Suffix "f" can be Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
FSP300M-K36-48AHf (With 10 CFM force air), Suffix "f" Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line
side of the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
FSP300M-K36-48AHf (Without force air), Suffix "f" can be Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
SP=single fuse on Line side of the Primary. FSP300M-K36-48Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medical Equipment
FSP300M-K36-48Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary. FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
FSP300M-K36-48BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
FSP300M-K36-48Cf, Suffix "f" can be blank or -SP Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,
where blank=fuse on both side and -SP=single fuse on
Line side of the Primary.
FSP300M-K36-48CHf, Suffix "f" can be blank or -SP Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,
where blank=fuse on both side and -SP=single fuse on
Line side of the Primary.
PM301-12A-12f (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
PM301-12A-12f (Without force air), Suffix "f" can be blank Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the
Primary, where blank=fuse on both side and -SP=single
fuse on Line side of the Primary.
PM301-12Af (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
PM301-12Af (Without force air), Suffix "f" can be blank or - Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the
Primary, where blank=fuse on both side and -SP=single
fuse on Line side of the Primary.
PM301-12B-12f (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of
the Primary, where blank=fuse on both side and -
SP=single fuse on Line side of the Primary.
PM301-12B-12f (Without force air), Suffix "f" can be blank Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-12Bf (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-12Bf (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-12C-12f, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-12Cf, Suffix "f" can be blank or -SP indicates single	Power Supplies for Medical Equipment
fuse provided on Line side of the Primary, where	I ower oupplies for Medical Equipment
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary. PM301-13-2A-12f (With 10 CFM force air), Suffix "f" can	Davier Cumplies for Madical Equipment
	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13-2A-12f (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13-2Af (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13-2Af (Without force air), Suffix "f" can be blank or	Power Supplies for Medical Equipment
-SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13-2B-12f (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	1 31131 Supplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
	Power Supplies for Medical Equipment
PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of	rower supplies for intedical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13-2Bf (Without force air), Suffix "f" can be blank or	Power Supplies for Medical Equipment
-SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-13-2Cf, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-13A-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	1 ower capplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13A-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	Power Supplies for Medical Equipment
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	Davies Compliantes Madical Environment
PM301-13Af (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13Af (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-13B-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13B-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-13Bf (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-13Bf (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
2a.ca.too onigio idoo providod on Enio oldo ol tilo	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary. PM301-13C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14Af (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14Bf (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

blank=fuse on both side and -SP=single fuse on Line side of the Primary.	
PM301-14Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Af (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Bf (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-17A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of	
PM301-17A-12f (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipmer	
hlank or SD indicatoe cingle tuce provided on Line cide of	ıτ
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-17A-12f (Without force air), Suffix "f" can be blank Power Supplies for Medical Equipmer	nt
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-17Af (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipmer	nt
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-17Af (Without force air), Suffix "f" can be blank or - Power Supplies for Medical Equipmer	nt
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-17B-12f (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipmer	nt .
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-17B-12f (Without force air), Suffix "f" can be blank Power Supplies for Medical Equipmer	nt .
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-17Bf (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipmer	nt .
blank or -SP indicates single fuse provided on Line side of	10
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-17Bf (Without force air), Suffix "f" can be blank or - Power Supplies for Medical Equipmer	
SP indicates single fuse provided on Line side of the	IL
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary. DN201.17C.10f. Suffix Ifficence in the blank on SD indicates. DN201.17C.10f. Suffix Ifficence in the blank on SD indicates. DN201.17C.10f. Suffix Ifficence in the blank on SD indicates.	
PM301-17C-12f, Suffix "f" can be blank or -SP indicates Power Supplies for Medical Equipmer	π
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-17Cf, Suffix "f" can be blank or -SP indicates single Power Supplies for Medical Equipmer	π
fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-18A-12f (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipmer	ıt
blank or -SP indicates single fuse provided on Line side of	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-US-2407070-0 Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18A-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18Af (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18Af (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18B-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18B-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18Bf (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18Bf (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18C-12f, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-18Cf, Suffix "f" can be blank or -SP indicates single	Power Supplies for Medical Equipment
fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.





Certificate of Compliance

Certificate Number:

UL-CA-2406155-0

Report Reference:

E178020-20240222

Issue Date:

2024-02-22

Issued to:

FSP GROUP INC 2-3 E 3rd St Nanzih District Kaohsiung 811 Taiwan

This certificate confirms that representative samples of:

QQHM8 - Power Supplies, Medical and Dental Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 60601-1, 3rd Ed., Issue Date: 2014-03, Revision Date: 2022-3, AMD 2

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch

UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

Page 1 of 15

Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
FSP300M-K36-12Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-12Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

FSP300M-K36-12CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-15Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-15Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-15CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	Davian Complian for Madical Environment
FSP300M-K36-19Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	D 0 " (M " 15 ')
FSP300M-K36-19Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-19Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-19CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

FSP300M-K36-24Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24Af (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24AHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24AHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24BHf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24BHf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-24CHf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
FSP300M-K36-30Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

60 D: 1 11 16 10 11	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	Dower Cumpling for Madical Equipment
FSP300M-K36-30Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-30Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-30CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	1.1
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-36Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	- 4
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

FSP300M-K36-36Af (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of	Power Supplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-36Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-36CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-48Af (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48Af (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
<u> </u>	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48AHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48AHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48Bf (With 10 CFM force air), Suffix "f" can	Power Supplies for Medical Equipment
be blank or -SP indicates single fuse provided on Line side	
of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48Bf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48BHf (With 10 CFM force air), Suffix "f"	Power Supplies for Medical Equipment
can be blank or -SP indicates single fuse provided on Line	
side of the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48BHf (Without force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
FSP300M-K36-48Cf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
FSP300M-K36-48CHf, Suffix "f" can be blank or -SP	Power Supplies for Medical Equipment
indicates single fuse provided on Line side of the Primary,	
where blank=fuse on both side and -SP=single fuse on	
Line side of the Primary.	
PM301-12A-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	. 1.1.1. Sapplies issales. Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-12A-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	. 1 Supplies for Modical Equipmont
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
idoo on Emo oldo or tho r innary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

PM301-12Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12Af (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12Bf (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-12Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13-2A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13-2A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13-2Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Af (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. Power Supplies for Medica		
PM301-13-2Af (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
-SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank fuse on both side and -SP=single fuse on Line side of the Primary, where blank fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-12Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-12Cf, Suffix Ty" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-12Cf, Suffix Ty" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-12Cf, Without force air), Suffix Ty" can be blank or -SP indicates single fuse provided on Line side of the Primary.		Davis Osmalis for Malicel Engl
Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2C-12f, Wiffix "f" can be blank or -SP indicates single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2C-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2C-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		Power Supplies for Medical Equipment
fuse on Line side of the Primary. PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2C-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-12C-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-12C-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13-12C-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-12C-12f (With		
PM301-13-2B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medical Equipment Power Supplies for Medical Equipment S		
be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13-2C-5f, Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank or -SP indicates single fuse on Line side of the Primary, where blank or -SP indicates single fuse on Line side of the Primary, where blank or -SP indicates single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medical Equipment Supplies for Medical Equi		D 0 " (M " F :
of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medical Equipment Power Supplies for Medical Equipment Suppl		Power Supplies for Medical Equipment
PH301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on biank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medical Equipment Power Supplies for Medical Equipment Supplies for Medical		
PM301-13-2B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (With to CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. Power Supplies for Medical Equipment		
the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP-single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		Power Supplies for Medical Equipment
SP=single fuse on Line side of the Primary. PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
PM301-13-2Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary, where blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		Power Supplies for Medical Equipment
SP=single fuse on Line side of the Primary. PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
PM301-13-2Bf (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank or -SP indicates single fuse provided on Line side of the Primary, where blank or -SP indicates single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. Power Supplies for Medical Equipment Power Supplies for Medic		
-SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse provided on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		
Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary, where blank or -SP indicates single fuse provided on Line side of the Primary, where blank or -SP indicates single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary.		Power Supplies for Medical Equipment
fuse on Line side of the Primary. PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on both side and -SP=single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
PM301-13-2C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		Power Supplies for Medical Equipment
of the Primary. PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
PM301-13-2Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
blank=fuse on both side and -SP=single fuse on Line side of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		Power Supplies for Medical Equipment
of the Primary. PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
PM301-13A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		Power Supplies for Medical Equipment
SP=single fuse on Line side of the Primary. PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
PM301-13A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the		
or -SP indicates single fuse provided on Line side of the	SP=single fuse on Line side of the Primary.	
		Power Supplies for Medical Equipment
Drive and Julean blank-five and both aids and CD-single		
	Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.		
PM301-13Af (With 10 CFM force air), Suffix "f" can be Power Supplies for Medical Equipment		Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of		
the Primary, where blank=fuse on both side and -		
SP=single fuse on Line side of the Primary.	SP=single fuse on Line side of the Primary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

PM301-13Af (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single	Power Supplies for Medical Equipment
fuse on Line side of the Primary. PM301-13B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and - SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13Bf (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-13Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-14Af (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-14B-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	i ower Supplies for Medical Equipitient
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-14B-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	Power Supplies for Medical Equipment
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-14Bf (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	Power Supplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary. PM301-14Bf (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	Power Supplies for Medical Equipment
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-14C-12f, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	Fower Supplies for Medical Equipment
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-14Cf, Suffix "f" can be blank or -SP indicates single	Power Supplies for Medical Equipment
fuse provided on Line side of the Primary, where	i ower oupplies for Medical Equipment
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-16A-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	1 ower oupplies for Medical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-16A-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	. 2.35. Supplies to Modical Equipment
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-16Af (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	. 2.35. Supplies to Modical Equipment
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-16Af (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
idos sir Enis sido of tho i filliary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



© 2024 UL LLC. All rights reserved. Form-ULID-013925-CoCa – ver 1.0

Page 12 of 15

Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

PM301-16B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16B-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Bf (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Bf (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16C-12f, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-16Cf, Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-17A-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-17A-12f (Without force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-17Af (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-17Af (Without force air), Suffix "f" can be blank or - SP indicates single fuse provided on Line side of the Primary, where blank=fuse on both side and -SP=single fuse on Line side of the Primary.	Power Supplies for Medical Equipment
PM301-17B-12f (With 10 CFM force air), Suffix "f" can be blank or -SP indicates single fuse provided on Line side of	Power Supplies for Medical Equipment



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

Date 2024-02-22

the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	David Overellia for Madical Fig. 1
PM301-17B-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-17Bf (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-17Bf (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-17C-12f, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-17Cf, Suffix "f" can be blank or -SP indicates single	Power Supplies for Medical Equipment
fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-18A-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18A-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18Af (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18Af (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18B-12f (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
2. Single face on Entered and of the Filling y.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate number UL-CA-2406155-0 Report reference E178020-20240222

> Date 2024-02-22

PM301-18B-12f (Without force air), Suffix "f" can be blank	Power Supplies for Medical Equipment
or -SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18Bf (With 10 CFM force air), Suffix "f" can be	Power Supplies for Medical Equipment
blank or -SP indicates single fuse provided on Line side of	
the Primary, where blank=fuse on both side and -	
SP=single fuse on Line side of the Primary.	
PM301-18Bf (Without force air), Suffix "f" can be blank or -	Power Supplies for Medical Equipment
SP indicates single fuse provided on Line side of the	
Primary, where blank=fuse on both side and -SP=single	
fuse on Line side of the Primary.	
PM301-18C-12f, Suffix "f" can be blank or -SP indicates	Power Supplies for Medical Equipment
single fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	
PM301-18Cf, Suffix "f" can be blank or -SP indicates single	Power Supplies for Medical Equipment
fuse provided on Line side of the Primary, where	
blank=fuse on both side and -SP=single fuse on Line side	
of the Primary.	



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

