



**JBL STUDIO SYSTEMS**  
**US RETAIL PRICE LIST**  
May, 2017

## JBL 7 Series Installed Studio Monitors: System Components

Dealer Authorization Required

More information from JBL Professional at [www.jblpro.com](http://www.jblpro.com)



Model Name	Description	MSRP (US\$)
LSR705i	5-inch externally amplified studio monitor. - Recommended Power Amplifier: Crown DCi or DCi "N" amplifier with 300 watts per channel into 8 ohms. - Requires HARMAN DSP: JBL Intonato 24 Monitor Management OR Crown DCi "N" version Amplifier with DSP. - Can be amplified with single amp channel or bi-amplified; - Must not be advertised individually.	\$ 687.00
LSR708i	8-inch externally amplified studio monitor. - Recommended Power Amplifier: Crown DCi or DCi "N" amplifier with 300 watts per channel into 8 ohms. - Requires HARMAN DSP: JBL Intonato 24 Monitor Management OR Crown DCi "N" version Amplifier with DSP. - Can be amplified with single amp channel or bi-amplified; - Must not be advertised individually.	\$ 1,500.00
M2	15-inch externally amplified studio monitor. Can be used in conjunction with 7 Series Studio Monitors - Requires Crown Power Amplifier with 1250 watts per channel into 8 ohms. - Requires HARMAN DSP: JBL Intonato 24 Monitor Management OR Crown DCi "N" version Amplifier with DSP. - Additional Authorization Required. Must not be advertised individually.	\$ 6,000.00
LSR6312SP	12-inch powered studio 260 W subwoofer.	\$ 2,080.00
S2S-EX	15-inch passive studio subwoofer 22 Hz, Power handling: 3200 W peak	\$ 3,000.00
SUB18	18-inch, passive studio subwoofer with sub 18Hz performance. Power handling: 4000 W peak	\$ 3,250.00

### JBL MONITOR SYSTEM PROCESSORS AND CONTROLLERS

More information at [www.jblpro.com](http://www.jblpro.com)

Model Name	Description	MSRP (US\$)
<b>NEW</b> Intonato 24	JBL Intonato 24 Monitor Management Tuning System. Ideal for use with JBL M2, 7 Series studio monitors. Provides automated calibration and control of stereo, surround and immersive audio monitoring systems. 24 speaker outputs, 24 analog and 24 AES inputs. 256 BLU Link Network Inputs Flexible routing and monitoring configurations, store and recall of custom user profiles. 2-U rack mount chassis. Near-silent fan cooling. Calibration microphone included. Supplied Macintosh Windows, and tablet control software.	\$ 3,750.00
<b>NEW</b> Intonato DC	Desk Top Controller for use with JBL Intonato 24. Includes Master Volume Control, DIM, Bass Management, and Talk Back controls and individual Speaker Solo and Mute keys. Dedicated keys allow instant recall of 30 user-defined scenes. Dual LED displays and dedicated keys allow instant recall of user-created monitoring configurations. Compact desk-top, console-top form factor. Powered over ethernet. <b>AVAILABLE SPRING 2017</b>	\$ 999.00
BSSBLU-DAN	BLU Link/ Dante Bridge - Allows Intonato 24 to accept Dante Format audio. 1U Rack Mount Chassis	\$ 1,100.00
<b>PASSIVE VOLUME CONTROLS</b>		
NPATCH BLK	Nanno Patch compact 2 channel volume control with rotary volume attenuation control, Mute button; two TRS/XLR combination inputs (balanced and unbalanced); two 1/4" balanced outputs; one Mini jack I/O. Desktop metal enclosure. Passive analog design - no power required.	\$ 69.00
MPATCH2	Allows selective monitoring of up to two stereo input sources via two stereo outputs. With volume control, aux level control, STEREO/AUX input selector, A / B output destination selector; Balanced XLR and 1/4" , unbalanced RCA IN, 1/8" IN; 4 ea. Balanced XLR OUT. Included Rack-Mount Adaptors	\$ 199.00

### CROWN POWER AMPLIFIERS

More information from Crown Audio at [www.crownaudio.com](http://www.crownaudio.com)





Model Name	Description	MSRP (US\$)
<b>DCi "N" version multi-channel amplifiers allow networking of audio via BLU Link protocol and include DSP filters with 48 kHz sample rate.</b>		
DCi 2 300N	2 channel power amplifier. 300 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 1,848.15
DCi 4 300N	4 channel power amplifier. 300 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 2,819.40
DCi 8 300N	8 channel power amplifier. 300 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 5,087.50
DCi 2 1250N	2 channel power amplifier. 1250 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	#REF!
DCi 4 1250N	4 channel power amplifier. 1250 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 5,695.67
<b>DCi multi-channel amps without DSP</b>		
DCi 2 300	2 channel power amplifier. 300 watts/channel for LSR708i or LSR05i	\$ 1,248.75
DCi 4 300	4 channel power amplifier. 300 watts/channel for LSR708i or LSR05i	\$ 2,033.15
DCi 8 300	8 channel power amplifier. 300 watts/channel for LSR708i or LSR05i	\$ 4,068.15
DCi 2 1250	2 channel power amplifier. 1250 watts/channel for M2 And S2S-EX	\$ 2,773.15
DCi 4 1250	4 channel power amplifier. 1250 watts/channel for M2 And S2S-EX	\$ 4,299.40
<b>CT Series amps (without DSP)</b>		
CT8150	Eight channel, 125W @ 4/8Ω convection-cooled power amp. Ideal for multi-channel applications requiring only moderate SPL	\$ 2,442.35
<b>iTech HD Hi Power Amplifiers with DSP for M2 and SUB18</b>		
IT 4X3500HD	4 channel power amplifier. 3500 watts/channel	\$ 12,350.15
IT5000HD	2 channel power amplifier. 3500 watts/channel	\$ 6,137.51
IT12000HD	2 channel power amplifier 6000 watts/channel	\$ 9,203.57

### MOUNTING HARDWARE



Available from: Adaptive Technologies Group  
1635 E. Burnette Street, Signal Hill, California, USA 90755  
Telephone: +1 (562) 273-4239 [www.adapttechgroup.com](http://www.adapttechgroup.com)

Notes: Ethernet Switches, Routers, and accessories available from other suppliers

## 2 Channel Systems

Speakers and Power Amplifier only*		
<b>2-Channel 5-inch System</b>		
Component	Qty	List
LSR705i	2	\$ 1,374.00
DCi 2 300N	1	\$ 1,848.15
<b>System Price Total</b>		<b>\$ 3,222.15</b>
		
<b>2-Channel 8-inch System</b>		
Component	Qty	List
LSR708i	2	\$ 3,000.00
DCi 2 300N	1	\$ 1,848.15
<b>System Price Total</b>		<b>\$ 4,848.15</b>
		



\*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers

Complete Systems including Subwoofers Monitor Management and Tuning System		
<b>2-Channel 5-inch System</b>		
Component	Qty	List
LSR705i	2	\$ 1,374.00
DCi 2 300	1	\$ 1,248.75
Intonato 24	1	\$ 3,750.00
LSR6312SP	1	\$ 2,080.00
Intonato DC	1	\$ 999.00
<b>System Price Total</b>		<b>\$ 9,451.75</b>
		
<b>2-Channel 8-inch System</b>		
Component	Qty	List
LSR708i	2	\$ 3,000.00
DCi 2 300	1	\$ 1,248.75
Intonato 24	1	\$ 3,750.00
LSR6312SP	2	\$ 4,160.00
Intonato DC	1	\$ 999.00
<b>System Price Total</b>		<b>\$ 13,157.75</b>
		

\*\*Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.


## 5.1 Surround Systems

Speakers and Power Amplifier only*			
<b>5.1 / 5-inch System</b>			
Component	Qty	List	
LSR705i	5	\$	3,435.00
DCi 8 300N	1	\$	5,087.50
LSR6312SP	1	\$	2,080.00
<b>System Price Total</b>		<b>\$</b>	<b>10,602.50</b>
<b>5.1 / 8-inch System</b>			
Component	Qty	List	
LSR708i	5	\$	7,500.00
DCi 8 300N	1	\$	5,087.50
LSR6312SP	2	\$	4,160.00
<b>System Price Total</b>		<b>\$</b>	<b>16,747.50</b>





\*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers

Complete Systems including Monitor Management and Tuning System			
<b>5.1 / 5-inch System</b>			
Component	Qty	List	
LSR705i	5	\$	3,435.00
DCi 8 300	1	\$	4,068.15
Intonato 24	1	\$	3,750.00
LSR6312SP	1	\$	2,080.00
Intonato DC	1	\$	999.00
<b>System Price Total</b>		<b>\$</b>	<b>14,332.15</b>
<b>5.1 / 8-inch System</b>			
Component	Qty	List	
LSR708i	5	\$	7,500.00
DCi 8 300	1	\$	4,068.15
Intonato 24	1	\$	3,750.00
LSR6312SP	2	\$	4,160.00
Intonato DC	1	\$	999.00
<b>System Price Total</b>		<b>\$</b>	<b>20,477.15</b>





\*\*Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

## 7.1 Surround Sound Systems

Speakers and Power Amplifier only*			
<b>7.1 / 5-inch System</b>			
Component	Qty	List	
LSR705i	7	\$ 4,809.00	
DCi 8 300N	1	\$ 5,087.50	
LSR6312SP	1	\$ 2,080.00	
<b>System Price Total</b>		<b>\$ 11,976.50</b>	
			
<b>7.1 / 8-inch System</b>			
Component	Qty	List	
LSR708i	7	\$ 10,500.00	
DCi 8 300N	1	\$ 5,087.50	
LSR6312SP	2	\$ 4,160.00	
<b>System Price Total</b>		<b>\$ 19,747.50</b>	
			

\*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers

Complete Systems including Monitor Management and Tuning System*			
<b>7.1 / 5-inch System</b>			
Component	Qty	List	
LSR705i	7	\$ 4,809.00	
DCi 8 300	1	\$ 4,068.15	
Intonato 24	1	\$ 3,750.00	
LSR6312SP	2	\$ 4,160.00	
Intonato DC	1	\$ 999.00	
<b>System Price Total</b>		<b>\$ 17,786.15</b>	
			
<b>7.1 / 8-inch System</b>			
Component	Qty	List	
LSR708i	7	\$ 10,500.00	
DCi 8 300	1	\$ 4,068.15	
Intonato 24	1	\$ 3,750.00	
LSR6312SP	2	\$ 4,160.00	
Intonato DC	1	\$ 999.00	
<b>System Price Total</b>		<b>\$ 23,477.15</b>	
			


\*\*Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

# Immersive Audio Systems

## Speakers and Power Amplifier only\*

### 9.1.4 / 8-Inch LCR, 5-Inch Surrounds

Component	Qty	List
LSR708i	3	\$ 4,500.00
LSR705i	10	\$ 6,870.00
DCi 8 300N	2	\$ 10,175.00
S2S-EX	2	\$ 6,000.00
DCi 2 1250N	1	#REF!
<b>System Price Total</b>		<b>#REF!</b>




\*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers

## Complete Immersive Audio System including Monitor Management and Tuning System

### 9.1.4 / 8-Inch LCR, 5-Inch Surrounds

Component	Qty	List
LSR708i	3	\$ 4,500.00
LSR705i	10	\$ 6,870.00
DCi 8 300N	2	\$ 10,175.00
S2S-EX	2	\$ 6,000.00
DCi 2 1250N	1	#REF!
Intonato 24	1	\$ 3,750.00
Intonato DC	1	\$ 999.00
<b>System Price Total</b>		<b>#REF!</b>



\*\*Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

## Mounting Hardware

<b>MOUNTING HARDWARE</b> <b>Available from: Adaptive Technologies Group</b> <b>1635 E. Burnette Street, Signal Hill, California, USA 90755</b> <b>Telephone: +1 (562) 273-4239 www.adapttechgroup.com</b>						
JBL Speaker Model:	Allen Products Part Number	Mounting Options:				Notes
		Bottom Mount	Rear Vertical Orientation	Rear Horizontal Orientation	Top Mount	
LSR705i	MM-008-BT	✓	✓	✓		2 Hole Mounting Pattern on Top, Bottom and Rear
	MM-008-CM-BT				✓	1/2" diameter 7.9" Length , 13 thread pitch
	MP-500-13-CM					CEILING PLATE accepts 1/2-13 threaded rod up to 48"
						4-Hole Mounting pattern on Top Bottom and Rear
LSR708i	MM-016-BT		✓	✓		Requires optional Tube Extension TE-500NPT-6", -12", -24", -36", or -48" Also requires ceiling plate or channel adaptor
	MM-018		✓		✓	
	MM-024-BT	✓	✓			Precise Tilt Adjustment Feature
	MM-060	✓	✓			Precise 3 axis adjustment. Requires 1/2 NPT Pipe of desired length
	MM-3RDX-18		✓		✓	
LSR6312SP						Includes Rear panel horizontal and vertical mounting points
	MM-022-BT		✓	✓		
	MM-024-BT		✓	✓		
	MM-060		✓	✓		Precise Tilt Adjustment Feature
CONSULT ALLEN PRODUCTS FOR DETAILS AND LATEST INFORMATION						
PRODUCT CATEGORY	ALLEN PRODUCTS PART NUMBER	Inv	COLOR	WLL lbs	WLL kg	PRODUCT DESCRIPTION
Ceiling systems	MM-3RDX-18	Y	Black	60	0	MultiMount, speaker ceiling mount, 60 lb.WLL, indoor, blk
Ceiling systems	MM-008-CM-BT	Y	Black	15	6.8	MultiMount, ceiling mount, 20 lb.WLL, outdoor
Ceiling systems	MP-500-13-CM	Y	Black	0	0	Ceiling mount plate for 1/2-13
Ceiling systems	MP-500NPT-CP	Y	Black	0	0	Ceiling Plate kit, 1/2-14NPT
Ceiling systems	MP-500NPT-TA	Y	Black	0	0	Tube adapter mounting plate 500 NPT
Ceiling systems	PIPE-500NPT-03	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 3"/76mm
Ceiling systems	PIPE-500NPT-06	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 6"/155mm
Ceiling systems	PIPE-500NPT-09	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 9"/233mm
Ceiling systems	PIPE-500NPT-12	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 12"/305mm
Ceiling systems	PIPE-500NPT-18	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 18"/457mm
Ceiling systems	PIPE-500NPT-24	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 24"/610mm
Ceiling systems	PIPE-500NPT-30	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 30"/762mm
Ceiling systems	PIPE-500NPT-36	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 36"/914mm
Ceiling systems	PIPE-500NPT-48	Y	Black	0	0	Pipe Kit, 1/2NPT with safety cable, 48"/1219mm
Speaker Mount	MM-008-BT	Y	Black	15	6.8	MultiMount, speaker wall mount, 15 lb.WLL, outdoor
Speaker Mount	MM-016-BT	Y	Black	25	11.34	MultiMount, speaker wall mount, 25 lb.WLL indoor
Speaker Mount	MM-018	Y	Black	60	27.22	MultiMount, speaker ceiling mount, 60 lb.WLL indoor
Speaker Mount	MM-022-BP	N	Silver	0	0	MultiMount, internal backing plate
Speaker Mount	MM-022-BT	Y	Black	60	27.22	MultiMount, speaker wall mount, 60 lb.WLL indoor
Speaker Mount	MM-024-BT	Y	Black	60	27.22	MultiMount, speaker wall mount, 60 lb.WLL indoor
Speaker Mount	MM-060		Black	60	27.22	MultiMount, speaker wall mount, 60 lb.WLL indoor