

深圳卓立久科技有限公司

地址:深圳市罗湖区桂园街道新围社区深南东路5033号金山大厦1208 电话: 0755-25106331


Zeniko Technology Co., LTD





Name of Parts

What's Inside













USB-A to USB-C Air Pump Storage Instruction Adapter *1 *1 Bag *1 Manual *1

Power Switch

CCT Adjustment

temperature,

Factory Reset

Brightness Adjustment

Note: Due to continuous updates and upgrades of the products, there may be differences between the actual products and the pictures. Therefore, the pictures are for reference only products to



Open the air valve lid in power off status, insert the air pump into the air valve port and press it continuously to inflate the light body, then close the

Instruction for Deflation



Open the air valve lid in power off status, press the deflating device in the middle of the air valve to deflate the light body gradually.

This light has two power-on modes: power switch button and plug-and-play (no need to Mode OT40 Bi Pro press the power switch button). The factory default is to press the power switch button Power Supply 5V == 2A, 9V == 1A to start, i.e., connect the light to DC power source with USB-C male plug, then press the power switch button to turn on/off. Press and hold the power switch button for 1.5s in Input Power Max.≈7W the power off state, you can switch between the two power-on modes. 5 levels: 3000K 3800K 4600K 5600K 6500K

Average>98 Short press the + button in power on status to increase the brightness, while short press the - button to decrease the brightness. The brightness is adjustable in 10 levels among: Illuminance Data ≈992lux/92.1fc(0.98ft/0.3m) ≈1670lux/155fc(0.98ft/0.3m) 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% and 100%.

Technical Data

(100% brightness and

Working Environmen

the essential requirements and other relevant

5600K CCT)



Temperature Short press the COLOR button in power on status to switch CCT in 5 levels in recycle: 3000K 3800K 4600K 5600K and 6500K Light Body Dimension (excluding charging cable)

Power Identification

When the light cannot be turned on with the last memorized power due to insufficient power supply, short press the power switch button three times (do not press continuously), it will boot up at the lowest brightness and the last saved color Declaration of Conformity

For more information of DoC, Please click this web link: Press and hold the +/- button for 1,5 seconds at the same time, and the light body will https://www.zeniko.com/EU/OT40BIPRO.PDF boot up at the lowest brightness and lowest color temperature. https://www.zeniko.com/EU/OT80BIPRO.PDF

FCC Statement

OT80 Bi Pro

Max ≈15W

Average≥96

Average≥98

-10°C~+40°C

31.5" * 3.9" * 0.7"

Specifications and data may subject to changes without notice.

10 levels: 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Average≥96

15.7" * 3.9" * 0.7"

Zeniko Technology Co., LTD hereby declares that this equipment are in compliance with

provisions of Directive 2014/30/FU. They are allowed to be used in all FU member states.

5V=3A 9V=1 67A

This device complies with part 15 of the FCC Rules, Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules, These limits are designed to provide reasonable protection against harmful interference in a residential installation. This ≈430lux/39.9fc(1.64ft/0.5m) ≈870lux/80fc(1.64ft/0.5m) equipment generates uses and can radiate radio frequency energy and, if not installed ≈124lux/11.5fc(3.28ft/1m) ≈280lux/26fc(3.28ft/1m) and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna,
- Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

Warranty

Product Model

Dear customers, as this warranty card is an important certificate to apply for our maintenance service, please fill in the following form in coordination with the seller and safe-keep it, Thank you!

Information	Wodel	Troduct code Namber	
Customer	Name	Contact Number	
Information	Address		
Seller	Name		
Information	Contact Number		
	Address		
	Date of Sale		
Note			

Note: This form shall be sealed by the seller.

Product Code Number

Applicable Products

The document applies to the products listed on the Product Maintenance Information (see below for further information), Other products or accessories (e.g. promotional Consult the dealer or an experienced radio/TV technician for help. items, giveaways and additional accessories attached, etc.) are not included in this

warranty scope.

Warranty Period

The warranty period of products and accessories isimplemented according to the relevant Product Maintenance Information. The warranty period is calculated from the day(purchase date) when the product is bought for the first time, And the purchase date is considered as the date registered onthe warranty card when buying the product.

How to Get the Maintenance Service

If maintenance service is needed, you can directly contact the product distributor or authorized service institutions. You can also contact the Godox after-sale service call and we will offer you service. When applying for maintenance service, you should provide valid warranty card. If you cannot provide valid warranty card, we may offer you maintenance service once confirmed that the product or accessory is involved in the maintenance scope, but that shall not be considered as our obligation,

The guarantee and service offered by this document are not applicable in the following

Inapplicable Cases

cases: (1) The product or accessory has expired its warranty period; (2) Breakage or damage caused by inappropriate usage, maintenance or preservation, such as improper packing, improper usage, improper plugging in/out external equipment, falling off or squeezing by external force, contacting or exposing to the improper temperature, solvent, acid, base, flooding and damp environments, etc; (3) Breakage or damage caused by non-authorized institution or staff in the process of installation, maintenance, alternation, addition and detachment; (4) The original identifying information of product or accessory is modified, alternated, or removed; (3) No valid warranty card; (6) Breakage or damage caused by using illegally authorized, nonstandard or non-public released software: (7) Breakage or damage caused by force majeure or accident; (8) Breakage or damage that could not be attributed to the product itself. Once met these situations above, you should seek solutions from the related responsible parties and Godox assumes no responsibility. The damage caused by parts, accessories and software that beyond the warranty period or scope is not included in our maintenance scope. The normal discoloration, abrasion and consumption are not the breakage within the maintenance scope,

Maintenance and Service Support Information

The warranty period and service types of products are implemented according to the following Product Maintenance Information:

	Parts	Circuit Board	12	Customer sends the product to designated site
		Battery	3	Customer sends the product to designated site
		Electrical parts e.g.battery charger, etc.	12	Customer sends the product to designated site
	Other Items	Flash tube, modeling lamp, lamp body, lamp cover, locking device, package, etc.	No	Without warranty

Zeniko After-sale Service Call: +86-755-25106331