FRIGIDAIRE

GALLERY



GCFD3661AF

36" Dual-Fuel Range with Air Fry

Frigidaire Gallery 36" Dual Fuel Range with Total Convection system enables cooking modes like Air Fry, Quick Preheat, Slow Cook, Steam Bake, Convection Bake and more! The flexible six burner cooktop offers ultimate cooking flexibility including two powerful 18,000 BTU Quick Boil Burners and a 5,000 BTU burner for simmering delicate foods. Dual Fuel technology offers the power of a gas cooktop and precision of an electric oven. Also includes a temperature probe and Air Fry Tray and features our fingerprint resistant, Smudge-Proof®Stainless Steel finish.

Available Colors: Stainless Steel

Version: 04/24

Consumer Benefits

Total Convection System

Gives you maximum versatility in the kitchen, powering cooking modes like Air Fry, Slow Cook, Convection Bake, Steam Bake, Convection Roast, Steam Roast, Bread Proof, Dehydrate and more!

Air Fry

Make healthier and delicious meals for your entire family - right in your oven.

Six Burner Cooktop

Six burner cooktop provides the ultimate cooking flexibility, including two powerful 18,000-BTU Quick Boil Burners, two 16,000-BTU burners and a 5,000-BTU simmer.



Slow Cook

Your food cooks slowly and at a lower temperature (as low as 100° F), allowing you to lock in moisture and flavor without over or undercooking your food.



Temperature Probe

Monitors and alerts when the desired finished cooking temperature has been reached.



Self and Steam Clean Cycles

Select Steam Clean for a quick, 30 minute clean or choose Self Clean, which is available in 2, 3 and 4 hour cycles.







Product Photography



Product Information







Product Specifications

1 Todact Imormation	
Product Line	Dual Fuel Range
Power Type	LP NG
UPC	012505566066
Cooking Controls Function	
Change between Continuous Bake Setting or 12-Hour	Yes
Energy Saving Feature	103
Delayed Bake	Yes
Program Fahrenheit or Celsius	Yes
Silent Control Panel	Yes
Cooktop	
Cooking Surface Type	Gas
Grate Material	Cast Iron
Grate Quantity	3
Grate Style	Continuous
Sealed Burners	Yes
Scarca Burners	103
Controls	
Control Lock	Yes
Sabbath Mode	Yes
Exterior	
Backlit Knobs	Yes
DdCKIIL KIIOUS	Smudge-Proof®
Exterior Finish	Stainless Steel
	Stallifess Steel
Electrical Specifications	
Minimum Circuit Required	30 Amps
Voltage Rating	240 V
General Specifications	
Frigidaire Fit Promise	Yes
Product Weight	240 lbs
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year
AB-1200	Information available at
AD-1200	frigidaire.com/en/ab1200
Safaty Cautifications and Annuarial	
Safety Certifications and Approvals CSA Listed	Yes
COA FISICA	
RoHS	Yes

Cooking Controls	
Air Fry	Yes
Bake	Yes
Bread Proof	Yes
Broil	Yes
Clock	Yes
Convection Bake	Yes
Convection Convert	Yes
Convection Roast	Yes
Cook Time	Yes
Dehydrate	Yes
Delay Clean	Yes
Delay Start	Yes
Door Lock	Yes
Keep Warm	Yes
Kitchen Timer	Yes
Lockout	Yes
On-Off	Yes
Oven Light	Yes
Oven Lock	Yes
Perfect Turkey	Yes
Probe	Yes
Quick Preheat	Yes
Self Clean	Yes
Set Clock	Yes
Slow Cook	Yes
Steam Bake	Yes
Steam Clean	Yes
Steam Roast	Yes
Temperature Display	Yes
Timer On / Off	Yes

Oven	
Bake Element	1900 Watts
Bake Element Type	Hidden
Broil Element	3800 Watts
Cleaning System	Yes
Convection	Yes
Convection Element	2400 Watts
Convection Type	Total
Number of Convection Fans	2
Number of Rack Positions	5
Oven Interior Color	Midnight Black
Oven Light Quantity	2
Oven Light Type	Halogen
Oven Light Watts	40 Watts
Rack Position Type	Ladder
Rack Type 1	Glide
Rack Type 1 Quantity	1
Rack Type 2	Flat
Rack Type 2 Quantity	1
Rack Type 3	Air Fry Tray
Rack Type 3 Quantity	1
Tuen Type o Quantity	
Cooktop Performance	
Cooktop i ci ioi manec	18,000 / 1,200 BTU
Right Front Element Burner	Dual
Right Rear Element Burner	5,000 / 500 BTU
	18,000 / 1,200 BTU
Left Front Element Burner	Dual
Left Rear Element Burner	9,000 / 850 BTU
Center Front Element Burner	16,000 / 2,000 BTU
Center Rear Element Burner	16,000 / 2,000 BTU
Center Real Element Burner	10,000 / 2,000 210
Display	
Control Location	Front
Display Light Color	White
Display Type	Capacitive Touch
Display Type	Capacitive Toucii
Dimensions and Volume	
	25.2/411
Minimum Height	35 3/4"
Maximum Height	36 1/2"
Width	35 7/8"
Depth Depth Wish Depth 00% Open	25 7/8"
Depth With Door 90° Open Depth With Handle	48 3/8"
1	27 5/8"
Oven Interior Height	13 3/4"
Oven Interior Width	30 5/8"
Oven Interior Depth	16 7/8"
Oven Capacity	4.6 Cu. Ft.
To stall at an	
Installation	77
Adjustable Leveling Legs	Yes
LP Conversion Kit Included	Yes
Plinth	Yes
Rear Ventilation Trim	Yes
Certifications and Approvals	

Yes

Star-K Certification

Consumables, Accessories and Installation Parts

Required Installation Part - Best

5304507914 4' Long 5/8" OD Gas Connector with 1/2" Male Iron Pipe x 3/4" Male Iron Pipe Fittings



Consumables

5304508691 ReadyClean™ Stainless Steel Cleaner



10FFMICF01 ReadyClean™ Microfiber Cleaning Cloths



10FFSSCL02 ReadyCleanTM Stainless Steel Cleaner - 2 Pack



5304508689 ReadyClean™ Oven and Microwave Cleaner



10FFSCRB01 ReadyClean™ Scrubbing Pads



10FFOVCL02 ReadyClean™ Oven and Microwave Cleaner - 2 Pack



10FFCLEN02 ReadyClean™ Kitchen Cleaner Bundle

