



Genuine accessories & Collection from Mercedes-Benz

Initial accessories range CLA (X118)

18.06.2019

Mercedes-Benz Customer Solutions

	Part no.	Article	Illustration	Details	Available	
Add-on	parts Visual enha	ncements Trim Exterior mirror housings	S			
existing	A1778112700	Exterior mirror housing, 2-piece, black		Outside mirror housing, black (code 9191, cosmos black), left/right. Not valid for vehicles with code P55.	now	
existing	A1778112300	Exterior mirror cover, Carbon-Style, carbon-effect, LHD/RHD		NOTE: Only certified for the following countries: Germany, France, Italy, Netherlands, Sweden, Belgium, Hungary, Czech Republic, Spain, Serbia, Austria, Luxembourg, Norway, Finland, Denmark, Romania, Poland, Portugal, Russia, Greece, Croatia, Slovenia, Slovakia, Belarus, Estonia, Latvia, Bulgaria, Lithuania, Turkey, Macedonia, Ukraine, Malta, Albania, Egypt, USA, Canada, Switzerland. Recommendation: fit cover to black exterior mirrors to minimise colour contrast. Not for vehicles with code 830 (China) and AMG model variants.	now	
Add-on	parts Visual enha	ncements Trim Door handle recesses				
existing	A2057604000	Door handle recesses, large, 2-piece, high- sheen chromed	6	High-sheen recessed door handles in chrome design provide protection against scratches in the handle recess and offer a high-quality, individual look.	now	
Add-on parts Visual enhancements Trim Trim elements, rear						
existing	A1187571600	Rear trim strip, high-sheen chromed	from:	High-sheen chromed rear trim strip. Coordinates with all chrome trim parts. Simple to fit using special adhesive tape.	now	

	Part no.	Article	Illustration	Details	Available
Comfort	Load compartm	ent Boot tubs Shallow tubs			
existing	A1188140100	Boot tub, shallow, black		Produced in impact-resistant, non-slip polypropylene. Structured surface holds separately available stowage crate in place. Vehicle's load-securing rings remain accessible.	now
Comfort	Load compartm	ent Load compartment management St	owage crate		
existing	A0008140400	Stowage crate, black		The robust plastic stowage box creates order in the boot. Small parts, shopping bags or charging cables can be securely transported. The black box can be divided into two sections using the enclosed rigid dividing element and be combined with the Mercedes-Benz boot tub thanks to the ribbed structure at the bottom. Capacity: 51 litres.	now
Comfort	Load compartm	ent Load compartment management Lo	ad compartme	nt management	
existing	A0009870400	Luggage-securing feature, black		For fixing objects in the boot, with Mercedes-Benz lettering. Securing against sliding in normal driving operation. Holding back objects in the event of a crash not guaranteed.	now
Comfort	Load compartm	ent Load compartment management Co	ncertina load s	ill protector	
existing	A2536931900	Concertina load sill protector, black		Concertina load sill protector. Foldable protective mat. Easy to attach. Protects bumper and load sill from scratches. Helps keep the load area clean. Helps protect clothing when loading boot or roof box. Can be connected to boot tub and reversible mat. Space-saving stowage. Easy to clean.	now
Comfort	Load compartm	ent Mats Reversible mat			
existing	A1186840100	Reversible mat, with Velcro strip for load sill guard, black		Black reversible mat. 100% polyester. Double-sided: rubberised, non-slip side and high-quality velour side. Design allows concertina load sill protector to be connected. Tailored to contours of load compartment. Helps protect load compartment floor from spillages and dirt. Easy to clean.	now
Comfort	Load compartm	ent Load-securing features/Nets/Partition	ns Tie-down	strap	
existing	A0008900294	Tie-down strap, black		The adjustable strap has a ratchet fastener which prevents slipping. The strap prevents the load from being damaged and protects passengers from flying objects if the brakes are applied suddenly. Simple for the customer to fit. Tensile strength 600 daN. Length = 5 m	now
Comfort	Load compartm	ent Stowage crates/Shopping crates/Sto	wage trays S	hopping crate	
existing	A2038400020	Shopping crate, collapsible, anthracite	NSSNS 85855 14555 145055	Maximum permissible load: 10 kg The collapsible shopping crate functions as a versatile and practical transport and stowage facility. When not in use, it can simply be folded flat and stowed away. Simple for the customer to fit.	now

	Part no.	Article	Illustration	Details	Available
Comfort	: Load compartme	ent Stowage crates/Shopping crates/Sto	owage trays S	nap-in module for load compartment	
existing	A1668600034	Snap-in module for load compartment, for 19 mm load compartment floor, complete, black / silver-coloured		Partition your load compartment to suit your requirements and prevent the contents from sliding around. The brackets can be freely positioned along the outer edges of the load compartment floor. The system's telescopic rods ensure a secure hold. Factory-fitted pre-installation (optional extra Code 942) is not required.	now
Comfort	Interior comfort	Cup holders/Bottle holders Cup holder	r, in-house deve	lopment	
existing	A1778100301	Cup holder, centre console, for vehicles with FWD manual trans., black		Suitable for vehicles with a front-wheel drive manual transmission (FSG). Holds drink containers up to 0.5 l.	now
existing	A1778100401	Cup holder, centre console, Vehicles with DCT transmission, black		Suitable for vehicles with DCT transmission and stowage compartment without cover. The drinks holder holds drink containers up to 0.7l.	now
existing	A1778109703	Cup holder, centre console, Vehicles with DCT transmission, black		Suitable for vehicles with DCT transmission and a stowage compartment with cover. Holds drink containers up to 0.5I.	now
Comfort	Interior comfort	inserts for centre console, rear Ashtra	y		
existing	A1778108103	Ashtray, plastic		The ashtray can be used in the cup holder or the door stowage compartment of the vehicle. The top area of the ashtray can be released by unscrewing for cleaning, e.g. with clear, lukewarm water, or for emptying. Height: 12.2 cm, bottom side diameter: 6.7 cm, top side diameter: 8.4 cm.	now
Comfort	Interior comfort	Style & Travel Equipment Head restrain	nt element		
existing	A0008103300	Base support, Style & Travel Equipment, black, plastic		The "Style & Travel Equipment" components are simple to attach and remove. The modular system centres around a base support which can be combined with the product of your choice – coat hanger, universal hook or folding table.	now
existing	A0008104900	Base carrier and clothes hanger, set, Style & Travel Equipment, black		Combined campaign made up of coat hanger A0008103400 and basic carrier A0008103300.	now

	Part no.	Article	Illustration	Details	Available
Comfort	Interior comfort	Style & Travel Equipment Head restrain	t element		
existing	A0008103400	Coat hanger, Style & Travel Equipment, black, plastic		The "Style & Travel Equipment" components are simple to attach and remove. The modular system centres around a base support which can be combined with the product of your choice – coat hanger, universal hook or folding table. To fit product, a base support (A000 810 3300) is required!	now
existing	A0008160000	Folding table, Style & Travel Equipment, black, plastic		The "Style & Travel Equipment" components are simple to attach and remove. The modular system centres around a base support which can be combined with the product of your choice – coat hanger, universal hook or folding table.Cup holder insert in folding table. To fit product, a base support (A000 810 3300) is required!	now
existing	A0008140000	Bag hook, Style & Travel Equipment, black, plastic		The "Style & Travel Equipment" components are simple to attach and remove. The modular system centres around a base support which can be combined with the product of your choice – coat hanger, bag hook or folding table. To fit product, a base support (A000 810 3300) is required!	now
Comfort	Interior comfort	Style & Travel Equipment Slot for modu	lles		
existing	A0008104100	Coat hanger, Style & Travel Equipment With direct adapter (code 866), black, plastic		The Style & Travel Equipment components with direct adapter are simple to attach and remove. The system is based around a direct adapter in the coat hanger/folding table.	now
existing	A0008160200	Folding table, Style & Travel Equipment With direct adapter (code 866), black, plastic		The Style & Travel Equipment components with direct adapter are simple to attach and remove. The system is based around a direct adapter in the coat hanger/folding table.	now
Comfort	Interior comfort	Coolboxes/Coolbags/Minibars Coolba	gs/Coolboxes 8	kamp; accessories	
existing	A0009820021	Rectifier, black	C d	The rectifier allows coolbag or coolbox to be connected to socket at home.	now
Comfort	Interior comfort	Coolboxes/Coolbags/Minibars Coolbo	xes		
existing	A0008204206	Coolbox, black / grey, polyester		Can cool down to 20°C below ambient temperature, maximum cooling is -2°C. Capacity 24 litres. Requires access to 12V socket. For safety reasons it is recommended to stow and secure the coolbox in the luggage compartment. For deactivation, the coolbox must be unplugged. The "0" position is an interrupt position, which had to be installed for technical reasons and which only deactivates the cooling element, not the ventilator. Recommendation: Set coolbox permanently to cold or warm and just pull the plug.	now

	Part no.	Article	Illustration	Details	Available				
Protec	Protectors & Drotectors & Ploor mats Velour floor mats Set								
existing	A17768051005F15	Velour floor mats CLASSIC, set, 4-piece, Deep ocean blue topstitching, LHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				
existing	A17768051007C70	Velour floor mats CLASSIC, set, 4-piece, Mid grey topstitching, LHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				
existing	A17768051007E80	Velour floor mats CLASSIC, set, 4-piece, Alpaca grey topstitching, LHD, black		Elegant, high-quality tufted velour mats with embroidered Mercedes-Benz lettering	now				
existing	A17768051008S16	Velour floor mats CLASSIC, set, 4-piece, Silk beige topstitching, LHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				
existing	A17768051008S17	Velour floor mats CLASSIC, set, 4-piece, Nut brown topstitching, LHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				
existing	A17768052005F15	Velour floor mats CLASSIC, set, 4-piece, Deep ocean blue topstitching, RHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				
existing	A17768052007C70	Velour floor mats CLASSIC, set, 4-piece, Mid grey topstitching, RHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				
existing	A17768052007E80	Velour floor mats CLASSIC, set, 4-piece, Alpaca grey topstitching, RHD, black	A	Elegant, high-quality tufted velour mats with embroidered Mercedes-Benz lettering	now				
existing	A17768052008S16	Velour floor mats CLASSIC, set, 4-piece, Silk beige topstitching, RHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now				

	Part no.	Article	Illustration	Details	Available
Protec	ctors & covers	Floor mats Velour floor mats Set			
existing	A17768052008S17	Velour floor mats CLASSIC, set, 4-piece, Nut brown topstitching, RHD, black		Elegant, high-quality tufted velour mats, with embroidered Mercedes-Benz lettering.	now
Protec	ctors & covers	Floor mats Rep floor mats rear mats			
existing	A17768009039G32	Rep floor mats CLASSIC, rear, 2-piece, LHD/RHD, black	1	Durable, extremely hardwearing needle felt mats, with embroidered Mercedes-Benz lettering. Not for the USA and Canada markets.	now
Protec	ctors & covers	 Floor mats Rep floor mats Driver/co-dr	iver mat		
existing	A17768003039G32	Rep floor mats CLASSIC, driver's/co-driver's mat, 2-piece, LHD, black		Durable, extremely hardwearing needle felt mats, with embroidered Mercedes-Benz lettering. Not for the USA and Canada markets.	shortly
existing	A17768004039G32	Rep floor mats CLASSIC, driver's/co-driver's mat, 2-piece, RHD, black		Durable, extremely hardwearing needle felt mats, with embroidered Mercedes-Benz lettering. Not for the USA and Canada markets.	now
Protec	ctors & covers	Floor mats all season floor mats rear m	ats		,
existing	A17768085029G33	All-season floor mats CLASSIC, rear, 2-piece, LHD/RHD, black		Made from robust, washable synthetic material for heavy use. New three-dimensional design with recessed and elevated areas and raised border. Not for USA and Canada!	now
Protec	ctors & covers	Floor mats all season floor mats Driver	/co-driver mat		
existing	A17768079029G33	All-season floor mats CLASSIC, driver's/co-driver's mat, 2-piece, LHD, black		Made from robust, washable synthetic material for heavy use. New three-dimensional design with recessed and elevated areas and raised border. Not for USA and Canada!	now
existing	A17768080029G33	All-season floor mats CLASSIC, driver's/co-driver's mat, 2-piece, RHD, black		Made from robust, washable synthetic material for heavy use. New three-dimensional design with recessed and elevated areas and raised border. Not for USA and Canada!	now

	Part no.	Article	Illustration	Details	Available			
Protec	Protectors & Deep-pile mats Deep-pile mats Driver/co-driver mat							
existing	A17768059009K26	Velour floor mats EXCLUSIV, driver's/co-driver's mat, 2-piece, LHD, black		Exclusive velour mats with particularly deep, thick pile, featuring metal badge with Mercedes-Benz lettering. Available in various colours to match your interior.	now			
existing	A17768060009K26	Velour floor mats EXCLUSIV, driver's/co-driver's mat, 2-piece, RHD, black		Exclusive velour mats with particularly deep, thick pile, featuring metal badge with Mercedes-Benz lettering.	now			
Protec	tors & covers	Floor mats Deep-pile mats Rear mats						
existing	A17768065009K26	Velour floor mats EXCLUSIV, rear, 2-piece, LHD/RHD, black	-	Exclusive velour mats with particularly deep, thick pile.	now			
existing	A17768091059K26	Velour floor mats EXCLUSIV, rear, with transmission tunnel mat, 3-piece, LHD/RHD, black		Exclusive velour mats with particularly deep, thick pile.	now			
Protec	tors & covers	Floor mats Floor mat trays Rear mats						
existing	A17768038049051	Floor mat trays, CLASSIC, rear, 2-piece, LHD, black		Made from robust, washable TPE material for heavy use. Completely covers the footwell. The higher edges and the surface design keep dirt and water at bay. Branded with the distinctive Mercedes star logo.	now			
Protec	tors & covers	Floor mats Floor mat trays Driver/co-d	river mat					
existing	A17768032049051	Floor mat trays, CLASSIC, driver's/co-driver's mat, 2-piece, LHD, black	40	Made from robust, washable TPE material for heavy use. Completely covers the footwell. The higher edges and the surface design keep dirt and water at bay. Branded with the distinctive Mercedes star logo.	now			
Protec	tors & covers	Cleanliness Cleaning						
existing	A0009865500	Microfibre cloth, white	100	Excellent cleaning effect, perfect protection: The white microfibre unbranded cloth allows you to achieve the best cleaning results with its untreated fabric – without scratching the sensitive screen surface. The cloth, which is made in Germany, is washable, and the excellent cleaning effect is retained even after washing.	now			

	Part no.	Article	Illustration	Details	Available
Safety	Child safety Chil	ld seats, age group 0-1 BABY-SAFE plus w	ith automatic c	hild seat recognition	
existing	A0009701302	BABY-SAFE plus II child seat, with automatic child seat recognition, ECE + China, black, Limited Black		"BABY-SAFE plus II" child seat. Deep, moulded seat design offers extra side-impact protection for optimum safety. Special padding, designed to protect particularly vulnerable body areas of infants aged up to around 15 months (up to 13 kg).	shortly
				Suitable from 0 to 22 pounds (10 kg).	
				Please refer to the operating instructions and vehicle owner's manual for further information.	
				The child seat weighs 10.7 kg.	
existing	A0009701402	BABY-SAFE plus II child seat, w ISOFIX and autom. child seat recognit., USA, black, Limited Black		In vehicles with Code U18 (automatic child seat recognition) or Code U10 (automatic front passenger airbag deactivation), the front passenger airbag is automatically deactivated when BABY-SAFE plus II with automatic child seat recognition is used. If your vehicle features automatic front passenger airbag deactivation (optional extra Code U10), sensor readings classify the occupant by weight. With rear-facing child seats, the front passenger airbag is deactivated, whereby with front-facing child seats the airbag is either activated or deactivated depending on the classification. Please refer to the owner's manual for instructions regarding Code U10.	now
				Caution: The BABY-SAFE plus II seat can not be fitted in conjunction with the belt airbag (Code 306). Please bear in mind that the belt airbag is also incorporated in packages.	
Safety	Child safety Chil	d seats, age group 0-1 DUO plus with ISO	FIX child seat	securing system	
existing	A0009701702	DUO plus child seat, with ISOFIX, ECE + China, black, Limited Black		"DUO plus" child seat. Optimum safety for children between the ages of around 9 months and 4 years (9 to 18 kg). Fitted as standard with top tether, an additional belt for securing the head section, a height-adjustable harness, ventilation channels and ISOFIX attachment points. Adjustable tilt	now
existing	A0009701802	DUO plus child seat, with ISOFIX, USA, black, Limited Black		"DUO plus" child seat. Optimum safety for children between the ages of around 9 months and 4 years (9 to 18 kg). Fitted as standard with top tether, an additional belt for securing the head section, a height-adjustable harness, ventilation channels and ISOFIX attachment system. Tilt-adjustable.	now

	Part no.	Article	Illustration	Details	Available
Safety	Child safety Chil	d seats, age group 2-3 KIDFIX without au	tomatic child se	eat recognition	
existing	A0009702002	KidFix child seat, with ISOFIT, ECE + China, black, Limited Black		"KIDFIX" child seat. Booster seat for optimum side-impact protection, with height-adjustable backrest. In addition to the 3-point seat belt, the "KIDFIX" child seat is secured using the ISOFIT attachment system. For children between around 3.5 and 12 years of age (15 to 36 kg).	now
Safety	Child safety Chil	d seats, age group 2-3 KIDFIX XP			
existing	A0009702302	KIDFIX XP child seat, with ISOFIT, ECE, black, Limited Black		Specification: front-facing child restraint system for child seat Group II + III. Body weight: from 15 to 36 kg. Age: from around 3.5 to 12 years. Approval: ECE R 44/04. Product features: Enhanced safety as a result of XP-PAD in the seat side bolsters and in the head area, which reduces forces acting on the child by up to 20 percent. Attached to the on-board ISOFIX or i-Size attachment points via ISOFIT system or secured using the 3-point seat belt. Intuitive seat belt guide ensures correct positioning of the 3-point seat belt for optimum safety	now
Safety	Child safety Chil	d seats, age group 2-3 KIDFIX with ISOFI	Т		
existing	A0009702102	KidFix child seat, with ISOFIT, USA, black, Limited Black		Please refer to the operating instructions and the owner's manual for further information. The child seat has an unladen weight of 8 kg. When using a front-facing child seat on the front passenger seat with activated passenger airbag, always position the front passenger seat as far back as possible and ensure correct seat belt routing. Please also refer to the operating instructions for further information. Can be used in conjunction with the belt airbag.	now
Safety	Child safety Chil	d seat accessories			
existing	A0009701502	Replacement cover for BABY-SAFE plus II, black, Limited Black		Elegant replacement cover for the BABY-SAFE plus II child seat in "Limited Black" design. The easy-care cover is breathable, washable and easy to remove, helping to retain your child seat's smart, clean look.	now

	Part no.	Article	Illustration	Details	Available
Safety	Child safety Chil	d seat accessories			
existing	A0009701902	Replacement cover for DUO plus, black, Limited Black		The replacement cover for the "DUO plus" child seat from Mercedes-Benz in Limited Black makes it easy to ring the changes. It is removable and washable. Breathable, ensuring comfort for young occupants.	now
existing	A0009702202	Replacement cover for KIDFIX, black, Limited Black		Robust, breathable replacement cover for the KIDFIX child seat in the "Limited Black" design.	now
existing	A0009702402	Replacement cover for KIDFIX XP, black, Limited Black		The easy-care cover is crease-resistant, washable and easy to remove. 3-piece replacement cover.	now
existing	A0009708100	Replacement cover for KIDFIX XP, black, Limited Black		The easy-care cover is crease-resistant, washable and easy to remove. 3-piece replacement cover.	now
existing	A0009701602	BABY-SAFE plus II child seat, Sun canopy, black		The sun canopy, which is easy to attach, protects the baby from very intense sunlight.	now

	Part no.	Article	Illustration	Details	Available
Safety	Snow chains Sno	ow chains			
existing	B67550114	Snow chain, pewag servo 9		Automatic tensioning makes chains very easy to fit. With special rim protection. The pewag servo 9 is specially designed for sporty vehicles with low clearance (9 mm). 205/60 R 16 on 6.5J x 16 ET44	now
existing	B67550116	Snow chain, pewag servo 9		Automatic tensioning makes chains very easy to fit. With special rim protection. The pewag servo 9 is specially designed for sporty vehicles with low clearance (9 mm). For tyre size 205/55 R17.	now
existing	B67550115	Snow chain, pewag servo 9		Automatic tensioning makes chains very easy to fit. With special rim protection. The pewag servo 9 is specially designed for sporty vehicles with low clearance (9 mm). For tyre size 225/45 R18.	now
Safety	Breakdown assista	ance Chargers, battery			
existing	A0009823421	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, AUS/NZ		New energy: this compact, cutting-edge charger is specially tailored to Mercedes-Benz requirements. It "revives", recharges, checks and maintains the charge. Precise: - charges with the correct voltage and correct charging current. User-friendly: fully automatic, 4-stage charging pulsed trickle charge function ensures longest possible battery life capable of charging totally flat batteries.Reassuring: no damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah. Simple to use. Ideal for seasonal or showroom vehicles. Ready to go again in no time: design and functions characteristically Mercedes-Benz.	now
existing	A0009824703	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, Brazil		Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now

	Part no.	Article	Illustration	Details	Available
Safety	Breakdown assist	ance Chargers, battery			
existing	A0009823321	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, China		New energy: this compact, cutting-edge charger is specially tailored to Mercedes-Benz requirements. It "revives", recharges, checks and maintains the charge. Precise: - charges with the correct voltage and correct charging current. User-friendly: - fully automatic, 4-stage charging pulsed trickle charge function ensures longest possible battery life capable of charging totally flat batteries. Reassuring: no damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah. Simple to use. Ideal for seasonal or showroom vehicles. Ready to go again in no time: design and function characteristically Mercedes-Benz.	now
existing	A0009823021	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, ECE		For ECE, except UK and Switzerland. Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now
existing	A0009824803	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, Japan		Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now
existing	A0009823121	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, Switzerland		For Switzerland only. Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now
existing	A0009824603	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, South Korea		Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now
existing	A0009823221	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, UK		For UK only. Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now

	Part no.	Article	Illustration	Details	Available
Safety	Breakdown assist	ance Chargers, battery			
existing	A0009822921	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, USA		For USA only. Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now
existing	A0009824503	Charger with trickle charge function, 5 A, for lead-acid and lithium batteries, United Arab Emirates		Checks, charges and revives your battery – even if it's totally flat. Tailored to your vehicle's complex electronic systems. Fully automatic, 4-stage charging. Pulsed trickle charge function. Ensures longest possible battery life. Capable of charging totally flat batteries. No damage to electronics connected to battery. The system is protected against sparks, short-circuit and reverse voltage, water jets and dust particles (IP65). For 12 V lead-acid batteries and 12 V lithium batteries up to max. 120 Ah.	now
existing	A0009820321	Charger with trickle charge function, 25 A		The kit consists of the following parts: Battery charger with trickle charge functions and insulated clamps, plus instructions for use.	now
Safety	Breakdown assist	ance Fluorescent jackets			
existing	A0005834300	Fluorescent jacket, compact, USA/CAN, yellow	*	Approved as per ANSI/ISEA 107. Valid for USA (Code 494), Canada (460), Australia (Code 625), New Zealand (Code 919L). It is recommended that there be a fluorescent jacket on board for each occupant.	now
existing	A0005833500	Fluorescent jacket, compact, ECE, yellow	0-1	Approved pursuant to DIN EN ISO 20471. Valid for countries which accept DIN EN ISO 20471. Fluorescent jacket became a statutory requirement for private cars in Germany from 1 July 2014. This requirement already exists for commercially used vehicles. A fluorescent jacket must be available in every vehicle. It is recommended that there be a fluorescent jacket on board for each occupant. In some countries this is a statutory requirement.	now

	Part no.	Article	Illustration	Details	Available
Telemat	tics Entertainmen	t Video systems Style & Travel Equipme	nt		
existing	A0008271900	Action cam mount, Style & Travel Equipment, black, plastic		Ensure that you observe the statutory regulations that apply in the country in which you are using the holder, in particular data protection regulations.	now
Telemat	tics Entertainmen	t MP3 players UCI consumer cables			
existing	A1778202901	Media Interface adapter cable, NTG6		The Media Interface cable kit offers connectivity for customer devices with micro USB, USB type C and devices / connecting cables with USB-A plugs. For further details, go to http://www.mercedes-benz.com/connect.	now
existing	A1778203001	Media Interface consumer cable kit, NTG6	9///6	A detailed description of how to operate the Media Interface can be found in the instructions for the vehicle's audio/ navigation system. Please observe the operating notes included!	now
existing	A1778201401	Media Interface consumer cable, micro USB, NTG6	19	The Media Interface cable offers connectivity for customer devices with micro USB. Cable length: 100 cm. For further details, go to http://www.mercedes-benz.com/connect.	now
existing	A1778201501	Media Interface consumer cable, USB type C, NTG6	9	A detailed description of how to operate the Media Interface can be found in the instructions for the vehicle's audio/ navigation system. Please observe the operating notes included!	now
existing	A1778202401	Media Interface consumer cable, USB type C, NTG6		A detailed description of how to operate the Media Interface can be found in the instructions for the vehicle's audio/navigation system. Please follow the information provided in those instructions.	now
Telemat	tics Entertainmen	t USB charger			
existing	A2138200803	USB power charger		Rapid charging device for mobile phone. Intelligent "Smart Charging" and output of up to 2 x 2.4 A allow you to charge your device quickly and conveniently via the cigarette lighter while you're on the move. With protection against overheating and subtly illuminated USB slots that make the charger easy to use in the dark too. > Around 2x the charging capacity of the Media Interface or 3x the charging capacity of inductive charging. > Charge time for smartphones with Quick Charge profile: from 0% to 66% charge in an hour > The product is supplied in colourful printed packaging, ideally suited to exhibiting in the showroom and	now

Part no.	Article	Illustration	Details	Available
Telematics Entertainment	nt USB charger			
existing A2138202403	USB power charger		Rapid charging device for mobile phone. Intelligent "Smart Charging" and output of up to 2 x 2.4 A allow you to charge your device quickly and conveniently via the cigarette lighter while you're on the move. With protection against overheating and subtly illuminated USB slots that make the charger easy to use in the dark too. > Around 2x the charging capacity of the Media Interface or 3x the charging capacity of inductive charging. > Charge time for smartphones with Quick Charge profile: from 0% to 66% charge in an hour > The product is supplied in classic black packaging, ideally suited for gifting.	now

	Part no.	Article	Illustration	Details	Available
Carrier	systems Roof-mo	unted carriers Basic carrier bars Basic	carrier bars		
new	A1188900400	Basic carrier bars, silver-coloured / black		Precision-tailored to the vehicle body, the aluminium bars provide a basis for many Mercedes-Benz transport solutions: Ski and snowboard racks, bicycle racks or roof boxes. Aerodynamic Mercedes-Benz design with optimised noise level. Crash-tested. Lockable.	now
Carrier	systems Roof-mo	unted carriers Basic carrier bars Transp	oort bag		
existing	A0008900111	Transport & stowage bag, for basic carrier bars, black	5	Bag for New Alustyle basic carrier bars. High-quality, robust nylon fabric.	now
Carrier	systems Roof-mo	unted carriers Add-ons Bicycle rack			
existing	A0029900399	Distance adapter, for New Alustyle bicycle rack, plastic / metal, black / silver-coloured		Essential for securing the New Alustyle bicycle rack A0008900293 to the new, aerodynamic basic carrier bars and basic carrier bars for roof rails. Designed to be fitted by the customer to existing New Alustyle bicycle rack.	now
existing	A0008900293	Bicycle rack, silver-coloured / black		For max. frame diameter 98 mm (circular frame tubes) or 70 x 110 mm (oval frame tubes). Taking into account max. roof load and depending on usable width of basic carrier bars, up to four bicycle racks can be fitted per pair of basic carrier bars. Bicycle racks are supplied singly.	now
Carrier	systems Roof-mo	unted carriers Add-ons Ski/snowboard	rack		
existing	A0008900393	Ski and snowboard rack, Comfort, silver- coloured / black		Suitable for New Alustyle and Alustyle basic carrier bars and basic carrier bars for roof rails. Designed to hold max. 6 pairs of skis or 4 snowboards, depending on height of bindings. Also suitable for carving skis. As a result of the variety of different ski and snowboard designs, in extreme cases we recommend that you try the rack before purchasing. Because cross-country skis are highly preloaded, they must be strapped together with a tension strap before they are attached to the ski and snowboard rack. Not suitable for V-Class Marco Polo!	now
existing	A0008900493	Ski and snowboard rack, Standard, silver- coloured / black		Suitable for New Alustyle and Alustyle basic carrier bars and basic carrier bars for roof rails. Designed to hold max. 4 pairs of skis or 2 snowboards, depending on height of bindings. Also suitable for carving skis. As a result of the variety of different ski and snowboard designs, in extreme cases we recommend that you try the rack before purchasing. Because cross-country skis are highly preloaded, they must be strapped together with a tension strap before they are attached to the ski and snowboard rack. Not suitable for V-Class Marco Polo!	now
existing	A0009908406	Adapter kit for ski and snowboard rack, Comfort, plastic / metal	0000	Adapter kit for use with ski and snowboard rack, Comfort. Production date up until 11/2015 with the new, aerodynamic carrier bar generation. Easy for the customer to fit.	now

	Part no.	Article	Illustration	Details	Available
Carrier	systems Roof-mo	unted carriers Add-ons Roof boxes			
existing	A0008400000	Mercedes-Benz roof box 400, opens on both sides, black		New design: expansive surfaces combine with crisp contours to create an interesting play of light and shadow. New function: aluminium handle strip on each side for easier opening and closing. Maximum load capacity of 75 kg. Not suitable for V-Class Marco Polo. In order to be suitable for the Citan, the roof rails with integrated basic carrier A4158901593 (code D11) are required. It should be noted that these roof rails with integrated basic carrier are only suitable for the Citan with long wheelbase (body A2). Added safety: optimised attachment to exterior roof rack, 3 tie-down straps with metal rings inside.	now
existing	A0008400100	Mercedes-Benz roof box 400, opens on both sides, silver-coloured, matt, grained		New design: expansive surfaces combine with crisp contours to create an interesting play of light and shadow. New function: aluminium handle strip on each side for easier opening and closing. Maximum load capacity of 75 kg. Not suitable for V-Class Marco Polo. In order to be suitable for the Citan, the roof rails with integrated basic carrier A4158901593 (code D11) are required. It should be noted that these roof rails with integrated basic carrier are only suitable for the Citan with long wheelbase (body A2). Added safety: optimised attachment to exterior roof rack, 3 tie-down straps with metal rings inside.	now
existing	A0008400200	Mercedes-Benz roof box 450, opens on both sides, silver-coloured, matt, grained		New design: expansive surfaces combine with crisp contours to create an interesting play of light and shadow. New function: aluminium handle strip on each side for easier opening and closing. Maximum load capacity of 75 kg. Not suitable for V-Class Marco Polo. In order to be suitable for the Citan, the roof rails with integrated basic carrier A4158901593 (code D11) are required. It should be noted that these roof rails with integrated basic carrier are only suitable for the Citan with long wheelbase (body A2). Added safety: optimised attachment to exterior roof rack, 3 tie-down straps with metal rings inside.	now

	Part no.	Article	Illustration	Details	Available
Carrie	systems Roof-mo	unted carriers Add-ons Roof boxes			
				New design: expansive surfaces combine with crisp contours to create an interesting play of light and shadow. New function: aluminium handle strip on each side for easier opening and closing. Maximum load capacity of 75 kg.	
existing	A0008400300	Mercedes-Benz roof box 450, opens on both sides, black		Not suitable for V-Class Marco Polo. In order to be suitable for the Citan, the roof rails with integrated basic carrier A4158901593 (code D11) are required. It should be noted that these roof rails with integrated basic carrier are only suitable for the Citan with long wheelbase (body A2).	now
				Added safety: optimised attachment to exterior roof rack, 3 tie-down straps with metal rings inside.	
Carrie	r systems Roof-mo	unted carriers Add-ons Roof box access	ories		
existing	A1769900099	Mounting, sports and luggage container, for Mercedes-Benz roof box, steel / plastic		The mounting kit is suitable for the Mercedes-Benz 400 and 450 roof boxes and includes: 4x slot nut (for Alustyle/New Alustyle basic carrier bars). 4x carriage bolt. 3x tensioning strap.	now
Carrie	r systems Rear-mo	unted carriers Rear-mounted carriers for	trailer coupling	Rear-mounted carriers for trailer coupling	
existing	A0008901700	Rear-mounted bicycle rack, for trailer coupling, folding, 2 bicycles, ECE, plastic / aluminium / steel, anthracite / black		Designed to securely transport 2 bicycles. Can be folded – compact dimensions (width x depth x height) 63.5 cm x 65 cm x 40 cm. Lockable to prevent theft. Removable bicycle holders with quick-release fasteners can be positioned to suit requirements. Convenient roller guide for maximum extension (access to boot), including safety unlocking mechanism and convenient release pedal. Solid steel base frame. Roller mechanism, bicycle rails, retaining bracket and bicycle holders in aluminium. Retaining bracket with quick-release fastener – folding. Convenient wheel mounts with quick adjustment feature and pump buckle straps with "park position" for the tensioning straps. Ball head receptacle for optimum safety. Maximum payload 60 kg (30 kg per bicycle). Also suitable for e-bikes.	now
existing	A0008901800	Rear-mounted bicycle rack, for trailer cou- pling, folding, 3 bicycles, ECE, aluminium / steel / plastic, silver-coloured / anthracite / black		Rear bicycle rack on trailer hitch for 3 bicycles. Simple, secure fitting, optimum safety. Tested to exacting Mercedes-Benz safety standards. Can be folded – compact dimensions (width x depth x height) 64.5 cm x 73.5 cm x 47 cm. Lockable to prevent theft. Convenient wheel mounts with quick adjustment feature and pump buckle straps with "park position" for the tensioning straps. Convenient, tried-and-tested ball head receptacle for optimum safety. Maximum payload 54 kg.	now
Carrie	systems Trailer co	ouplings Fold-away trailer coupling (mech	. + electr.)		
new	XXX	Trailer tow hitch, mechanically tilt-down, ECE	3	Manually folding trailer hitch, specifically for Mercedes-Benz vehicles. High anti-corrosion protection. Maximum tongue weight 75 kg.	XXX

	Part no.	Article	Illustration	Details	Available
Visual	refinements Light-	alloy wheels, optional extra Light-alloy wh	neels, optional	extra, 40.6 cm (16-inch)	
existing	A17740100007X36	5-twin-spoke wheel, Aero, 40.6 cm (16 inch), high-sheen, 6.5 J x 16 ET 44, matt black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740101007X45	5-twin-spoke wheel, 40.6 cm (16 inch), 6.5 J x 16 ET 44, vanadium silver		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
Visual	refinements Light-	alloy wheels, optional extra Light-alloy wh	neels, optional	extra, 43.2 cm (17-inch)	
existing	A17740102007X23	5-twin-spoke wheel, Aero, 43.2 cm (17 inch), high-sheen, 6.5 J x 17 ET 44, black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740103007X45	10-spoke wheel, 43.2 cm (17 inch), 6.5 J x 17 ET 44, vanadium silver		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740104007X68	5-twin-spoke wheel, 43.2 cm (17 inch), 6.5 J x 17 ET 44, matt himalaya grey		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740130007X45	10-spoke wheel, 43.2 cm (17 inch), 6.5 J x 17 ET 44, vanadium silver		SA code: R43. Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
existing	A17740110007X36	5-twin-spoke wheel, 43.2 cm (17 inch), high-sheen, Aero-optimised, 6.5 J x 17 ET 44, matt black	彩	Tyres: 205/60 R16. Brazil info: Inmetro. Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
Visual	refinements Light-	alloy wheels, optional extra Light-alloy wh	neels, optional	extra, 45.7 cm (18-inch)	
existing	A17740105007X23	5-hole wheel, Aero, 45.7 cm (18 inch), high- sheen, 7.5 J x 18 ET 49, black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now

Part no.	Article	Illustration	Details	Available
Visual refinements Light-	-alloy wheels, optional extra Light-alloy wh	neels, optional	extra, 45.7 cm (18-inch)	
existing A17740106007X21	Y-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, "Himalaya", grey		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A17740133007X23	10-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
Visual refinements Light-	-alloy wheels, optional extra Light-alloy wh	neels, optional	extra, 48.3 cm (19-inch)	
existing A17740108007X69	5-twin-spoke wheel, 48.3 cm (19 inch), high-sheen, 7.5 J x 19 ET 49, matt himalaya grey		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
Visual refinements Light-	-alloy wheels, accessories Light-alloy whe	els, accessorie	s, 40.6 cm (16-inch)	
existing A17740111007X45	5-twin-spoke wheel, 40.6 cm (16 inch), 6.5 J x 16 ET 44, vanadium silver		SA code: R89. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
Visual refinements Light-	-alloy wheels, accessories Light-alloy whe	els, accessorie	s, 43.2 cm (17-inch)	
existing A17740112007X45	5-spoke wheel, 43.2 cm (17 inch), 6.5 J x 17 ET 44, vanadium silver		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
	5 1 1 1 10 0 (47: 1)		Brazil info: Inmetro	
existing A17740135007X23	5-spoke wheel, Aero, 43.2 cm (17 inch), high-sheen, 6.5 J x 17 ET 44, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
Visual refinements Light-	-alloy wheels, accessories Light-alloy whe	els, accessorie	s, 45.7 cm (18-inch)	
existing A17740107007X23	5-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A17740113007X72	5-twin-spoke wheel, 45.7 cm (18 inch), high-sheen rim edge, 7.5 J x 18 ET 49, black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now

	Part no.	Article	Illustration	Details	Available
Visual	refinements Light-	alloy wheels, accessories Light-alloy whee	els, accessorie	s, 45.7 cm (18-inch)	
existing	A17740127007X23	5-twin-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, black		SA code: 66R. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740132007X36	5-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, matt black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740113009Y23	5-twin-spoke wheel, 45.7 cm (18 inch), red rim edge, 7.5 J x 18 ET 49, black / red		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
existing	A17740106007X43	10-twin-spoke wheel, 45.7 cm (18 inch), 7.5 J x 18 ET 49, black	N. S.	Tyre size 225/45 XL R18. Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
Visual	refinements Light-	alloy wheels, accessories Light-alloy whee	els, accessorie	s, 48.3 cm (19-inch)	,
existing	A17740114007X23	5-spoke wheel, 48.3 cm (19 inch), high- sheen, 7.5 J x 19 ET 49, black		Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	A17740136007X23	5-twin-spoke wheel, 48.3 cm (19 inch), high-sheen, 7.5 J x 19 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now
Visual	refinements Wheel	l accessories Rim locks (light-alloy + steel)		
existing	A0019901607	Rim locks, M14 x 1.5 x 27, black		M14 x 1.5 x 27 Best possible way to protect wheels from theft. Set consists of 4 locks and one key. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
Visual	refinements Wheel	l accessories Hub caps			
existing	A00040027007519	Hub cap, raised star, tantalite grey		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now

Part no.		Article	Illustration	Details	Available
Visual refinement	ts Wheel	accessories Hub caps	'		'
existing A0004002	27007756	Hub cap, raised star, "Himalaya", grey		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A0004002	27009040	Hub cap, raised star, black		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A0004002	27009130	Hub cap, raised star, tremolite metallic		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A0004002	27009283	Hub cap, raised star, matt black		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A1714000	01255337	Hub cap, star with laurel wreath, classic design, blue	HELDED TO	Alternative to A17140000255337. A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt.	now
existing A1714000)1257P70	Hub cap, star with laurel wreath, classic design, grey	CANAL STREET	Please note that wheels may only be fitted according to the valid, market-specific laws. A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A1714000	1259040	Hub cap, star with laurel wreath, classic design, black	THE REPORT OF THE PERSON OF TH	A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing A2204000)1257258	Hub cap, raised star, matt himalaya grey		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	shortly
existing A2204000)1257756	Hub cap, raised star, "Himalaya", grey		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now

	Part no.	Article	Illustration	Details	Available
Visual	refinements Whee	l accessories Hub caps			
existing	A22040001259283	Hub cap, raised star, matt black		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt.	now
				Please note that wheels may only be fitted according to the valid, market-specific laws.	
existing	A22040001259771	Hub cap, raised star, titanium grey		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt.	now
		,		Coordinate with titanium grey (or smoke quartz) wheels. Please note that wheels may only be fitted according to the valid, market-specific laws.	
existing	A22240022009040	Hub cap, star with laurel wreath, black		A Mercedes-Benz hub cap always adds a stylish finishing touch to light-alloy wheels. Protects the wheel hub from dirt.	now
			BENT	Please note that wheels may only be fitted according to the valid, market-specific laws.	
existing	B66470200	Hub cap, raised star, black		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	B66470202	Hub cap, raised star, titanium silver		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	B66470203	Hub cap, recessed star, gloss silver		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	B66470206	Hub cap, raised star, sterling silver		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
existing	B66470207	Hub cap, raised star, chromed		Visual upgrade for the wheel. Protects the wheel hub from dirt. Please note that wheels may only be fitted according to the valid, market-specific laws.	now
Visual	refinements Whee	l accessories Service Tyre pressure gau	ige		
existing	B66588140	Tyre pressure gauge, black, plastic		Compact, analogue tyre air pressure gauge with a high level of measuring precision and a wide measurement scale for precise reading. Measurement range from 0.5 bar to 4.5 bar. Fits all motor vehicle tyre valves (also for bicycle tyres with a motor vehicle valve). Please note that wheels may only be fitted according to the valid, market-specific laws.	now

	Part no.	Article	Illustration	Details	Available
Visual	refinements Whee	el accessories Valve caps			
existing	B66472002	Valve cap, set of 4, chrome	900	Decorative caps for valves, black. Mercedes-Benz star logo embossed on front, under transparent plastic. Set of 4 in attractive presentation packaging. Without skirt, therefore suitable for all car/van/lorry valve types.	now
\ <i>n</i>				Please note that wheels may only be fitted according to the valid, market-specific laws.	
Visual	refinements Whee	el accessories Vehicle tool kit Vehicle to	ol kit		
existing	B66850791	Vehicle tool kit		Vehicle tool kit – black bag containing the following tools: jack, wheel spanner, wheel centring bolt, ratchet, socket wrench for ratchet, chock, gloves.	now
Visual	refinements Interi	or refinements Door sill panels Illumina	ted		
existing	A1776802205	Door sill panel, illuminated, front, set of 2, stainless steel		A distinctive, eye-catching accessory, whether in daylight or at night – "Mercedes-Benz" lettering illuminated in brilliant white, set in an elegantly machined stainless steel panel.	shortly
new	XXX	Door sill panel, illuminated, front, Cover, one-part, stainless steel, silver-coloured	tunio teni	Individual cover with Mercedes-Benz lettering. Suitable for vehicles with illuminated door sill panels in which the cover is removable.	XXX
Visual ı	refinements Interi	or refinements Entrance area, illuminated	d Logo project	ors	
existing	A2178206800	LED projectors, Mercedes star, 2-piece, transparent		LED Mercedes star projectors, set of 2. For the exit lamps in the side doors.	now

	Part no.	Article	Illustration	Details	Available		
Comple	Complete wheels Summer complete wheels Summer complete wheels, 40.6 cm (16-inch)						
existing	Q44024171002E	5-twin-spoke wheel, 205/60 R16 92V - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Comple	ete wheels Summe	er complete wheels Summer complete wh	eels, 43.2 cm ([17-inch]			
existing	Q44024171003E	5-spoke wheel, 205/55 R17 91W - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Comple	ete wheels Summe	er complete wheels Summer complete wh	eels, 45.7 cm (18-inch)			
existing	Q44024171009E	5-twin-spoke wheel, 225/45 R18 91W - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Comple	ete wheels Summe	er complete wheels Summer complete wh	eels, 48.3 cm (19-inch)			
existing	Q44024171008E	5-spoke wheel, 225/40 R19 XL 93W - 7.5 J x 19 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Comple	ete wheels Winter	complete wheels Winter complete wheels	s, 40.6 cm (16-i	inch)			
existing	Q44012151008E	Steel wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44012151009E	Steel wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44012171008E	Steel wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44012171009E	Steel wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		

	Part no.	Article	Illustration	Details	Available		
Compl	Complete wheels Winter complete wheels Winter complete wheels, 40.6 cm (16-inch)						
existing	Q44014151001E	5-twin-spoke wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014151002E	5-twin-spoke wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014171006E	5-twin-spoke wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014171007E	5-twin-spoke wheel, 205/60 R16 92H - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Compl	ete wheels Winter	complete wheels Winter complete wheels	s, 43.2 cm (17-	inch)			
existing	Q44014191088E	5-spoke wheel, 205/55 R17 91H - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014191089E	5-spoke wheel, 205/55 R17 91H - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Compl	ete wheels Winter	complete wheels Winter complete wheels	s, 45.7 cm (18-	inch)			
existing	Q44014191090E	5-twin-spoke wheel, 225/45 R18 91H - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014191091E	5-twin-spoke wheel, 225/45 R18 91H - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		

	Part no.	Article	Illustration	Details	Available			
Compl	Complete wheels Winter complete wheels Winter complete wheels, 48.3 cm (19-inch)							
existing	Q44014171344E	5-spoke wheel, 225/40 R19 XL 93H - 7.5 J x 19 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
existing	Q44014171345E	5-spoke wheel, 225/40 R19 XL 93H - 7.5 J x 19 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
Compl	ete wheels Comple	ete wheels, Spike, MB Complete wheels, S	pike, MB, 40.6	cm (16-inch)				
existing	Q44014171366E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
existing	Q44014171367E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
existing	Q44014371322E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
existing	Q44014371323E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
existing	Q44014371349E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			
existing	Q44014371348E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now			

	Part no.	Article	Illustration	Details	Available		
Compl	Complete wheels Complete wheels, Spike, MB Complete wheels, Spike, MB, 43.2 cm (17-inch)						
existing	Q44014371326E	5-spoke wheel, 205/55 R17 95T - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014371327E	5-spoke wheel, 205/55 R17 95T - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Compl	ete wheels Comple	ete wheels, Spike, MB Complete wheels, S	Spike, MB, 45.7	cm (18-inch)			
existing	Q44014371331E	5-twin-spoke wheel, 225/45 R18 XL 95T - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014371330E	5-twin-spoke wheel, 225/45 R18 XL 95T - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
Compl	ete wheels Comple	ete wheels, Nordic, MB Complete wheels,	Nordic, MB, 40	0.6 cm (16-inch)	·		
existing	Q440141 <i>7</i> 1364E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014171365E	5-twin-spoke wheel, 205/60 R16 XL 96T - 6.5 J x 16 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	Still to be confirmed		
Compl	ete wheels Comple	ete wheels, Nordic, MB Complete wheels,	Nordic, MB, 43	3.2 cm (17-inch)			
existing	Q44014371324E	5-spoke wheel, 205/55 R17 95R - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		
existing	Q44014371325E	5-spoke wheel, 205/55 R17 95R - 6.5 J x 17 ET 44		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now		

	Part no.	Article	Illustration	Details	Available
Comple	ete wheels Comple	te wheels, Nordic, MB Complete wheels,	Nordic, MB, 45	.7 cm (18-inch)	
existing	Q44014371350E	5-twin-spoke wheel, 225/45 R18 XL 95T - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now
existing	Q44014371351E	5-twin-spoke wheel, 225/45 R18 XL 95T - 7.5 J x 18 ET 49		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only valid for markets with Mercedes-Benz Customer Solutions complete wheel business.	now

	Part no.	Article	Illustration	Details	Available		
AMG a	AMG accessories AMG wheels AMG light-alloy wheels, 45.7 cm (18-inch)						
existing	A17740115007X44	AMG 5-twin-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, tremolite metallic		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		
existing	A17740115007X23	AMG 5-twin-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market- specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		
existing	A17740121007Y51	AMG 10-spoke wheel, 45.7 cm (18 inch), high-sheen, 8.5 J x 18 ET 46, tantalite grey		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Only approved for AMG Performance models. Only approved for AMG Performance models.	now		
existing	A17740138007X44	AMG 5-twin-spoke wheel, 45.7 cm (18 inch), high-sheen, 7.5 J x 18 ET 33.5, tremolite metallic		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		
AMG a	accessories AMG w	heels AMG light-alloy wheels, 48.3 cm (19	9-inch)				
existing	A17740117007X21	AMG 5-twin-spoke wheel, 48.3 cm (19 inch), high-sheen, 7.5 J x 19 ET 49, titanium grey		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		
existing	A17740116007X21	AMG multi-spoke wheel, 48.3 cm (19 inch), high-sheen, 7.5 J x 19 ET 49, titanium grey		Please note that wheels must always be installed in accordance with correspondingly valid, market- specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	shortly		
existing	A17740116007X72	AMG multi-spoke wheel, 48.3 cm (19 inch), high-sheen rim edge, 7.5 J x 19 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		
existing	A17740116009Y70	AMG multi-spoke wheel, 48.3 cm (19 inch), rim horn painted yellow, 7.5 J x 19 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		
existing	A17740117007X23	AMG 5-twin-spoke wheel, 48.3 cm (19 inch), high-sheen, 7.5 J x 19 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now		

	Part no.	Article	Illustration	Details	Available	
AMG a	AMG accessories AMG wheels AMG light-alloy wheels, 48.3 cm (19-inch)					
existing	A17740116008X86	AMG multi-spoke wheel, 48.3 cm (19 inch), high-sheen, 7.5 J x 19 ET 49, copper-coloured		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now	
existing	A17740122007X71	AMG 5-twin-spoke wheel, 48.3 cm (19 inch), high-sheen rim edge, 9 J x 19 ET 52, matt black		For AMG Performance models only. Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation.	now	
existing	A11840103007X23	AMG multi-spoke wheel, 48.3 cm (19 inch), high-sheen, 8.5 J x 19 RO 55.2, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Approved for AMG Entry Performance models only.	now	
existing	A11840103007X71	AMG multi-spoke wheel, 48.3 cm (19 inch), high-sheen rim edge, 8.5 J x 19 RO 55.2, matt black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Approved for AMG Entry Performance models only.	now	
existing	A11840104007X23	AMG 5-twin-spoke wheel, 48.3 cm (19 inch), high-sheen, 8.5 J x 19 RO 55.2, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Approved for AMG Entry Performance models only.	now	
existing	A17740116009Y14	AMG multi-spoke wheel, 48.3 cm (19 inch), Rim flange painted in orange, 7.5 J x 19 ET 49, black		Please note that wheels must always be installed in accordance with correspondingly valid, market-specific legislation. Not approved for AMG Entry Performance and AMG Performance models.	now	
AMG a	AMG accessories AMG interior appointments AMG door pins					
existing	A0007660800	AMG door pin, round, silver grey, stainless steel, brushed		AMG door pin In high-quality stainless steel. A small individual touch that makes a big difference to the interior. Suitability for front/rear doors depends on model series. Not approved for USA or Canada.	now	