

The background features a light gray gradient. On the left, there are several overlapping, semi-transparent red circular and rectangular shapes that create a sense of depth and movement. On the right, a network diagram is visible, consisting of numerous small red dots connected by thin, light red lines, forming a complex web of connections.

innocen

Keep Innovating!

Portable



13/15A1F

Specifications

- Size: 13.3" /15.6"
- Resolution: 1920*1080
- OLED
- Brightness: 400cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut:100%DC1-P3, 10bits (8bit+2bitFRC)
- Built-in Speaker
- TUV Eye-care
- Magnetic Stand
- Mini-HDMI+2*Type-C

Portable



PU15-PRE

Specifications

- Size: 15.6" Touch Panel
- Support 10-dot Touch
- Resolution: **3840*2160**
- OLED
- Brightness: 400cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut:100%DC1-P3, 10bits (8bit+2bitFRC)
- Built-in Speaker
- TUV Eye-care
- Gravity Sensor
- Mini-HDMI+2*Type-C+Audio

Professional Design

24C1F-P

Specifications:

- Size:23.8"
- Aspect Ratio: 16:9
- Panel: IPS
- Resolution: 1920*1080
- Brightness : 300cd/m²(Typ)
- Refresh rate: 75Hz
- Gamut: $\Delta E < 2$, sRGB 99%
- Low blue light control
- Calibration Report
- Built-in Speaker
- Lifting and Rotating Bracket
- HDMI1.4+Type-C 65W+2USBA+1USBB 2.0+RJ45+audio out



Professional Design

27C1U-L

Specifications:

- Size: 27 "
- Aspect Ratio: 16:9
- Panel: IPS
- Resolution: 3840*2160
- Brightness : 300cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut: $\Delta E < 2$, sRGB 99%, DCI-P3 95%
- PIB/PBP , Built-in Speaker
- TUV Certification, Calibration Report
- Lifting and Rotating Bracket
- HDMI2.1+DP1.2+Type-C 15W +audio out



Professional Design

27C1U-D

Specifications:

- Size: 27 "
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840*2160
- Brightness : 350cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut: $\Delta E < 2$, sRGB100%, DCI-P3 98%, HDR400
- PIB/PBP ,Built-in Speaker
- TUV Certification, Calibration Report
- Lifting and Rotating Bracket
- HDMI2.1+DP1.2+Type-C 65W +audio out



Professional Design

27C1U Pro

Specifications:

- Size: 27 inch
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840*2160
- Brightness : 320cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut: $\Delta E < 2$, sRGB100%, DCI-P3 100%, HDR400
- PIB/PBP ; Built-in Speaker
- Lifting and Rotating Bracket,
- Full-Function Type-C 65W
- TUV Certification, Calibration Report
- HDMI2.0*2+DP1.4+Type-C 65W+USB3.0*3+audio out
- Sunhood ; Anti-reflection Film



Professional Design

27C1U Super

Specifications:

- Size: 27 inch
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840*2160
- Brightness : 300cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut: $\Delta E < 2$, sRGB 99%, DCI-P3 99%, Adobe RGB 99%,
- PIB/PBP ;
- Type-C 65W Reverse Charge
- Calibration Report
- HDMI2.0+DP1.4+Type-C 65W+2*USB A 2.0+1*USB B 2.0+Audio Out
- Multi-functional Base



Professional Design

32C1U

Specifications:

- Size: 32 "
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840*2160
- Brightness : 350cd/m²(Typ)
- Refresh rate: 60Hz
- Gamut: $\Delta E < 2$, sRGB 99%, NTSC 95%, DCI-P3 95%, HDR400
- PIB/PBP ; Built-in speaker
- Lifting and Rotating Bracket
- Full-Function Type-C 65W
- DC Dimming; Calibration Report
- HDMI2.0*2+DP1.4+Type-C 65W+audio out




Professional Design

29C1F-D

Specifications:

- Size: 29"
- Panel: IPS
- Aspect Ratio: 21:9
- Resolution: 2560*1080
- Brightness : 350cd/m²(Typ)
- Refresh rate: 75Hz
- Gamut: $\Delta E < 2$, sRGB 99%, DCI-P3 94%
- PIP/PBP, Built-in Speaker
- TUV Certification, Calibration Report
- Full-Function Type-C 65W
- Lifting and Rotating Bracket
- 1*HDMI 2.1+1*DP 1.4+TYPE-C 65W+Audio Out



Professional Design

40C1R

Specifications:

- Size: 40"
- Panel: IPS
- Aspect Ratio: 21:9
- Resolution: 3440*1440
- Brightness : 350cd/m²(Typ)
- Refresh rate: 144Hz
- Gamut: $\Delta E < 2$, sRGB 100%, NTSC 89%, DCI-P3 94%
- PIP/PBP, Multilingual Menu,
- TUV Certification, Calibration Report
- Full-Function Type-C 90W
- Lifting and Rotating Bracket
- 2HDMI+1DP+TYPE-C 90W++Audio Out+ Speaker



● High-efficient Screen

44C1G

Specifications:

- Size: 43.8"
- Panel: IPS
- Aspect Ratio: 32:9
- Resolution: 3840*1080
- Brightness : 350cd/m²(Typ)
- Refresh rate: 120Hz
- Gamut: $\Delta E < 2$, sRGB 100%, DCI-P3 96%, HDR400
- PIB/PBP , Built-in Speaker
- Lifting and Rotating Bracket
- Full-function Type-C 65W
- TUV Certification, Calibration Report
- 2HDMI+1DP+TYPE-C65W+Audio Out



● High-efficient Screen

45C1R

Specifications:

- Size: 45"
- Panel: VA
- Aspect Ratio: 32:9
- Resolution: 5120x1440
- Brightness : 400cd/m²(Typ)
- Refresh rate: 120Hz
- Gamut: $\Delta E < 2$, sRGB 100%, DCI-P3 95%, HDR 400
- Calibration Report
- KVM, PIB/PBP , Built-in Speaker
- HDMI2.1*2+DP1.4+TypeC 90W+USB 3.0*3+RJ45
+Audio out
- 200W Camera+4 Array Microphone



High-efficient Screen

49C1G

Specifications:

- Size: 49"
- Panel: VA
- Aspect Ratio: 32:9
- Resolution: 3840x1080
- Brightness : 350cd/m²(Typ)
- Refresh rate: 144Hz
- Gamut: $\Delta E < 2$, DCI-P3 95%
- Calibration Report
- KVM, PIB/PBP , Built-in Speaker
- HDMI2.1+DP1.4+TypeC65W+2USBA+1USBB2.0
+RJ45+Audio out



● High-efficient Screen

49C1R

Specifications:

- Size: 49"
- Panel: VA
- Aspect Ratio: 32:9
- Resolution: 5120x1440
- Brightness : 350cd/m²(Typ)
- Refresh rate: 120Hz
- Gamut: $\Delta E < 2$, DCI-P3 95%
- Calibration Report
- KVM, PIB/PBP , Built-in Speaker
- HDMI2.1+DP1.4+TypeC65W+3USB +RJ45+Audio out



High-efficient Screen




reddot design award

28C1Q

Specifications:

- Size: 28"
- Panel: Nano IPS
- Resolution: 2560*2880
- Brightness : 300cd/m²(Typ)
- Aspect Ratio: 16:18
- Refresh rate: 60Hz
- Gamut: sRGB 100%, DCI-P3 98%,
- HDR 10
- 200W Camera
- Support PBP
- 2xHDMI2.1+DP1.4+Type-C 90W+2USB A+
- 1USB 3.0+audio out+RJ45



Eye-Care



22D1F

Specifications:

- Size: 21.5 "
- Panel: VA
- Aspect Ratio: 16:9
- Resolution: 1920*1080
- Brightness : 250cd/m²(Typ)
- Refresh rate: 100Hz
- Gamut: sRGB 99%
- Low blue light control(hardware)
- HDMI1.4+DP1.2+TypeC15W+audio out

Eye-Care



24D1F Pro

Specifications

- Size: 23.8"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 1920*1080
- Refresh rate: 100Hz
- Gamut: sRGB 99%
- Response Time: 8ms
- Brightness : 250cd/m²(Typ)
- Low blue light control(hardware)
- HDMI1.4+DP1.2+TypeC15W+audio out

Eye-Care



27D1F

Specifications



- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 1920*1080
- Refresh rate: 100Hz
- Gamut: sRGB 99%
- Response Time: 5ms
- Brightness : 250cd/m²(Type)
- Low blue light control(hardware)
- HDMI1.4+DP1.2+TypeC15W+audio out

Mini LED

27M2U-D

Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- 384 Zone dimming
- Resolution: 3840*2160
- Refresh rate: 60Hz
- Gamut: $\Delta E < 2$, DC1-P3 99%, AdobeRGB 99%
1.07B(8bits+FRC), HDR1000
- Lifting and Rotating Bracket, light sensor
- Full-function Type-c 65W
- TUV Certification, Calibration Report
- 2HDMI 2.1+DP 1.4+TYPE-C 65W+Audio Out
- 65W Reverse Charge




Mini LED

27M2U PRO

Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- 2304 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 60Hz
- Brightness : 1000cd/m²,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 90W+3USB+ Audio Out
- Dynamic gaming light effect of rear housing




Mini LED

27M2V-D

Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- 384 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 160Hz
- Brightness : 1000cd/m²,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 65W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 65W+ Audio Out




Mini LED

27M2V

Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio:16:9
- 1152 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 160Hz
- Brightness : 1000cd/m²,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- Gravity Sensor, dynamic gaming light
- 2HDMI+1DP+TYPE-C 90W+2USBA 1USBB 3.0+ Audio Out




Mini LED

32M2U

Specifications:

- Size: 32"
- Panel: IPS
- Aspect Ratio: 16:9
- 2304 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 60Hz
- Brightness : 1000cd/m², HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 90W+3USB+ Audio Out




Mini LED

32M2V

Specifications:

- Size: 32"
- Panel: IPS
- Aspect Ratio: 16:9
- 1152 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 144Hz
- Brightness : 1000cd/m²,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 90W+3USB+ Audio Out



Mini LED

34M1R

Specifications:

- Size: 34"
- Panel: VA
- Aspect Ratio: 21:9
- Curvature: R1500
- 2304 zone dimming
- Resolution: 3440x1440
- Brightness : 1000cd/m²(Typ)
- Refresh rate: 165Hz
- Gamut: sRGB 99% ,DCI-P3 94%, HDR1000
- PIP/PBP
- Game Plus
- Lifting and Rotating Bracket
- HDMI2.1*2+DP1.4*1+Type-c 90W+USB 3.0*3+audio out



Gaming



25G1G PLUS

Specifications

- Size: 24.5"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 1920x1080
- Brightness : 250cd/m²(Typ)
- Refresh rate: 180Hz
- Gamut: sRGB 99%
- HDMI1.4*2+DP1.2+audio out

Gaming



27G1R PLUS

Specifications

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 2560x1440
- Brightness : 300cd/m²(Typ)
- Refresh rate: 180Hz
- Gamut: sRGB 99% ; DCI-P3 95%
- Color: Black
- PIP/PBP
- HDMI2.1*2+DP1.4*2+audio out

Gaming



27G1S PLUS

Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 2560x1440
- Brightness : 300cd/m²(Typ)
- Refresh rate: 240Hz
- Gamut: sRGB 99% ,96%DCI-P3, HDR10
- PIP/PBP
- Game Plus
- Lifting and Rotating Bracket
- HDMI2.1*2+DP1.4*2+audio out

Gaming



34G1R

Specifications:

- Size: 34"
- Panel: VA
- Curvature: R1000
- Aspect Ratio: 21:9
- Resolution: 3440x1440
- Brightness : 400cd/m²(Typ)
- Refresh rate: 165Hz
- Gamut: sRGB 99% ,HDR400
- PIP/PBP
- KVM
- Lifting and Rotating Bracket
- HDMI2.1*2+DP1.4+Type-c 90W+USB 3.0*3+Audio out
- Dynamic gaming light



32Q1U

Specifications:

- Size: 31.5"
- Panel: OLED
- Resolution: 3840*2160
- Aspect Ratio: 16:9
- Brightness : 540cd/m²(typ, 10%windows Center of screen)
- Refresh rate: 60Hz
- Gamut: $\Delta E < 1$, DCI-P3 99%, AdobeRGB 99%
- Built-in speaker
- TUV certification
- 2xTYPE-C 90W+Audio out(type-c)





34Q1R

Specifications:

- Size: 34"
- Panel: OLED
- Curvature: R1800
- Aspect Ratio: 21:9
- Resolution: 3440x1440
- Brightness : 250cd/m²(Typ)
- Refresh rate: 175Hz
- Gamut: sRGB 100% ,DCI-P3 99%, HDR400
- Lifting and Rotating Bracket
- HDMI*2+DP+Type-c 65W+USB 3.0*3+ audio out
- Dynamic gaming light





48Q1V

Specifications:

- Size: 48"
- Panel: OLED
- Aspect Ratio: 16:9
- Resolution: 3840*2160
- Brightness : 360nits
- Refresh rate: 138Hz
- Gamut: $\Delta E < 2$, DC1-P3 98.5%, AdobeRGB 99%, 10bits
- Built-in speaker(2.1CH)
- TUV certification
- HDMI*3+DP1.4+TYPE-C 65W+Audio out





49Q1S

Specifications:

- Size: 49"
- Panel: OLED
- Aspect Ratio: 32:9
- Resolution: 5120*1440
- Brightness : 250nits
- Response Time: 0.03ms
- Refresh rate: 240Hz
- Gamut: $\Delta E < 2$, sRGB 100%, DCI-P3 99%, AdobeRGB 95%, 10bits
- Built-in speaker(2.1CH)
- Dynamic Light Effect
- HDMI2.1+DP1.4+Type-C 90W+2USBA+1USBB3.0+RJ45(100M)+Audio Out



Smart Display

1. Moveable Smart Display
2. Rich Interactivity: Touch + magnetic camera, microphone, speaker
3. Large Screen: 31.5", 4K



red^{dot} design award

4. The stand lift can adjust the height and angle
5. Android Operation System, 6. Support WIFI 6
7. Built-in Battery
8. wireless mirroring function(Eshare)



32S1U PRO



