WIRE-FREE SPEEDY





QuickScan

Wireless CMOS Imaging Barcode Reader

> 3-in-1 Wireless | Bluetooth | Wired



Powered by latest Quick Scan & CMOS Image Technology, FINGERS 2D-QuickScan WL5 Barcode Reader delivers superior performance that scans 1D/2D barcodes effortlessly with whopping 200 scans per second!

Reliability is its middle name and can be used as a Wired or Wirelessly (through USB Receiver or Bluetooth) depending on the need of the hour.

Ergonomically designed with handheld form factor, it is engineered for superior comfort and highly accurate scanning, thereby eliminating wasted seconds and improving users' efficiency. From retail to POS to warehouse to distribution centres, these barcode scanners comes in handy and meet wide range of scanning needs in various environments and applications.

3-in-1 Multiple ways to use



- Wireless 2.4 GHz
 (with receiver)
- 2 Bluetooth
- Wired (with Type-C cable)







Wireless 2D Imager



Enabled with Quick Scan & CMOS Image Technology



Reads 2D Barcodes -Can interpret various 1D/2D codes*



Quick Plug-n-Play with USB Bluetooth Receiver



Indicators: Beeper, LED



BIG Battery: Capacity to scan up to 20,000 barcodes in single charge



Works smoothly with Bluetooth-enabled devices such as mobile phones, tablets and laptops



Wireless BT transmission distance range of 30 - 50 meters (Open Space)



QuickScan WL5

Wireless CMOS Imaging Barcode Reader



Code

for all his blockers.

a testi trapio digenti. No realipoi a

mier dan d Dimensioù endelle Brokhiping

General	Туре	Wireless (BT) I Wired	
	Interface	USB Receiver	
	In-built Memory	4 MB	
	Indicators	Beeper, LED	
	Operation Mode	Trigger	
	Barcode Type	1D: EAN, UPC, Code 39, Code 93, Code 128, UCC/EAN 128,	
	Support	Codabar, Interleave 2 of 5, ITF-6, ITF-4, ISBN, ISSN, MSI-Plessey, GS1 Databar, GS1 Composite Code, Code 11, Industrial 25, Standard 25, Plessey, Matrix 2 of 5 2D: QR Code, Data Matrix, PDF417, Aztec, Maxicode, Mico QR, Hanxin C	
Connection	BT Version	V4.0	
	Frequency	2402 MHz ~ 2480 MHz	
	Effective Range	30 - 50 meters (Open Space)	
Optical	Light Source	617 nm LED Aimer, White LED	11
	Scan Rate	200 scans/sec	Ţ Y
	Resolution	1D ≥ 5 mil, 2D ≥ 10 mil	<u> </u>
	Print Contrast Ratio	20%	<u> </u>
	Depth of Field	EAN13 50-200 mm (13mil); QR 25-240 mm (20 mil); PDF417 30 - 130 mm (6.67 mil)	<u> </u>
Electrical	Input Voltage	DC 5 V ± 5%	
	Working Current	280 mA	
	Standby Current	0 mA	
	Sleep Mode	26 mA	
Battery	Battery Type	Lithium	,
	Battery Capacity	2200 mAh	
	Charging Type	USB Type-C cable	
	Charging Time	About 5 hours	
Physical	Housing Material	ABS+PC	
	Charging Cable Type	USB Type-C (1.20 meters)	CALIDI
	Dimensions	15.4 (H) x 8.5 (W) x 6.2 (L) cm	
	Weight	201 grams (without receiver)	
	Colour	Black + Grey	
Environment & Safety Conformance	Operating Temperature		
	Operating Humidity	5% – 85% RH (Non-condensing)	9
	Storage Temperature	40°C – 70°C	7,
	Shock Resistance	1.5 m drops	QuickSo
In the box			W Wireless C

1 N - FINGERS 2D-QuickScan WL5

1 N - USB Receiver

2 N - USB Type-C Cable

1 N - Quick Start Guide

1 N - Brand Note



fingers.co.in