

76cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated




<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.*</p>

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage

DIMENSIONS

Height 2134 mm

Width 756 mm
Depth 610 mm



FEATURES & BENEFITS

Variable temperature zones
When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode
Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy
Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination
Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality
The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)	
Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF



Handle kit Contemporary square fine, aluminium	AHD5RDSF	LED bin lighting	•	Sabbath mode	•
Handle kit Contemporary square fine, black	AHD5RDSFB	LED ceiling lighting	•	Variable temperature zones	2
Handle kit Professional round flush	AHP3RDSF	LED side lighting	•		
Joiner Kit	AJ-RS21LR	SmartTouch interface at counter height	•		
Toe kick stainless steel 1220mm	AKRS12210	Stackable bottle holders	4	Power requirements	
Toe kick stainless steel 1372mm	AKRS13710			Rated current	10 A
Toe kick stainless steel 1524mm	AKRS15210			Supply frequency	50 Hz
Toe kick stainless steel 1981mm	AKRS19810			Supply voltage	230 V
Toe kick stainless steel 2134mm	AKRS21310				
Toe kick stainless steel 762mm	AKRS7610				
Capacity		Freezer Features		Product dimensions	
Total gross capacity	498 L	LED bin lighting	•	Depth	610 mm
Volume	463 L	LED ceiling lighting	•	Height	2134 mm
Volume refrigerator	463 L	LED Lighting	•	Height to top of cabinet	756 mm
		LED side lighting	•	Width	756 mm
		SmartTouch interface at counter height	•		
		Installation Dimensions		Product information	
		Minimum inside width of cabinetry frame	762 mm	Packaged weight	156 kg
		Minimum internal depth of cabinetry	635 mm	Unpackaged weight	133 kg
		Minimum internal height of cabinetry	2134 mm		
Consumption		Performance			
Energy rating	4 star	ActiveSmart™ Foodcare	•	SKU	26162
Energy usage	203kWh/year	Adaptive defrost	•		
In-use energy carbon emissions estimate	123.9kgCO2e/year	Dual evaporator	•		
		Frost free	•		
		Frost free freezer	•		
		Humidity control system	•		
		Inverter controlled compressor	•		
		Noise emissions	42 dBA		
		Noise emissions class	D		
Features					
Adjustable door shelves	4				
Adjustable glass shelves	4				
Covered door shelves	1				
Door alarm	•				
Front levelling feet	•				
Gallon door shelves	1				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 W www.fisherpaykel.com

- [↓](#) DWG K05 Hinge
- [↓](#) DXF K05 Hinge
- [↓](#) DXF
- [↓](#) Energy Rating
- [↓](#) Installation Guide Assisted Opening Accessory - Integrated Columns
- [↓](#) Installation Guide - Toe Kick (English)
- [↓](#) Planning Guide Assisted Opening Accessory
- [↓](#) Planning Guide (English)
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino Appliance with Door Panel and Contemporary Round Handle
- [↓](#) Rhino Appliance with Door Panel and Contemporary Square Handle
- [↓](#) SketchUp
- [↓](#) SketchUp Appliance with Door Panel and Contemporary Round Handle
- [↓](#) SketchUp Appliance with Door Panel and Contemporary Square Handle
- [↓](#) User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.