

NeoRuler

Rule the scales




93 Built-in Scales



Customized Scales




Imperial/Metric



± 0.1 mm accuracy




1.14 LCD Display



Life Time Free APP

Part 1

Epic Neo Functions



Unit Conversion

mm

228.6

1/1

Metric

inch

8.95"

1/1

Imperial

inchfr

8" ⁶³/₆₄

1/1

Fraction



Switch in between Metric and Imperial in one swipe without multiple calculation.



Smart Scale

meter

0008.95

1/337.7

Customize

1:2 1:5 1:10

10cm

Metric-Arch


... 1"=600' ...

100 yd

US-Arch



Get 93 Built-in scales for maximum versatilities.
Customize scale enables to define your own scale when out-of-plans.



Space Divider

cm

1 ... 2 ... 3 ... 4 ... 5

0 ÷ 0

Any Length

cm

3 ... 4 ... 5 ... 6 ... 7

7.62 ÷ 1.52

Any Segment



Equal divide space quickly in any length without any calculation.
Mark accurately on drafting of any length and width.

Part 2

Adaptive NeoModules



NeoRuler

Freely swap in or out adaptive Neo modules for more measuring possibilities.



Neo
Pointer

Excel Measuring Detail



Neo
Magnifier

Magnify Reading Accuracy



Neo
Penholder

Empower Drawing Precisions



Neo
Caliper

Enhance Object Measurement

Part 3

Ultimate Neo Design

Why NEO?



1.14 inch

Backlit True-color Display

Easy to Read

± 0.1 (0.002") mm

Measurement Resolution

Real Accuracy

1000 mAh

Rechargeable Li-on Battery

Powerful Battery

6063 Al

Aluminum Alloy Frame


Durable Frame

316 Steel

Stainless Steel Blade

Cutting Proof

Perfect size Perfect weight



30cm  12in



184g  6.4oz

0.39 in

10 mm


Total Thickness



0.07 in

2 mm


Blade Thickness



Bend proof



Easy to hold



Ideal thickness




From Users, For Users



Part 4

Proven Quality Durability

Next level of material choice



We value the quality and reliability of every unit we produce. For every single component of NeoRuler, HOZO engineers repetitively examine and carefully choose the best materials to ensure its product life and outstanding performance.

NeoRuler durability test



The durability test of NeoRuler is designed to simulate the wear and tear on NeoRuler's mechanical components caused by users' everyday use. The test result shows that NeoRuler is capable of 18,400+ times continuous movements.

Proven Quality



Drop-proof



Water resistance



Dustproof




The frame with durable high-pressure aluminum alloy reduces harm when NeoRuler is subject to high stresses or extreme pressure.

Waterproof & Dustproof Design protects your digital data from water spills and shields it from damage.


Part 5

The Mastermind Behind NeoRuler



ARM Cortex-M4

High Speed MCU




4096-Grade

Magnetic Encoder



300 LED Lights

Dynamic Array



Data Digitalization One Tap, To MEAZOR APP



**MEAZOR
APP 2.0**



FREE FOR LIFETIME

EXPORT

JPG

XLS

PDF

DXF

Import




Edit & Draw




Share



1. With NeoRuler, you can simply press the  button to transfer measured data to MEAZOR APP and continue further editing & drawing on MEAZOR APP without worrying about losing track of your data.

2. From paper to CAD, data digitalization is only one tap away. Export every single lines into CAD files dxf. pdf. jpg. to share at ease.

Compare With Neo




NeoRuler

±0.1mm




93









MEAZOR APP 2.0







|  |  |
|---|---|
| Rolling Scale Ruler | Scale Ruler |
| ±1mm +3% | ±1mm |
|  | — |
| 72 | 6 |
| 6 | — |
| USB | — |
| — | — |
| — | — |
| — | — |

Specs


| | |
|--------------|---|
| Size | 13×1.7 inch(330×43mm) |
| Thickness | 0.07-0.4 inch (1.8-10mm) |
| Weight | 0.4 pound (184g) |
| Battery | 1000mAh |
| Battery Life | 12 Hrs(Continuous use) 45 days (standby) |

| | |
|------------|---|
| Materials | Aluminum Alloy, Stainless Steel, ABS Plastic |
| Display | 1.14” Full-Color LCD Display |
| Resolution | 240ppi |
| Accuracy | ±0.004 inch (±0.1mm) |
| App | MEAZOR APP (available for Android and iOS Phone & Tablets) |

| 52 Built-in US Standard Scales | | | |
|--------------------------------|-------------|--------------|-------------|
| Arch | ENG I | ENG II | MAP |
| 1' = 1' | | | |
| 6" = 1' | 1" = 10' | 1" = 300' | 1" = 1 Mi |
| 4" = 1' | 1" = 20' | 1" = 333' | 1" = 1.5 Mi |
| 3" = 1' | 1" = 30' | 1" = 4 16.6' | 1" = 2 Mi |
| 2" = 1' | 1" = 40' | 1" = 500' | 1" = 3 Mi |
| 1 1/2" = 1' | 1" = 50' | 1" = 583.3' | 1" = 4 Mi |
| 1" = 1' | 1"= 60' | 1"= 600' | 1" = 5 Mi |
| 3/4" = 1' | 1" = 70' | 1"= 625' | 1" = 6 Mi |
| 1/2" = 1' | 1" = 80' | 1"= 666' | 1" = 10 Mi |
| 3/8" = 1' | 1" = 83.3' | 1"= 750' | 1" = 20 Mi |
| 1/4" = 1' | 1" = 90' | 1" = 1000' | 1" = 24 Mi |
| 3/16" = 1' | 1" = 100' | 1" = 1200' | 1" = 25 Mi |
| 1/8" = 1' | 1" = 166.6' | 1" = 2000' | |
| 3/32" = 1' | 1" = 200' | 1" = 3000' | |
| 1/16" = 1' | 1" = 250' | | |

| 41 Built-in Metric Scales | | | |
|---------------------------|-------|----------|----------|
| Arch | ENG I | ENG II | MAP |
| 1/1 | | | |
| 1/2 | 1/125 | 1/10 0 0 | 1/10 0 k |
| 1/3 | 1/150 | 1/1250 | 1/125k |
| 1/4 | 1/200 | 1/1500 | 1/200 k |
| 1/5 | 1/250 | 1/1625 | 1/250 k |
| 1/10 | 1/300 | 1/2000 | 1/500 k |
| 1/20 | 1/400 | 1/2500 | 1/1000 k |
| 1/25 | 1/500 | 1/5000 | 1/2000 k |
| 1/30 | | 1/6000 | 1/2500 k |
| 1/40 | | 1/10 k | |
| 1/50 | | 1/12.5k | |
| 1/72 | | 1/20 k | |
| 1/75 | | 1/25k | |
| 1/100 | | 1/50 k | |

Part 6



Add-Ons

Reading Kit



Neo
Pointer x1



Neo
Magnifier x1

Carry an extra pointer for "just in case" and a magnifier for detailed reading.

Drafting Kit




(0.8mm) x1



(1.2mm) x1

Small or large smart penholders that fit any size of your pen.

NeoProtection Folio



NeoProtection Folio x1

Protect NeoRuler with a polyurethane folio.
Plus, it is Magnetic!

NeoCollection Case



NeoModule Case x1 NeoProtection Folio x1

NeoRuler Premium Combo




Installed Caliper x1

Reading Kit x1


Drafting Kit x1

Pro Protection Case x1



Warranty

Your Satisfaction is our 1st Priority



30-Day Replacement

Free replacement
for any problem



1-Year Warranty

Full coverage
of manufacturing defects



Lifetime Customer Support

Contact us any time by e-mail

customersupport@hozodesign.com