ThinkStation Storage Configuration

ThinkStation PX, P7, P5 with discrete RAID controller





Table of Contents

Overview	3
Section 1 – Storage Controller Details	4
Section 2 – ThinkStation PX Support	5
Installing M.2/E1.S Front Access Enclosures in PX	7
Installing U.2/U.3 Front Access Enclosures in PX	8
Installing the Broadcom 9560-16i Adapter	13
Section 3 – ThinkStation P7 Support	19
Installing the components for NVMe drives:	21
Installing the components for SATA drives:	25
Section 4 – ThinkStation P5 Support	28
Installing the Broadcom 9540-8i Adapter	29
Section 5 – Configuring RAID Arrays	34
Section 6 – Deleting RAID Arrays	44
Section 8 – Appendix	49
Revision History	55

Overview

The main objective of this document is to provide a detailed, step-by-step walkthrough for the seamless installation and setup of the optional hardware storage controllers available for ThinkStation PX, P7, and P5. Optional hardware storage controllers offer advanced data storage capabilities that enhance performance, redundancy, and data protection. By following the instructions provided here, users will be able to install and configure the Broadcom PCIe add-in storage controller to optimize their data storage infrastructure.

Advantages of using Broadcom PCIe add-in storage controller are:

- Dedicated Hardware: Broadcom RAID cards come with dedicated hardware process that handles RAID calculations and operations. This offloads the CPU(s), resulting in improved system performance, especially during heavy I/O workloads.
- Write-Back Cache Protection: The Broadcom 9560-16i RAID adapter offers an
 optional CacheVault Technology upgrade to help protect cached data in the event
 of a power failure. This enhances data integrity and prevents data loss in volatile
 memory caches.

Section 1 – Storage Controller Details


Table 1 - General overview of Broadcom adapters support on ThinkStation platforms.

	Broadcom 9560-16i (SAS3916) Adapter		Broadcom 9540-8i (SAS3808) Adapter
Platform	PX	P7	P5
Maximum Number of Drives	Up to 4 NVME	Up to 2 NVMe Up to 3 SATA	Up to 3 SATA
Connection Method	x8 SFF-8654 (SlimSAS)		
Drive Type Supported	M.2 NVMe U.2 NVMe U.3 NVMe E1.S NVMe	3.5" SATA HDD M.2 NVMe U.2 NVMe U.3 NVMe E1.S NVMe	3.5" SATA HDD
RAID Level Support	RAID 0 RAID 1 RAID 5 RAID 10*		RAID 0 RAID 1
Adapter Speed	Gen 4.0 PCle (NVMe)	6Gb/s SATA Gen 4.0 PCle (NVMe)	6Gb/s SATA
Additional hardware	SuperCap (Cache Backup Unit) PCIe retention bracket (RAID SuperCap Holder Kit)		PCIe retention bracket

^{*}RAID 10 is only available on PX

Section 2 – ThinkStation PX Support

ThinkStation PX has an ability to support PCIe add-in card by utilizing front access enclosures. This section covers information about support for the Broadcom 9560-16i RAID adapter as well as the installation process for the adapter and associated parts.



Note: Bay 1 and Bay 4 are not used with the Broadcom adapter.

Table 2 – General overview of Broadcom 9560-16i RAID adapter support on ThinkStation PX

Maximum Number Drives	 One of the following: Up to 4 x M.2 NVMe or Up to 4 x E1.S NVMe or Up to 2 x U.2/U.3 NVMe
Supported RAID Levels	M.2 and E1.S: RAID 0 RAID 1 RAID 5 RAID 10 U.2/U.3 NVMe: RAID 0 RAID 1
Drive Speed	Gen 4.0 PCIe

Notes:

- Arrays cannot be created using the Broadcom RAID controller on the following locations:
 - o PCIe add-in cards
 - Onboard NVMe M.2 drives
- The Broadcom cable connects to both the motherboard and the drive bays.
 However, this connection to the motherboard is for the purpose of configuring and managing the drives in the supported drive bays. It does not enable hardware RAID for the onboard or PCle based drives. The onboard and PCle drives operate independently and are not part of the Broadcom RAID configuration.
- Mixing drives with different capacities and types within the same virtual drive group is not supported.

Hardware Requirements:

Table 3 - Compatibility and common parts requirements for Front Access Bay utilization on PX

Common Components

(These components are required to support all drive types in ThinkStation PX):

2 CPUs Storage Bay Fan Broadcom 9560-16i adapter Broadcom NVME Bay2 Gen4 cable Broadcom NVME Bay3 Gen4 cable Drive activity LED cable

Table 4 - Compatibility and unique parts requirements for Front Access Bay utilization on PX

Location	Compatibility	Unique parts
Front Access Bay 2+5	Up to 2 x NVME drives:	Dual NVMe SSD Enclosure
	2 x M.2 NVMe or	M.2 SSD Carrier
	2 x E1.S NVMe or 1 of each	E1.S SSD Carrier
Front Access Bay 3+6	Up to 2 x NVME drives:	Dual NVMe SSD Enclosure
	2 x M.2 NVMe	M.2 SSD Carrier
	2 x E1.S NVMe or 1 of each	E1.S SSD Carrier
Front Access Bay 5	1 x U.2/U.3 NVMe	U.2/U.3 SSD enclosure with backplane
Front Access Bay 6	1 x U.2/U.3 NVMe	U.2/U.3 SSD enclosure with backplane

Notes:

- U.2/U.3 cannot be used together with M.2/E1.S enclosures.
- See Appendix for detailed parts information.

Installing M.2/E1.S Front Access Enclosures in PX

Refer to the PX Storage Whitepaper for installation instructions.

Installing U.2/U.3 Front Access Enclosures in PX


On ThinkStation PX models without Front U.2/U.3 SSD Enclosures installed previously, the user has an option to add up to two (2) U.2/U.3 SSD Enclosures in the front access bays. Below are instructions on how to install U.2/U.3 Enclosures in the front access bays.

 Remove the Front Access 3.5" HDD Tray from 'Front Access Bay 2' and/or 'Front Access Bay 3' depending on the number of front U.2/U.3 NVMe enclosures to be installed.

<u>Note</u>: Some ThinkStation PX models may have the Front Access Bay Key Lock installed. If so, make sure the front access bays are unlocked during this process. For instructions on how to unlock Front Access Bay Key Lock, please refer to the <u>Thinkstation PX Storage Whitepaper</u>.

2. Remove the chassis side cover (left).

<u>Note</u>: Some ThinkStation PX models may have the chassis side cover key lock installed. If so, make sure the chassis side cover is unlocked. On how to unlock Side cover key lock, please refer to the <u>Thinkstation PX Storage Whitepaper</u>.




Side cover key lock


3. Remove the other chassis side cover (right).

<u>Note</u>: There is a lock feature on the inside of the chassis that prevents the rightside cover from opening. This mechanism can slide left or right to move it to the unlocked or locked positions. To remove the side cover, move this mechanism to the unlocked position.






While looking at the rear side of the system, press the gray latch to release the hooks to slide the whole chassis side cover back and out.






4. While looking at the right side of the system (under the motherboard), press the release tabs to remove the blank bezel for front access bays 5 and/or 6 depending on how many U.2/U.3 storage enclosures to add.




5. Remove HDD fans for the front access bay 2+5 and/or 3+6 depending on how many U.2/U.3 storage enclosures are to be added.




6. Install and secure backplane with provided screws.





7. Secure the U.2/U.3 SSD in a tray with the 4 provided screws (follow the nubmered guidance on the enclosure).



8. Slide the U.2/U.3 SSD enclosure into one of the front access bays with the handle mount located on top end. As seen in the picture below push on bottom end of the tray until it latches into the chassis. Then, press on the red handle until it clicks securely into place.




Installing the Broadcom 9560-16i RAID Adapter

To install the Broadcom Adapter in PX follow the below steps:

- 1. Remove both side covers from the system.
- 2. Install NVMe enclosures in the front access bay(s). For instructions on installing the M.2 NVMe and E1.S Front Access Bay enclosures, please refer to the PX Storage Whitepaper.

Note: The instructions in the whitepaper are for installing M.2 enclosures. These are the same instructions for installing E1.S enclosures. If you are installing U.2/U.3 Front Access Bay enclosures, you can find detailed guidance in the previous section "Installing U.2/U.3 Front Access Enclosure in PX".

3. Guide the Broadcom NVME Bay2/Bay3 Gen4 cables from front access bay enclosures 2+5 & 3+6 to the backside of the motherboard and connect the cables as seen below.




Note: Only drives in Bay 2+5 and/or Bay 3+6 are capable of supporting a Broadcom adapter.

4. Connect Broadcom NVME Bay2/Bay3 Gen4 cables according to the next diagrams:


Bay 2+5 cable:

- Connector "1st" to motherboard port "1st"
- Connector "Bay2" to backplane for bays 2+5
- Connector "C0" will be addressed in the next step




Bay 3+6 cable:

- Connector "2st" to motherboard port "2st"
- Connector "Bay3" to backplane for bays 3+6
- Connector "C1" will be addressed in the next step



- 5. Install the Broadcom adapter in an open PCle slot (refer to the <u>HMM</u> for PCle slot installation order).
- 6. Connect the Broadcom NVME Bay2/Bay3 Gen4 cable plugs C0 & C1 to corresponding ports C0 and C1 on the Broadcom adapter.
- 7. Connect the drive activity LED cable to the J10 pins on the Broadcom adapter and to pins on the system board labeled "Drive ACT".
- 8. Install the SuperCap retention bracket.



^{*}Assembly instructions shown below.

SuperCap PCIe retention bracket assembly instructions:

a. Connect the SuperCap (Cache Backup Unit) to the SuperCap cable.



b. Open the PCIe retention bracket (shown with cover removed).




c. Install the SuperCap into the PCIe retention bracket as seen below.




d. Install the PCIe retention bracket cover.



- Connect the SuperCap cable to the J14 connector on the Broadcom adapter.
 Install the PCIe retention bracket as shown below.



- 11. Reinstall left side cover.
- 12. Insert carrier(s) with drive(s) into the system as shown below.



13. If required, configure RAID following the guidance in Chapter 5 Configuring RAID.

Section 3 – ThinkStation P7 Support

In the P7 system, RAID compatible drives are installed in the Internal Storage Bay and the optional 3rd HDD bay located above the CPU heatsink. When utilizing the Broadcom 9560-16i RAID adapter, users can install up to two (2) drives in the internal storage bays as well as one (1) hard drive in the optional 3rd HDD bay for SATA drive only. With this configuration, the P7 system offers support for a maximum of three (3) SATA HDDs and two (2) NVMe drives through the use of the Broadcom adapter.

Table 5 - General overview of Broadcom 9560-16i RAID adapter support on ThinkStation P7

Maximum Number Drives	One of following: Up to 2 x M.2 NVMe or Up to 2 x E1.S NVMe or Up to 2 x U.2/U.3 NVMe Up to 3 x 3.5 HDD
Supported RAID Levels	M.2/E1.S/ U.2/U.3 NVMe:
Drive Speed	NVMe Gen 4.0 PCIe SATA 6Gb/s SATA

Notes:

- Microsoft Windows 11 no longer supports booting from magnetic rotational media (HDDs).
- Arrays cannot span across any of the following locations:
 - Front enclosure bays
 - o PCIe add-in cards
 - Onboard NVMe M.2 drives
- The Broadcom cable connects to both the motherboard and the drive bays.
 However, this connection to the motherboard is for the purpose of configuring and managing the drives in the supported drive bays. It does not enable hardware RAID for the onboard or PCIe based drives. The onboard and PCIe drives operate independently and are not part of the Broadcom RAID configuration.
- Mixing drives with different capacities and types within the same virtual drive group is not supported.

Hardware Requirements:

Common Parts

(These components are required to support all drives in ThinkStation P7):

- Broadcom 9560-16i RAID adapter
- Drive activity LED cable

Table 6 - Compatibility and unique parts requirements for NVMe and HDD drive support

Location	Combability	Unique parts
Internal Storage Bay	2 x M.2 NVMe or 2 x E1.S NVMe or 2 x U.2/U.3 NVMe	 Storage bay 6020 FAN HDD bay for NVMe SSD kit (includes Blind Connect Board (BCB) and cable) Broadcom NVME bay3 Gen4 cable Internal trays for M.2 NVMe Internal trays for E1.S SSD Internal trays for U.2/U.3
Internal Storage Bay + Optional HDD drive bay (above CPU)	3 x HDD	 SlimSAS to 3-drop SATA cable Optional HDD kit for 3rd 3.5" HDD

Note: See Appendix for detailed parts information.


Installing the components for NVMe drives:

- 1. Remove the side cover from the system.
- 2. Remove the air baffle.
- 3. If the BCB is not present in the system, please refer to the <u>P7 Storage Whitepaper</u> for BCB and NVMe drive installation instructions.




Note: Installing a BCB prevents use of 3.5" SATA drives in the drive storage bays.

4. Plug the right angle connector of the Broadcom NVMe Gen4 cable onto the NVMe BCB interface.




5. Connect the Broadcom NVMe Gen4 cable to the motherboard port "MB_MCIO".




<u>Note</u>: When the Broadcom adapter is in use, the Front Access Bay Storage cannot be used at the same time.

- 6. Install the Broadcom adapter in PCIe slot (refer to the P7 <u>HMM</u> for PCIe slot installation order).
- 7. Connect the Broadcom NVMe Gen4 cable plug C0 into the C0 port on the Broadcom adapter.




8. Connect the drive activity LED cable to J10(a) on the Broadcom adapter and to the motherboard pins labeled "Drive_ACT" (b).




9. Connect the SuperCap to the Broadcom adapter.

<u>Note</u>: For the SuperCap PCIe retention bracket assembly instructions please refer to "<u>SuperCap PCIe retention bracket assembly instructions"</u>.

10. Install the SuperCap PCIe retention bracket as shown below.



- 11. Install NVMe drives into carriers.
- 12. Reinstall air baffle.



13. Install drives carriers into storage bay (use the correct drive tray for specific types of drives).





- 14. Reinstall the side cover.
- 15. If required, configure RAID following the guidance in Chapter 5 Configuring RAID.

Installing the components for SATA HDDs:


- 1. Remove the side cover from the system.
- 2. Remove the air baffle.
- 3. Connect the HDD power plug to the motherboard HDD power connector and route the cable through the cable guides as shown below.

Note: For how to install the SATA HDDs please refer to P7 Storage Whitepaper.






- 4. Install the air baffle. When installing the air baffle, ensure that the cables are not pinched.
- 5. If required, install the optional 3rd HDD bay.
- 6. Install SATA HDDs in bays.
- 7. Connect SATA HDDs with cables according to the next diagram:
 - Connector P3 -> Optional Storage Bay (Above CPU)
 - Connectors P1 and P2 -> Storage Bay



- 8. Install the Broadcom adapter in the appropriate PCle slot (refer to the P7 HMM for PCle slot installation order).
- 9. Connect cable C0 to port C0 on the Broadcom adapter.

10. Repeat steps 8 -12 from the section <u>Installing the components for NVMe drives</u>.



Note: If Broadcom adapter is installed in slot 7, the optional vertical M.2 drive cannot be used.

- 11. Reinstall the side cover.
- 12. If require, configure RAID following the guidance in Chapter 5 Configuring RAID.

Section 4 – ThinkStation P5 Support

In the P5 system, drives that are available for RAID are installed in the internal storage bays and optional 3rd HDD bay. This allows the P5 to support up to three (3) SATA HDDs with a Broadcom 9540-8i RAID adapter.

Table 7 - Support Summary with Broadcom 9540-8i RAID adapter

Maximum Number of Drives	Up to 3 x 3.5" SATA HDDs
Supported RAID Levels	RAID 0 RAID 1
Drive Speed	6Gb/s SATA3

Notes:

- At time of writing, only 3.5" SATA HDDs have been certified.
- Microsoft Windows 11 no longer supports booting from magnetic rotational media (HDDs).
- Mixing drives with different capacities and types within the same virtual drive group is not supported.

Hardware Requirements:

Table 8 – Compatibility, location and parts requirements for HDD support

Location	Compatibility	Hardware Required
Internal Storage Bays + Optional HDD Drive Bay	3 x 3.5" SATA HDD	Broadcom 9540-8i RAID adapter SlimSAS to 3-drop SATA cable Drive activity LED cable Optional 3 rd HDD bay kit

Notes:

- See <u>Appendix</u> for detailed parts information.
- For installing optional 3rd HDD bay, please refer to the P5 Storage Whitepaper.


Installing the Broadcom 9540-8i RAID Adapter


To install the Broadcom Adapter in the P5 follow these steps:

- 1. Remove the side cover from the system.
- 2. Install SATA HDDs in the internal storage bays and optional 3rd HDD bay if needed.


Note: For instructions on how to install the SATA HDDs and optional 3rd HDD bay please refer to the P5 Storage Whitepaper.

3. Connect the HDD Power connector of the SlimSAS to 3-drop SATA cable to the motherboard port "MISC_PWR1"







4. Attach connectors labeled P1 and P2 to HDDs that are located in the internal storage bays.



5. Attach the connector labeled P3 to the optional 3rd HDD bay. Location of P3 and cable clip within the chassis are shown in step 6.




6. Utilize cable guides and clips to secure all cables routed to the locations shown below. Ensure the cables are not pinched between metal hardware components. To easily access the cable guides, remove the front fan (as shown below).




7. Install the Broadcom adapter in PCle slot (refer to P5 <u>HMM</u> for PCle slot installation order).

8. Attach connector C0 of the SlimSAS 3-drop SATA cable to the Broadcom adapter port C0.



9. Connect the drive LED activity cable to J10(a) on the Broadcom adapter and to the motherboard pins labeled "Drive_ACT" (b).



10. Install the PCIe retention bracket.



11. If required, configure RAID following the guidance in Chapter 5 Configuring RAID.

Section 5 – Configuring RAID Arrays

Follow the instructions below to create a basic RAID array using the Broadcom adapter. M.2 SSDs are used in the example below.

- 1. Install the drives for the RAID array into the system. See the previous sections to determine the correct hardware and placement of the storage devices.
- 2. Power on the system and press the "F1" function key at the "Lenovo" splash screen indicated below to enter BIOS.



3. Select the "Advanced" menu option on the screen as seen below.



4. Select the "BROADCOM < MegaRAID > Configuration Utility" menu.




5. Select the "Main Menu".




6. Select Configuration Management".




7. Select "Make Unconfigured Good".



8. Select the drives to use in the RAID array that are not listed as "Unconfigured Good" and select "OK".




9. Select the checkbox next to "Confirm" and then select "Yes".



10. Select "Ok".



11. Select "Create Virtual Drive".




12. Select the drop-down menu next to "Select RAID Level" and select the RAID array type to configure.




Note: Available RAID levels will depend on the Broadcom adapter in use as well as the number of drives connected to Broadcom adapter.


13. Select the "Select Drives".



14. Select the drop-down menu next to "Select Media Type" and select "Both" to show all drives configured on the Broadcom adapter. RAID arrays can only be made up of drives from single media type.



15. Select each drive to use as part of the RAID array and select "Apply Changes".



16. Select "OK".



17. Select "Save Configuration".



18. Select the checkbox next to "Confirm" and select "Yes".



19. Select "OK".



20. After the RAID array has been successfully created, the following message should be seen.




21. To view the created RAID array, return to the "Main Menu" of Broadcom utility and select "Virtual Drive Management".



22. Select the virtual drive to view properties.



23. When work with the RAID arrays(s) has been completed, press function "F10" to "Save and Exit" BIOS.



Section 6 – Deleting RAID Arrays

Follow the instructions below to delete an existing RAID array using the Broadcom PCIe add-in storage controller.

1. Power on the system and press the "F1" function key at the "Lenovo" splash screen indicated below to enter BIOS.



2. Select the "Advanced" menu option on the screen indicated below.




3. Select the "BROADCOM < MegaRAID > Configuration Utility" menu.



4. Select the "Main Menu".




Select "Virtual Drive Management".



6. Select the virtual drive to view properties.



7. In the virtual drive properties window select the dropdown menu next to "Operation" to perform a specific operation on the virtual drive. One of the options is to delete the virtual drive.



8. Press "Go" to delete the selected RAID array.




9. Select the checkbox next to "Confirm" and select "Yes".



10. Select "OK".



Section 8 – Appendix




Front access bay dual NVMe SSD enclosure with M.2 carriers

Option PN: 4XH1M64236

FRU:

5M11H28529



Option PN includes additional parts.

РΧ

Front access bay dual NVMe SSD enclosure with E1.S carriers

FRU: 5M11H28530



PΧ

Storage bay fan

FRU: 5M11H28534



PX

Included with option PN 4XH1M64236



FRU: 5A71F30923



PX/P7

SuperCap (cache backup unit)

FRU: 00FC994



PX/P7

PCIe retention bracket (RAID SuperCap holder kit)

FRU: 5M11C16915



PX/P7

PX/P7


SuperCap cable, 240mm

FRU: 5C10U58719



HDD LED activity cable, 550mm

FRU: 5C10U58340



PX/P7/P5

Blind Connect Board (BCB) for internal NVMe SSDs

FRU: 5C51K23022




P7

Broadcom NVMe Gen4 cable, 600mm

FRU: 5C10U58384



Ρ7



Internal tray for E1.S

FRU: TBD



P7

3-drop SATA cable for P7/P5

FRU: 5C10U58704



P7/P5

Broadcom 9540-8i SATA/PCIe PCIe x8 adapter

FRU: 5R11B66431



P5

PCIe retention bracket (top retention holder kit)

FRU: 5M11H28592



P5

Revision History

Version	Date	Author	Changes/Updates
1.0	10.5.2023	A.Panteleev	Initial release