



User Guide

AromaPlan®

SCENT DIFFUSER
PRO W-5000 / PRO G-5000

www.aromaplan.com



AromaPlan's scent diffusers **PRO W-5000/PRO G-5000** are powerful and easy to use. Our innovative technology converts the liquid perfume into dry vaporous microparticles, creating a practically invisible mist that drifts evenly throughout any space.

AromaPlan's diffusers give you ultimate control. You can program its working period and intervals, and it will as when it will automatically turn on and off to perfectly scent your environment according to your daily needs, without ever wasting your favorite fragrance.

Using cold air diffusion (nebulizing) technology that releases tiny nanoparticles into the air, our scent diffuser is a powerful and effective scenting system that can be easily connected to your air conditioning system.

The PRO W-5000 / PRO G-5000 diffusers are also compatible with the official AromaPlan App, available on Google Play and the Apple Store. The app allows you to select the appropriate settings for your needs. Use the QR Code to download the app today.



SPECIFICATION

Voltage: 12V

Power: 15W

Capacity: 1,000ml

Coverage: 3,000-4,000m³

Weight: 2,9Kg

Size: (L) 295 mm X (W) 113 mm X (H) 230 mm





Covers up to 5,000 SQ FT



Bluetooth



No flame



No water is required




HVAC compatible




No residue

ACCESSORIES INSTRUCTION




Device lock



On the basis of the original screw hole, change the long screw to penetrate and then lock on the pegboard.




Spray nozzle



Atomizer Head



Fragrance oil bottle



Applicable screw hole position.

OPERATION INTRODUCTION



Choose your favorite fragrance.




Open the equipment lock.



Unscrew the atomizing cap, and take out the bottle.



Pour the scent oil into the bottle.



Screw the atomizer head onto the bottle, then put it back into the machine.



Plug in the power cord 110 - 220V.



Turn on the power switch.




Set the time period via phone app.




Enjoy the fragrance.

HOW TO USE THE EQUIPMENT

WORKING INTERFACE




1. The on/off interface is shown in the image below. It only takes two seconds to turn on:




Device start-up interface

2. Display on the main interface of the device: Current Working Day, Local Time, Working Time Period, Work/Pause Seconds, Atomization/Fan, and Bluetooth Connection Status icons are shown below:



3. Set the working time period and frequency: Press the "" button to enter the setting interface, as shown below:



- (1) Select the workday that needs to be set, press the " (a)" button to adjust the day of the workweek, press " (e)" " to confirm and select the time of the workday, and press the " (e)" button to return. (Note: If the sleected setting is Monday, then the setting of Tuesday Sunday remains the same as Monday, and this method can be used to quickly set);
- (2) Select the set time period. Press the " \triangle " button to adjust the time period for a total of five time periods. Press the " \triangleright " button to move the cursor. Press the " \bigcirc " button to return to the previous menu.
- (3) Set the working time period and working frequency, press the " \triangle " button to adjust the value, press the " \triangleright " button to move the cursor, and press the " \triangleright " button to return;
- (4) After all these setting, press the " (ENT)" button to confirm the setting.
- **4. Set the local time and day:** press the " \triangle " + " \triangleright " button at the same time, as shown below:



Time setting interface

Press the " \triangle " button to adjust the value, press the " \triangleright " button to move the cursor, then press the " \boxdot " button to complete the setup.



Password setting interface

- (1) Enter a four-digit password. Press the " \triangle " button to adjust the value. Press the " \bigcirc " button to move the cursor.
- (2) Repeat the steps above.

(Note: the four-digit password entered for the first time must be consistent with the second password to be sucessfully set);

- 6. Turn on/off: Press the " ™" button until you hear a beep. Turn the machine off.
- 7. Turn on/off fan: Press the " " button to turn the fan on/off. The fan icon will display the status.
- **8. Reset the machine:** Press the "m" + "D" buttons at the same time. Hold until your hear five beeps that sound like didi didi. The device has been reset.
- When no button has been pushed for ten seconds, the display screen will go to sleep. Press any button to wake up the screen.



To start configuring the diffuser on your phone, please scan the **QR Code** to download the '**AromaPlan' App**, and download the user manual.



Have questions? Contact Customer Service.

FAULT INSPECTION

NO SCENTS:	 1 - Check if the device is plugged into the power cord 110-220. 2 - Check whether the pump is working or not and whether the nozzle is blocked or not. 3 - Check whether the essential oil in the bottle is ran out or not and whether the pipe falls off or not.
SCENTS WEAK:	 1 - Oil leakage inside the machine: Check whether the essential oil bottle is tightened or not. 2 - Oil leakage inside the machine: Check whether there are obstacles in the mist outlet hole.
UNUSUAL NOISE:	 1 - Check to see if the air pump has fallen out. 2 - Check the mist outlet. It may be clogged. 3 - Check the pump for low airflow or low air pressure.

WARRANTY AND AFTER-SALES SERVICE

- 1 After-sales service
- (1) Provide free technical solutions and installation process guidance.
- (2) Provide free online FAQ consultation and scent-marketing suggestions.
- 2 Equipment warranty and attentions
- (1) All devices enjoy 12 months free maintenance (from the day of purchase).
- (2) Please provide proof of purchase (invoice, warranty card, receipt) from our company for free maintenance.
- (3) Human error and incorrectly operating this device does not fall under the free maintenance agreement.

MACHINE MAINTENANCE

- (1) Clean the machine with rubbing alcohol every 2-3 months for optimal conditions.
- (2) Please cut off the power when cleaning, also do not use wet hand to operate it directly, in case of electric shock and injury.

LONG-TERM NONUSE

- (1) Turn machine off, and disconnect the power cord.
- (2) Clean filter components.

- (3) The deodorant package contains activated carbon. Place the package in the device to avoid odor.
- (4) Keep the machine free from dust. Place the machine in a well-ventilated area away from sunlight.



Use the QR code to register your device for a year of warranty coverage.



PLEASE READ ALL INSTRUCTIONS BEFORE ASSEMBLING AND USING THE DIFFUSER.

 ${f CAUTIONS}$ (The following basic safety precautions should always complied with).

Please follow all warning statements to prevent casualties and property loss.



WARNING

MAY CAUSE ELECTRIC SHOCK OR FIRE HAZARD.

- 1 Do not use with an unsafe plug or power source.
- 2 Keep out of reach of children.
- 3 Be sure the machine is installed where it will not fall our collapse.
- 4 Do not tilt the machine.
- 5 Keep away from heat or flame. Do not store near flammable or explosive materials.
- 6 Except for the atomizer, the housing material is not resistant to corrosion.
- **7 -** Keep the device away from high temperatures and water to prevent damage and ensure safe operation.
- 8 Do not put flammable, explosive, corrosive, or hazardous materials/solvents in the machine.

AromaPlan®

AromaPlan United States Distributed by Fullysense LLC

DOWNLOAD THE INSTALLATION MANUAL AND APP FOR YOUR AROMAPLAN DIFFUSER HERE:



CONTACT US:

Email: support@aromaplan.com

Phone: +1 321-710-9232

Whatsapp: +1 689 246-8645

www. aromaplan. com