

**Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG776MB1A**



**Included accessories**

2 x combination grid  
1 x universal pan  
1 x Air-Fry grid

**Optional accessories**

HEZ327000 : Pizza stone  
HEZ530000 : Half tray  
HEZ531010 : Baking tray, non-stick ceramic coated  
HEZ532010 : Universal pan, non-stick ceramic coated  
HEZ631070 : Baking tray, anthracite enamelled  
HEZ633001 : Lid for professional pan, enamelled anth  
HEZ633073 : Professional pan, anthracite enamelled  
HEZ634000 : Baking and roasting grid (standard)

**The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, Home Connect for control via the App.**

- **TFT Touch Display Plus:** easy control thanks to an innovative Digital Control Ring and enlarged TFT touchscreen.
- **Air Fry Function with tray:** for perfectly fried foods, such as vegetables and chips.
- **Pyrolytic self-cleaning:** automatically cleans the oven, just wipe out the ash.
- **Added Steam Function:** food turns out crispy on the outside and juicy on the inside.
- **PerfectRoast Plus:** knows exactly when your roast is done.

**Technical Data**

Color / Material Front : Black  
Built-in / Free-standing : Built-in  
Door opening : Drop down  
Cleaning : Pyrolytic+Hydrolytic  
Control Panel Material : Glass  
Door Material : Glass  
Dimensions (HxWxD) : 595 x 594 x 548 mm  
Dimensions of the packed product (HxWxD) : 675 x 690 x 660 mm  
Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
Cavity dimensions : 357 x 480 x 415 mm  
Usable volume of cavity : 71 l  
Number of interior lights : 1  
Net weight : 45.6 kg  
Gross weight : 48.0 kg  
EAN code : 4242005327119  
Connection Rating : 3600 W  
Fuse protection : 16 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Length electrical supply cord : 120.0 cm



4 242005 327119

## **Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG776MB1A**

**The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, Home Connect for control via the App.**

### **Heating Functions**

- Oven with 20 heating methods: 4D HotAir, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Slow cooking, Defrost, Preheat ovenware, Keep warm, Hotair gentle, Conventional heat gentle, AirFry, Reheating, Dough Proving, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

### **Hook-in racks / rails**

- Number of shelf levels: 5
- 1 set of level independent telescopic rails (Clip-on rail), pyrolytic proof, fully extendable, safety stop function

### **Design**

- Anthracite enamel cavity with 5 shelf positions
- Touch control
- Digital Control Ring

### **Cleaning**

- Pyrolytic self-cleaning function
- Cleaning Assistance (HydroClean program)

### **Convenience**

- TFT-Touchdisplay Plus
- Automatic temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Air Fry Function
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- Steam Boost - add for 3min intensive steam with a touch of a button.
- PerfectRoast Plus
- Bosch Assist - a menu of dishes for automatic cooking
- HomeConnect
- Oven Assistant with Voice Control
- Automatic rapid heat function
- Drop down door
- Oven door with SoftOpen and SoftClose
- Integrated cooling fan
- LED lighting
- Electronic clock/timer with end time programming
- Water tank empty indicator
- Location of the steam generator is outside of the cavity

### **Accessories**

- 1 x Air-Fry grid, 2 x combination grid, 1 x universal pan

### **Safety and Environment**

- Electronic door lock, Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch
- Quadruple glazed CoolTouch door
- Low door temperature during pyrolytic cleaning
- Full glass inner door


### **Technical Info**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


### **Dimensions**

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

## Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG776MB1A



Installing two appliances on top of each other  
Air exchange



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

