

SmallRig



V-Mount Battery Mount Plate

Operating Instruction

SmallRig V-Mount Battery Mounting Plate 4505 is a compact, lightweight, convenient, all-in-one mounting solution for V-mount batteries. The baseplate can be stretched to fit mirrorless / DSLR cameras of various sizes. Tool-free installation and adjustment make the process quick and time-saving. The built-in Arca-Swiss mount plate supports any with an Arca-Swiss plate SmallRig cages or SmallRig baseplate. The built-in 1/4"-20 threaded holes provide more power supply solutions by attaching a Mounting Clamp for Portable Power Banks BUB2336. The built-in 1/4"-20 & 3/8"-16 holes at the bottom allow attaching other quick-release plates. The rotatable structure facilitates screen usage and adopts damping to prevent your device from falling. The folding design of the V-Mount plate increases compactness and portability. The included aluminum alloy V-Mount Backplate can replace the plastic V-Mount Plate on the back of other V-mount batteries.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

V-Mount Battery Plate × 1
Guarantee Card × 1

V-Mount Backplate × 1

Product Details



Easy to use

Quickly Assemble without Tools



Step 1

Attach camera via quick release plate for Arca



Step 2

Adjust the length of the expansion rod and lock it



Step 3

Attach V-mount battery via V-mount plate

Not Block Camera Screen

V-mount plate can be flipped down 90° for easy opening and closing of the camera screen.



Step 1

loosen the thumb knob to tilt the plate



Step 2

Flip down the plate and open the screen



Step 3

Return the plate and tighten the knob

Not Block Camera Screen

V-mount plate can be flipped down 90° for easy opening and closing of the camera screen.



Step 1

loosen the thumb knob to tilt the plate



Step 2

Flip down the plate and open the screen



Step 3

Return the plate and tighten the knob

Usage Scenarios

Usage Scenarios



Specifications

Package

V-Mount Battery Plate × 1

V-Mount Backplate × 1

Specifications

Product Dimensions:

113.5 × 91.5 × 30mm / 4.5 × 3.6 × 1.2in

Package Dimensions:

137 × 104 × 51.5mm / 5.4 × 4.1 × 2.0in

Product Weight:

199 ± 5g / 7.0 ± 0.2oz

Package Weight:

246g ± 5g / 8.7 ± 0.2oz

Material(s):

Aluminum Alloy, Stainless Steel



Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS

CE



合格证
已检验



Boîte 1

Papier 5

BAC DE TRI

Séparez les éléments avant de trier



Made in China