



HIGHBAY Gen4




	EAN	Øxh [mm]	W	V _{AC}	Hz	lm	lm/W	K
HB P 87W 840 110DEG IP65	4058075692718	280 x 155	87	220-240V	50/60 Hz	13000	150	4000
HB P 87W 840 70DEG IP65	4058075692787	280 x 155	87	220-240V	50/60 Hz	13000	150	4000
HB P 147W 840 110DEG IP65	4058075692794	321 x 152	147	220-240V	50/60 Hz	22000	150	4000
HB P 147W 840 70DEG IP65	4058075692800	321 x 152	147	220-240V	50/60 Hz	22000	150	4000
HB P 190W 840 110DEG IP65	4058075692817	321 x 156	190	220-240V	50/60 Hz	27000	140	4000
HB P 190W 840 70DEG IP65	4058075692824	321 x 156	190	220-240V	50/60 Hz	27000	140	4000
HB P 210W 840 70DEG IP65	4058075692831	321 x 156	210	220-240V	50/60 Hz	30000	140	4000
HB P 87W 865 110DEG IP65	4058075692848	280 x 155	87	220-240V	50/60 Hz	13000	150	6500
HB P 87W 865 70DEG IP65	4058075692855	280 x 155	87	220-240V	50/60 Hz	13000	150	6500
HB P 147W 865 110DEG IP65	4058075692862	321 x 152	147	220-240V	50/60 Hz	22000	150	6500
HB P 190W 865 70DEG IP65	4058075692879	321 x 156	190	220-240V	50/60 Hz	27000	140	6500
HB P 210W 865 70DEG IP65	4058075692886	321 x 156	210	220-240V	50/60 Hz	30000	140	6500


	EAN	IP	IK	∇	R _a	° (°C)	PF	👤
HB P 87W 840 110DEG IP65	4058075692718	65	08	110°	≥ 80	-30 ... +50	> 0.9	2.3 kg
HB P 87W 840 70DEG IP65	4058075692787	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.3 kg
HB P 147W 840 110DEG IP65	4058075692794	65	08	110°	≥ 80	-30 ... +50	> 0.9	2.6 kg
HB P 147W 840 70DEG IP65	4058075692800	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.6 kg
HB P 190W 840 110DEG IP65	4058075692817	65	08	110°	≥ 80	-30 ... +50	> 0.9	2.8 kg
HB P 190W 840 70DEG IP65	4058075692824	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.8 kg
HB P 210W 840 70DEG IP65	4058075692831	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.8 kg
HB P 87W 865 110DEG IP65	4058075692848	65	08	110°	≥ 80	-30 ... +50	> 0.9	2.3 kg
HB P 87W 865 70DEG IP65	4058075692855	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.3 kg
HB P 147W 865 110DEG IP65	4058075692862	65	08	110°	≥ 80	-30 ... +50	> 0.9	2.6 kg
HB P 190W 865 70DEG IP65	4058075692879	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.8 kg
HB P 210W 865 70DEG IP65	4058075692886	65	08	70°	≥ 80	-30 ... +50	> 0.9	2.8 kg







	EAN	l x w x h [mm]	
HB BRACKET 87 147 190 210W	4058075695191	138 x 35 x 150	0.3 kg




	EAN	Ø x h [mm]	
HB ALU REFLECTOR 87W	4058075699397	415 x 205	0.8 kg
HB ALU REFLECTOR 147 190 210W	4058075699410	500 x 235	1.1 kg




	EAN	Ø x h [mm]	
HB PC REFRACTOR 87W	4058075699359	413 x 205	0.7 kg
HB PC REFRACTOR 147 190 210W	4058075699373	480 x 250	1.0 kg




HB Bracket 87W-210W
EAN 4058075695191











1



2










HB ALU REFLECTOR 87W
EAN 4058075699397

 4x

M4*6

1x


 $\varnothing$
 415mm





205mm

HB ALU REFLECTOR 147W-210W
EAN 4058075699410

 4x

M4*6

1x


 $\varnothing$
 500mm





235mm

HB PC REFRACTOR 87W
EAN 4058075699359

 4x

M4*8

1x


 $\varnothing$ 413mm





205mm

HB PC REFRACTOR 147W-210W
EAN 4058075699373

 4x





M4*8

1x







 $\varnothing$ 480mm


250mm

HB ALU REFLECTOR 87W-210W



HB PC REFRACTOR 87W-210W



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com

C10449058
G11127351
22.09.21

© LEDVANCE Ltd, Aquila House
Delta Crescent, Westbrook, Warrington
WA5 7NR, United Kingdom