90cm Series 7 Classic 5 Burner Dual Fuel Cooker

Series 7 | Classic



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.


- Five burner gas cooktop, with precise heat control
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread
- · Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech^{T} system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Easy To Clean

Your cooktop simply needs a quick wipe to keep it looking good as new for years to come, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

Chromed shelf runners	j,	1 set
Flat wire shelf		1
Full extension sliding s	helves	1 set (part 578744)
Full extension telescop	oic shelves	1 set (part 578744)
Grill rack		true
Roasting dish		1
Small pot support		1 (part 533981 cast)
Step down wire shelf		•

Accessories (sold separately)

QUICK REFERENCE GUIDE > OR90SCG4W1 Date: 23.06.2025 > 2

Kick strip, black (optional)	KICKOR90B1	Controls		Bake	•
Kick strip, stainless steel (optional)	KICKOR90X1	Audio feedback	•	Classic bake	•
Kick strip, white (optional)	KICKOR90W1	Automatic cooking/minute timer	•	Fan bake	•
		Automatic pre-set temperatures	•	Fan forced	•
		Celsius/Fahrenheit temperature	•	fanGrill	•
Burner ratings		Electronic clock	•	Grill	•
Dual wok burner inner/outer (LPG)	1.1 - 14.9MJ/h	Laser etched graphics	•	Number of functions	9
Dual wok burner inner/outer (natural gas)	1.1 - 16.2MJ/h	Precise electronic temperature control	•	Pastry Bake with Pizza mode	•
Maximum burner power	16.2MJ/h	Sabbath mode	•	Rapid proof	•
Semi-rapid burner (LPG)	5.8MJ/h	Turned stainless steel clock buttons	•	Roast	•
Semi-rapid burner (natural gas)	6.5MJ/h			True convection	•
Total cooktop power	58.0MJ/h				
Triple ring wok burner (LPG) x2	6.5 - 14.4MJ/h	Installation Dimensions			
Triple ring wok burner (natural gas) x2 6.5 - 14	6.5 - 14.4MJ/h	Installation cutout dimensions (Depth)	600 mm	Oven performance	
		Installation cutout dimensions (Width)	900 mm	CoolTouch door	Triple glazed
Capacity				-	
Shelf positions	6	Oven features		Power requirements	
·	6			Amparaga	22 A
Shelf positions (main oven)	6 140 L	AeroTech™ technology	•	Amperage	
Total capacity		Automatic rapid pre-heat	•	Supply frequency	50 Hz
Usable capacity Usable capacity (main oven)	120 L 120 L	Bright chromed, cast zinc dials with illuminated halos	•	Supply voltage	220 - 240 V
		Electronic oven control	•		
		Full extension telescopic sliding shelves	•	Product dimensions	
Cleaning		Soft open/close door	•	Depth	600 mm
Acid resistant graphite enamel	•	Storage drawer	•	Height	898 - 946 mm
Drop down grill element	•	True convection	•	Width	897 mm
Removable oven door	•	Twin cavity fans	•		
Removable oven door inner glass	•				
Removable shelf runners	•		<u></u>	Rangetop features	
		Oven functions		Hob rail	

QUICK REFERENCE GUIDE > OR90SCG4W1 Date: 23.06.2025 > 3

Hob rear trim	60 mm	$\overline{4}$	Rhino Freestanding Cooker
LPG / Natural Gas compatible	•	$\underline{\downarrow}$	Sketchup Freestanding Cook
Sealed range top	•	$\overline{4}$	User Guide

Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic shelves	1 set (part 578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	26 L

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Installation Guide



Installation Guide - Kick Strip



Revit Freestanding Cooker



Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com