



NG-C2100

Indoor Security Camera



1080P
Full-HD



Pan and
Tilt



Motion
Tracking



Voice
Control



Night
Vision



Compatible With
NGTeco Home App



WORKS WITH
alexa



works with the
Google Assistant



Brief Introduction

NG-C2100 is a premium pan & tilt camera for indoor home security. With its simple plug-in installation and smart core inside, you'll have peace of mind in no time. Place one in the living room to track your playful pets, another in the kid's room to watch over the little baby. It comes with all the features to keep you connected to home and cover every corner of the house day and night.

With the powerful [NGTeco Home App](#), you can check your home anytime with FHD live video, speak to anyone there with two-way talk, receive real-time notifications when detecting motion, and review the recent activities with local or cloud storage. More importantly, you can enjoy hands-free home monitoring with voice commands when paired with a compatible Amazon Echo or Google Nest device.

NG-C2100 will be a wise choice for living room and kid's room; it creates a safer, smarter, and more convenient lives.

Features



1080P Full-HD

Enjoy amazingly sharp 1080P live video



Pan and Tilt

Rotate and set the camera's point of view via App



Two-Way Audio

Listen in or talk back and forth



Motion Tracking

Keep tracking the subject when motion activity is detected



Motion Detection

Set the custom schedule to automatically enable or disable motion detection



Voice Control

Enjoy hands-free home monitoring with Amazon Alexa or Google Nest device



Night Vision

See what's happening even in the dark



Instant Notifications

Receive real-time push notifications of abnormal activities



Local & Cloud Storage

Store & review recent activity with local or cloud storage

Applicable Scenarios



Living Room



Kid's Room

Specifications

Camera			
Image Sensor	1/3.2" CMOS Sensor	Field of View	80° diagonal
Effective Pixels	1920*1080	IR LED No.	6
Min. Illumination	0.01Lux	IR Distance	10m
Lens	Aperture: F2.0, Focal Length: 3.6 mm	Pan & Tilt	355° horizontal, 110° vertical
Video			
Compression	H.264	WDR	N/A
Resolution	1080P (1920*1080) 720P (1280*720)	DNR	Support
Frame Rate	15 fps	Flip	Support
Day / Night	Auto switch with IR cut filter	Motion Detection	10 m
Audio			
Communication	2-way audio	Mic	built-in
Audio Compression	PCM	Speaker	built-in
Network & Mobile			
Wi-Fi Connection	802.11 b/g/n 2.4GHz	Integrations	Amazon Alexa, Google Assistant
Wireless Security	WEP, WPA, WPA2	Alerts	Mobile Push Notifications
General			
Storage Mode	Cloud (subscription required) Local (up to 64GB microSD Card)	Weather Resistance	Indoor use only
Adapter Input	AC 100-240V, 50/60 Hz	Operating Temperature	-10°C to 55°C
Adapter Output	DC 5V, 1A	Operating Humidity	10%~90% RH (non-condensing)
Dimensions (W*D*H)	71*67*130 mm	Certifications	CE-RED, FCC ID, RoHS

Dimensions

