



Appearance introduction

- 1 Display screen
- 2 Button
- 3 Charging port



Charging

- 1 Plug the round end of the charging cable into the Zikr Ring's charging port and connect the other end of the cable to the power adapter or computer USB port.
 - 2 When charging starts, the display screen displays the charging animation.
 - 3 The current battery level is displayed
 - 4 when the Zikr Ring is unplugged.
- When charging is complete, the charging animation stops.



Note: Before start charging, check and clean up any water stains that may exist in the Zikr Ring charging port.

Basic operations

Button operations

- 1 Short press:
 - Wake up the screen and display home screen (before APP binding, the main screen is a tasbih counter but after binding, the main screen is time display).
 - Short press on the button when displaying the time interface to enter tasbih counter.
 - When the Bluetooth address is displayed, short press to flip the screen display direction.
- 2 Long press:
 - Long press on the button when displaying the main screen or tasbih counter interface to start a new count.
 - When tasbih counter is zero, long press to display the Bluetooth address.



Interface Display

- ① Time (APP binding required)
- ② Battery
- ③ Bluetooth connection status
- ④ Tasbih counter



Connect Smart Qibla

Bind Zikr Ring

- 1 Use your smartphone to scan the QR code on the right to enter Google Play or App Store to download Smart Qibla.
- 2 Open the APP to register a new account and fill in personal information.
- 3 Enter the add device interface and select "Zikr Ring".
- 4 Select the device corresponding to the Bluetooth address.
- 5 Complete the binding of Zikr Ring.



Unbind Zikr Ring

- 1 Enter the interface of the device you want to unbind.
- 2 Click on the device name at the top of the screen.
- 3 Choose Unbind.
- 4 Enter the verification code to confirm unbinding.

Basic Functions

Tasbih counter

- 1 **Tasbih Count:** After the screen is turned on, use the button to make tasbih. When the count reaches 33, 66, 99, 100, Zikr Ring will vibrate once. You can also adjust the vibration time via the APP based on your usage.
- 2 **Re-counting:** Long press the button for 3 seconds, Zikr Ring will restart counting and save the last tasbih count record.
- 3 **Synchronization:** Open the APP, Zikr Ring will automatically synchronize the tasbih counting data to the APP once you

Find Zikr Ring

Click Find on the search device interface of the APP, Zikr Ring will vibrate for 10 seconds, press the ring's button to stop the vibration.

Prayer Reminder

Open the prayer reminder in the APP and synchronize, Zikr Ring will remind you for five times prayers .



Tasbih Reminder

Turn on Tasbih time reminder in APP and synchronize, Zikr Ring will remind you to make Tasbih.



Screen Flip

After connecting APP, set the display direction of the screen according to your wearing habits.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radiocommunications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:--Reorient or relocate the receiving antenna.

--Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

.-Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction