# HI - B E L L A

# Glamirror

# Instructions for use

## Package Contanta







USB Interprey robbs



USB sharping phys

### Components





#### How to use








Press the power (sulton for 3 sectorics to activity / deactivate (file situat motion sensor







Side up and down the touch control bar to ledipat the brightness of the light

## Indication light.

Status Printer on Light

ON White Light on for 2 seconds

White Light off

Low battery

Find Light on

White Ignt forti

## App Control

Download Hibelia app to get more functions activeled





Android

- 1. Capture and customize lighting:
- 2. Adjust sensor distance
- 3. Change / add / cancel lighting made
- 4. Adapt trightness
- 5. Check the battery capacity
- it. Register the minor and extend the searcity for an extra 3 months

For shock inflormation physics wintle some hitselfs over

# Sixtety Processions

- 1. The serior targe of the product may be affected by a bittings and armost light.
- 3. Mher charging, phose use an adopter with a reset output. WHAPA, an integer prisits adopter may reuse product stemage.
- During the use of the product. If the light existing or becomes devisingly planerate, passes by to charge 6 ASAP, If the absorbed previousness class and reprove other stranging, pleases along previousness.
- A. Phospie (b) and pain 0 in probability (formal) with an every to full or every to during places (c).
- is, it is straigly harborates to past the constant choice in an Exposit into a five example to annual the risk of the probabilities.
- N. Please do not use it in the Sathmon; or in any other sed sonalizers. You product is the specially waterpoor.
- The connect any of stationy rispone: Do not statement to large, soluence of Price 6 into the 6 time is sensuly appareties, also not statement to pass, size not place 6 in a high statement and services.

## FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

