











<div>Wireless CarPlay Adapter User Manual Model: C6</div> <div></div> <div>If there is any issue with your order, please contact below email to ask for help Email: service@isonicscape.com</div>	<div>Before Using</div> <div>Before using the product, please read the following information.</div> <div>Supported Device</div> <div>1. Supports iPhone 6 and later iPhone models. 2. The iPhone system version needs to be iOS 10 and above. 3. [IMPORTANT] Only for cars with wired Apple CarPlay.</div> <div>How to find out if a car has Apple CarPlay?</div> <div>Method 1: Connect your iPhone to the USB port of the car through a data cable. If the car has an Apple CarPlay function, the app will pop up on the screen requesting permission on your phone.</div> <div>Method 2: If there is a CarPlay icon in the car stereo menu, that your car has built-in Apple CarPlay.</div> <div>Method 3: Contact your car dealer for help. Check out this website for supported car models: <a href="https://www.apple.com/ios/carplay/available-models/">https://www.apple.com/ios/carplay/available-models/</a></div> <div></div>	<div>Packing List</div> <div> Wireless CarPlay Adapter</div> <div> USB-C Adapter</div> <div> User Manual</div> <div>Package Contents: A. Wireless CarPlay Adapter x 1 B. USB-C Adapter x 1 C. User Manual x 1</div>	<div>LED Light</div> <div>Connect the wireless CarPlay adapter to your vehicle's USB or USB-C port.</div> <div></div> <div>LED Light</div> <div>iphone</div> <div>Bluetooth pairing status: LED light slow flashing. Bluetooth successful: LED light always on.</div>	<div>How to Use</div> <div>Setup Step</div> <div>1. Start the car and wait for the car head unit system to be loaded. 2. Connect the wireless CarPlay adapter to your vehicle's USB or USB-C port.</div> <div></div> <div>Note : if your car has several ports, please be sure to plug the adapter into the port that is for wired Apple CarPlay.</div> <div>3. Turn on the Bluetooth and WIFI of your iPhone</div> <div></div> <div>BT Device : Carplay-C6-xxxx</div> <div>Note: 1: Please do not connect to it or to any other WiFi list at this time, just keep Wi-Fi on and not be occupied. 2: BT Device: Carplay-C6-xxxx.The last four digits are randomly generated.</div>	<div>4. Search for the adapter "Carplay-C6-xxxx"on your iphone, then click it to pair. After a few seconds, the phone will prompt "Use CarPlay", click the prompt and wait for 5-10 seconds to connect successfully.</div> <div></div> <div>5. After the first pairing, the wireless CarPlay adapter will automatically reconnect to your iPhone when you use it again(please make sure the phone's WiFi and Bluetooth are turned on). In some cars, you may need to choose the option of "Start automatically" in the CarPlay settings to activate this function.</div> <div>Note 1. The adapter can be paired with multiple iPhones, but it can't connect with them at the same time. Before pairing to a new iPhone, please disconnect the WiFi and Bluetooth of the currently connected phone. 2. By default, the system will connect back to the last used iPhone. If the iPhone to be used this time is not the last used iPhone, you need to manually set up the connection.</div>	<div>Additional Information</div> <div>Working Principle</div> <div>- The wireless CarPlay adapter uses Bluetooth to establish a pairing between the phone and the vehicle. - After the Bluetooth pairing is successful, the phone WiFi will automatically connect to the adapter's WiFi, and then disconnect the Bluetooth connection by default.</div> <div>Based on the working principle of the adapter, please pay attention to the following:</div> <div>1. When enjoying the wireless CarPlay function, the phone's WiFi will be occupied by the adapter, other WiFi cannot be used during this period. If there is a conflict between other WiFi and the adapter's WiFi, you may need to manually disconnect the connection of other WiFi to keep the wireless CarPlay use. 2. The auto-connection function of the adapter requires you to keep the WiFi and Bluetooth of the mobile phone available. In addition, please set the WiFi network of the phone to "Auto-Join": A. Settings &gt; WLAN &gt; Ask to Join Networks: select "Notify"; B. Settings &gt; WLAN &gt; Click the "i" symbol on the far right of "Carplay-C6-xxxx"&gt;Turn on "Auto-Join". 3. The adapter will disconnect the Bluetooth connection with your phone after pairing. If the phone's Bluetooth connects to other devices at this time, it may cause CarPlay mic input or sound playing to be unavailable. You may need to manually disconnect your phone from the other Bluetooth or switch off the Bluetooth directly to fix it. (Bluetooth plays a pairing role in the work of the adapter. When the pairing is completed, it only needs WiFi to keep working, so it doesn't matter to turn off Bluetooth. But when you use it next time, you still need to turn on the phone's Bluetooth, so that the adapter can be automatically paired and connected.)</div>
--	---	--	--	---	--	---

# C6\_CarPlay\_Manual User\_20241109\_V1.2

<div>Online Firmware Upgrade</div> <div>Premise 1. If the adapter works properly, it means the current version is suitable for your car. It is not recommended to update the firmware in this case to avoid any problems. 2. Only try this solution when the problem you encountered cannot be resolved by the solutions in the "FAQ" list. 3. If problems occur after the upgrade, please "Restore factory settings". <b>Upgrade Steps / Enter the Settings Interface</b> A. Power up the adapter, it is recommended to use the charging-only port. 2. Connect the dongle's wifi the password is "88888888" B. Open Safari and enter "192.168.1.101", then tap "Update". 4. After the upgrade is complete, please restart the phone once before using the adapter.</div> <div>If the update fails, please try the following: A. Turn off your phone's Bluetooth; B. Enter the phone's WLAN settings and forget the network of the adapter; C. Research and re-connect the "Carplay-C6-xxxx" in the phone's wifi list. D. Try to update again on "192.168.1.101" (If your problem is not finally resolved, please contact us for a refund (no return required)).</div>	<div>FQAS &amp; Troubleshooting</div> <div>1. What is the password to connect to WiFi? What we need to connect is Bluetooth, not WiFi. No password is required for connecting to Bluetooth. Make sure your WiFi is turned on and unoccupied when pairing. 2. The indicator light of the adapter is still on after the car is turned off. Because the car will not cut off all the power immediately when it is turned off, the light of the adapter will not go out immediately, but it will take a while. Please rest assured that its power consumption is minimal and will not drain the car battery. 3. Can't find the Bluetooth or WiFi of the adapter? If convenient, you can test it with another iPhone. If only a specific iPhone cannot find the Bluetooth or WiFi of the adapter, please try to reset the network and Bluetooth settings of this iPhone and then restart the phone once; if the same problem happens on other iPhones, the unit maybe defective. In this case, please let us know and we will refund you or send you a replacement.</div>	<div>FQAS &amp; Troubleshooting</div> <div>4. Audio input or output issues: calls rejecter or forwarded to voicemail/no play sound/micro phone not working/music playback interrupted or paused/voice functioning abnormally... 1) Please check your phone's Bluetooth to see if it is connected to another device. If so, please ignore other auto-connected Bluetooth devices or turn off the Bluetooth directly. 2) Clear the programs running in the background of your phone when using the adapter. 3) When on a call, check that your "Audio" output option is CarPlay. Note: Bluetooth plays a pairing role in the work of the adapter. When the pairing is completed, it only needs wifi to keep working, so it doesn't matter to turn off Bluetooth. But when you use it next time, you still need to turn on Bluetooth, so that the adapter can be automatically paired and connected.</div>	<div>FQAS &amp; Troubleshooting</div> <div>5. Persistent disconnection? 1) The adapter relies on a WiFi connection to your phone to work. Dropped connections are usually caused by WiFi interference. Do you have other WiFi devices in your car, such as a car camera with a WiFi function? If so, you may need to ignore other WiFi networks when using the adapter. 2) You can also improve this problem by resetting your mobile WLAN network, also, updating the firmware of your dongle is worth trying. Reset network settings (This will cause you to re-enter your password when using a network you have previously connected to) Go to Settings &gt; General &gt; Transfer or Reset iPhone &gt; Reset&gt;Reset Network Settings. 6. Can the adapter be paired with multiple phones? The adapter can be paired with multiple iPhones, but only one device can be connected at a time. If you would like to pair it with a new iPhone, please cancel the current connection first. Please note, by Bluetooth function default, the adapter's system will only auto-connect back to the last used iPhone.</div>	<div>FQAS &amp; Troubleshooting</div> <div>7. Unable to automatically reconnect? 1) In some cars, we need to select "automatic connection" in the phone settings so that the automatic connection function of the adapter can be used. 2) Check phone settings: A. Settings &gt; WLAN &gt; Ask to Join Networks: select "Notify". B. Settings &gt; WLAN &gt; Click the "i" symbol on the far right of "Carplay-C6-xxxx" &gt; Turn on "Auto-Join". 3) Other cases: A. Please make sure that the Bluetooth and WiFi functions of your mobile phone are turned on and the Bluetooth is not occupied when you get in the car. B. Clear the pairing record, restart the phone and re-pair the adapter. C. Try to upgrade the firmware.</div>	<div>FQAS &amp; Troubleshooting</div> <div>8. When the phone plays videos, the audio is not synchronized with the video? Even the original wireless CarPlay that comes with the car also has an audio delay when watching the video. Because video transcoding is more complex than normal audio file transcoding and takes longer to process. This is a normal problem of wireless CarPlay, not the adapter's problem. 9. Car screen goes black after pairing? 1) When we pair it for the first time, we need to keep the wifi turned on (no need to manually connect to the dongle's wifi at this time), and then perform Bluetooth pairing. When the Bluetooth pairing is successful, the wifi will automatically become connected to the adapter. You can observe whether your wifi has automatically changed to the state of connecting the adapter when this page appears. If not, please unplug the adapter ignore the "Carplay-C6-xxxx" on your Bluetooth list restart your phone once plug the adapter and repair it again. 2) If it still doesn't work, please try to upgrade the firmware.</div>	<div>ACTIVATE WARRANTY</div> <div>Scan below code to contact</div> <div></div> <div>Scan me</div> <div>1. Lifetime Extended Warranty. 2. Technical support if you have any usage problems.</div> <div>Customer service email: service@isonicscape.com</div>
--	--	---	--	---	---	--

尺寸：60\*120mm

材质：105g铜版纸

折叠方式：风琴折页

## FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

## IC Warning

- English: This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

- French: Cet appareil contient des émetteurs/récepteurs exemptés de licence qui sont conformes aux RSS exemptés de licence d'innovation, sciences et développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes:

1. Cet appareil ne peut pas causer d'interférences.
2. Cet appareil doit accepter toute interférence, y compris les interférences qui peuvent causer un fonctionnement indésirable de l'appareil.

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Ce matériel est complété par une exposition de rayonnements ISED pour un environnement naturel. Ce matériel doit être installé et se faire avec une distance minimale de 20cm entre les radiateurs et les autresYour body shop.