

Welcome to the World of Beko Built-in domestic appliances where functionality, elegance and style blend in full harmony.

Beko Household Appliances proudly presents a mosaic of technology that can be molded with personal choices.

Vast spectrum of appliances, miracles of design, cater to all your cooking, washing and cooling needs providing long-lasting smart solutions.

The collection is designed exclusively to upgrade the quality of your everyday life.





“Kitchen” has never been more popular. It’s now where the lives start and revolve around. A trendy place of gatherings and a realm of comfort and meditation... A venue that spices up our lives... The concept of kitchen design has evolved just like the expectations in life. Our choices and expectations are reshaped with the limitless options brought by Beko. Your choice should be you! With its four distinct collections, Beko Built-in Series offer a personal touch for everyone.





Ovens

006

1

Hobs

046

2

Hoods

082

3

Dishwashers

092

4

Washing Machines

114

5

Refrigerators

120

6



Ovens

1





Beko InnovaChef™ your real talent in the kitchen!

Enjoy cooking with Beko InnovaChef™ that creates miracles in your kitchen with the option of 82 recipes in 13 different languages.

82 automatic cooking programs. All you have to do is to get the ingredients ready in the oven as shown on full colored touchscreen display and then press the play button. Your oven will handle the rest. It will cook the most delicious meals for you.

It selects the best cooking function, cooking time, temperature and it even recommends the shelf level at the same time. You always end up have the option to choose your own settings according to your own taste.

The colored innovative oven presents you attractively designed and easy-to-us screen menu which has touch control buttons. You can set the screen color theme from 3 different options.

The innovative and stylish oven has been awarded by KitchenInnovation of theYear.®

Award-winning oven for your kitchen!

"KitchenInnovation of the Year®" award for the best consumer-friendly products, it actively helps consumers to make the right purchase decisions.

*www.kuechen-innovationspreis.de

Initiative LifeCare

KitchenInnovation
of the Year® 2012



award-winning
product

- ✓ product benefit
- ✓ innovation
- ✓ user-convenience
- ✓ design
- ✓ ecology

Consumers' Choice

Smart features of Beko InnovaChef™

Customization with USB connection

Beko InnovaChef™ offers you smart and functional solutions. Full-color TFT LCD screen allows you to display your family photos and personalize your built-in oven in an elegant way. Just to keep your lovely memories while your are cooking, it is possible to upload the family photos or favorite recipes with USB.



Language Selection

This special oven displays the instructions in 13 different languages; English, German, French, Danish, Russian, Litvanian, Turkish, Flemish, Norwegian, Swedish, Bulgarian, Croatian & Polish.



Choose your favourite color

Beko InnovaChef™ offers you the option of adjusting the screen colour depending on your taste or your mood.



Step by step cooking like a professional!

Full Color Cooking Guide

Beko InnovaChef™ has all the information for you including ingredients, instructions, selection of recommended cooking function, temperature, and duration. You just need to select what to cook and every step is shown on the screen to bring easiness for your cooking experience.



01. Check cookware and accessories needed.



02. See practical and technical measures of ingredients.



03. Follow the preparation process given in detail.



04. Select weight of the meal.



05. Select cooking time and just press "play" button. If you prefer, you can delay cooking time as well.



06. Your meal is ready to be served. See all summary of cooking setting and recommended shelf level.



Beko Chef: Make your kitchen your favorite restaurant.

Best tastes of the world

Imagine that a highly-skilled chef is at work in your kitchen, helping you to prepare quick, healthy and wholesome meals. Beko Chef will serve the best tastes of the world and local specialties by offering up to 52 recipe alternatives.

All you need to do is to place your food in the oven and select the appropriate automatic cooking programme from the menu.

Beko Chef accordingly selects the most suitable cooking function, temperature and duration. Based on your taste, you can manually adjust the cooking duration and input the weight of the food. Not only will you save time but also cherish the experience of cooking with the simplicity.

52 different recipes

Beko Chef proudly presents automatic programmes in 6 main categories as pastries, poultry, red meat, fish, specialties and healthy choices. Under those categories, you will find a high range of recipes perfectly suited to your taste. You can even create your own healthy diet with its healthy options like yoghurt and dried fruit programmes. Why don't you let Beko Chef deal with the excellent food options while you are enjoying the company of the others?





Beko Chef brings the key tool of professionals into your kitchen by Steamaid Cooking.

Steamaid Cooking

Professional restaurant chefs around the world know that cooking with steam means better taste and attractive food presentation. Beko Chef oven brings this wonderful professional feature from the world restaurants to your kitchen. Steamaid cooking feature ensures that the moisture level in the food is retained, providing the perfect hydration for cooking to increase the quality of your food. During the cooking cycle, steam is injected into the oven cavity at predetermined ideal times based on the selected automatic cooking programme.

Moreover, steam can be injected into the oven cavity manually, up to 3 times during the cooking cycle. Steamaid cooking is highly useful especially on certain food categories as pastries, poultry, meat and fish. The steam technology is ideal for having tender and shiny crust on breads and pastries. Moreover, it makes the inner part of the bread softer and fluffier compared to conventional cooking methods. While cooking poultry, meat and fish, steam does an amazing job by retaining the juice but reducing fat in the food. With Steamaid cooking, dried out turkeys, chewy roasts, crusty casseroles and fatty meat become a thing of the past.

Steam Shine Cleaning

In Steam Shine cleaning program, steam is generated with a Steam Generator and injected into the oven cavity during the cleaning cycle.

The Steam Shine Clean program softens all the remains of food & oil in the oven so that all you need is a wipe of a cloth to clean your oven.





Smart Features of Beko Ovens

Precise Temperature Controlling

Cooking duration can be programmed for an immediate or delayed start. Cooking temperature can be set between 40 °C and 280 °C, at intervals as precise as 5 °C.

Electronic Programmer

The electronic programmer with animated display enables the user to navigate with symbols that are easy to read - even for the elderly. The display shows the selected cooking function, as well as the recommended tray level for the best cooking results.


Fingerprint-free Stainless Steel

The Prime Line oven control panels are fingerprint-free stainless steel. Thanks to a special coating on the stainless steel surface, all fingerprints are avoided, and the appliance always maintains a spotless, clean, and shiny surface.

Save
more,
consume
less.

All Beko ovens feature A-class energy efficiency, providing excellent cooking performance with minimum energy consumption. During fan heating, the multi-functional Beko ovens consume up to 40% less energy than the standards outlined by "A" energy efficiency class.






More Time for Pleasure, Less Time for Cleaning.

The first Nano Technology used in domestic ovens

Beko offers a new smart solution to improve everyday lives of consumers. The nano coating technology used in the glass door of the Built-in ovens provides dirt resistant and "Excellent Clean" features. Removing greasy stains that accumulate on the oven door over time can be a demanding chore. Beko "Excellent Clean" ovens coated with nano coating technology, save consumers from the hassle of scrubbing to remove residues. With this technology, consumers have the advantage of saving time and money; they don't have to use expensive heavy duty cleansers or need to spend extra time and effort cleaning

oven doors. With nano coating technology application on Beko "Excellent Clean" ovens, cleaning the oven door after approximately 20 cooking cycles with a soft cleanser and a piece of cloth will be enough to maintain the shiny and excellent clean look for many years. Nano coating technology, can be used nearly in the whole Beko Built-in oven range.*



Standard glass door

Glass door* with nano coating technology

**Demonstrates the dirt and grease accumulation on the glass door interior surface after 420 times of use, regularly cleaned after every 20 use, with a soft cleanser and a piece of cloth, without scrubbing.*

SimplySteam Cleaning™

SimplySteam Cleaning™ Technology offers one of the easiest way of cleaning inside of oven. You only need is remove all the accessories from the oven, just pour the water into the tray and place your tray at the bottom level of your oven. Set the operation knob to steam cleaning. After the cycle finished, clean the oven interior with a soft clean cloth.



**Except the models featured with pyrolytic self-cleaning function.*





Pyrolytic Self-Cleaning

Removing greasy stains that accumulate in the oven over time can be a burden. Beko pyrolytic ovens save you from the trouble of scrubbing those hard-to-reach surfaces. The 120-min pyrolytic self-cleaning cycle burns stubborn stains to fine ash as your oven heats itself to 500 °C. The ash can then be simply wiped away with a piece of cloth, without the need of any detergents or chemicals. For less dirty ovens, you can use the shorter 90-min eco-pyrolytic cycle which saves 25% on energy consumption.



Smooth Cavity

Made of a single piece, the oven cavity is free of bolts, welding lines, intersection points, or any other dirt traps that can turn cleaning the interiors into a difficult chore. You can run your hand around each and every corner of the oven cavity without encountering a single snag.

When cleaning the interior, the side racks that are tightly fixed to the oven cavity can be easily detached without the need of a tool.

The catalytic panel mounted on the back wall of the oven cavity absorbs grease and reduces odours during cooking, making it easier to clean the oven without the need for heavy-duty cleansers.



Easy-to-Clean Full Glass Door

Constructed with a full glass panel, the interior of the door is free of bolts, making it easy to clean with a single wipe. Every Beko Built-in oven is equipped with this easy-to-clean full glass door. For more extensive cleaning, the inner glass can be removed with an apparatus.*

**On selected models.*



Designed for ease of use!



Full Size Tray

Thanks to the extra large interior, Beko oven trays are large enough to cook up to **25%** more food in one go - an intelligent feature that makes it easier to cook large meals. In addition to its size, the 55 mm-deep tray is ideally suited for roasting or baking.



Pull-out Shelf System

The extending arms of the telescopic pull-out shelf system enables easy and safe access to the cooking tray.

Smoothly Closing Door

With the application of new version hinges to Built-in Oven Doors, the front door is closing very softly.



Cooksense™

With Beko CookSense™ now you can cook meat in the perfect consistency at your home as done in restaurants.

The CookSense™ accessory is used to measure the inner temperature of large pieces of Meat. Hence, it can easily be seen if the meat is Rare, Medium or Well done.



Large Capacity

When it comes to capacity, bigger is definitely better. Despite its standard dimensions, the **65-liter*** Beko oven has among the most spacious interiors in its class. This large interior provides enough room to roast a big turkey, or prepare a big feast for the entire family and friends. It's convenient for large families, or anybody who wants to get the most out of a standard Built-in oven.

**For multifunction ovens, usable volume.*



Luminous Interior

Besides the back-wall lamp, selected oven models are equipped with an additional lamp placed on the right wall for better illumination and convenience.



State-of-the-art technology for healthy and wholesome meals.

Odour Free Cooking

Built-in ovens continuously circulate air to cool themselves down so that the heat generated does not harm the kitchen cabinets. Depending on the type of food being cooked, this working principle may come with a major drawback: Unwanted food odours spreading throughout your kitchen. Selected Beko ovens are equipped with a special odour filtering system.



Comprised of a heater that actively burns the greasy particles, along with a catalyzer that filters the circulated air during cooking, this filtering system ensures that the kitchen environment remains free of noxious smells and greasy vapours. Because the pyrolytic cleaning cycle can also generate unwanted odours, Beko pyrolytic ovens are equipped with a catalyzer that filters air during this cycle, thus eliminates the smell of burned grease and harmful CO gasses.

Quiet Operation

Beko ovens operate silently even during fan cooking for a peaceful home environment.



Cool Door

Thanks to four layers of glass on the oven door, the surface temperature never exceeds 70 °C even during the pyrolytic cycle, when the inner temperature of the oven can reach up to 480 °C. During standard cooking, the door's temperature remains as low as 50 °C.

On multifunction ovens with three layers of glass, the surface temperature of the door never exceeds 70 °C during cooking, thus preventing any accidental burns.



Save cooking time: Booster function for quick pre-heating

The booster function activates all heaters for quick pre-heating to reach the set cooking temperature. On Vitreous Line and Prime Line ovens, the booster function can reduce the time required to reach the desired oven temperature by up to 35%.



Door & Key Lock

Beko ovens with electronic programmers are equipped with a door and key locking option to prevent the little ones from playing with the settings or opening the door while the oven is in operation. Classic and Comfort Line ovens can be equipped with a mechanical childlock feature that can be installed as an additional accessory.



Durable Oven Door

The door hinges have a sleek yet sturdy and durable design. Due to the solidity of the hinges, the door can carry a load as heavy as 22.5 kg, which is over 20% more than the standard oven doors. That means you can place your fully loaded trays on the door without any worry.



Conventional Cooking

The top and bottom heating elements operate without the fan. This provides a traditional style of cooking suitable for baking cakes, cookies and fluffy pastries.



Fan-Assisted Cooking

This function provides for the even distribution of heat generated by the upper and lower heating elements, thus accelerating cooking time and ensuring even baking.



Fan Heating

You can use this function for the ultimate roast or the perfect batch of pastries. The heating element surrounding the fan provides uniform heat distribution for even cooking results. Up to three different dishes can be cooked at the same time, without mixing flavors and aromas.

Explore a world of culinary delight with flexible and energy efficient functions.



Fan Grilling

This function is perfect for cooking crispy fish, chicken fillets, or meat cutlets. The fan circulates the heat to maintain all-over cooking.



Strong Grill

The perfect option for quick grilling. Toast your favorite meals or finish off your recipes with a crispy top.



Low Grill

Ideal for grilling a relatively smaller amount of food, such as snacks or toast. The low grilling function activates only the middle part of the upper heater, which means energy is used more effectively, thus it minimizes the waste.



Multidimensional Cooking (MDC)

Multidimensional cooking is the new generation of professional cooking technology that activates all heating elements on a multidimensional level. The upper, lower, and fan heating elements - combined with the fan - all work simultaneously to provide the most even heat and temperature distribution possible. The MDC function enables cooking large pieces such as a big turkey or meat perfectly.



Steamaid Cooking

During the cooking cycle, based on the selected cooking programmes, steam is injected into the oven cavity at ideal predetermined times automatically. Moreover, while Steamaid cooking function is selected, steam injections can be done manually. Steamaid cooking is ideal for yummy crust on breads, pastries and meat.



Defrosting / Cooling

In defrost mode, no heating mood is used. Only the fan is activated to circulate the air inside the oven. Frozen food is gently defrosted at room temperature, or cooked food is cooled.



Slow Cooking

Cooking a delicious meal worthy of a chef requires patience. The SlowCook function slows down the cooking pace just enough to fully preserve the juice, aroma and flavor of the food, along with essential nutrients. For a crispier browned top, finish off your recipe with low grilling.



Pizza Cooking

The bottom heating element, fan, and fan heating element operate simultaneously, providing the ideal conditions for baking pizza.




Warm Keeping

This can be used to keep cooked dishes warm on the side, as well as to warm up the plates or cups before serving. Temperature is automatically controlled. On Vitreous and Prime Line ovens, the temperature of this function can be adjusted in 5 °C intervals between 40 °C and 100 °C. It can also be used for yoghurt making or dough raising.

OIM 25901 X

Multifunction oven with
13 cooking functions and
82 automatic cooking functions

**Main Features**

- Full Color TFT LCD display
- USB connection for uploading recipes and photos
- Recipe selection from cooking guide
- Touch control
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Dual interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall
- Soft closing door

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf
- Telescopic pull-out shelf system

OIM 25702 X

Multifunction oven with
14 cooking functions and
SteamShine function
52 automatic cooking programmes

**Main Features**

- Easy to use interactive LCD programmer
- Steamaid cooking function
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Dual interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall
- Soft closing door

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf
- Telescopic pull-out shelf system

OIM 25700 X: 35 automatic cooking programs without steamed cooking function

OIM 25602 X

Multifunction oven with
12 cooking functions

**Main Features**

- Easy to use touch control programmer
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Dual interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall
- Soft closing door

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm


Accessories

- CookSense™
- Baking tray
- Deep tray
- Wire shelf
- Telescopic pull-out shelf system

OIM 25600 X: without CookSense™

OIM 25603 X

Multifunction oven with
12 cooking functions

**Main Features**

- Easy to use touch control programmer
- Fingerprint free stainless steel
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall
- Telescopic pull-out shelf system

Technical Features


- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (h x w x d): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf
- Telescopic pull-out shelf system

OIM 25600 XP

Pyrolytic multifunction oven with
12 cooking functions

**Main Features**

- Easy to use touch control programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels

Technical Features


- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (H x W x D): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIM 25600 XL

Multifunction oven with
12 cooking functions

**Main Features**

- Easy to use touch control programmer
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Side opening front door
- Electronic key lock
- Dual interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (H x W x D): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf
- Telescopic pull-out shelf system

OIM 25600 XR: Right opening door

OIM 25503 XMultifunction oven with
12 cooking functions**Main Features**

- Easy to use electronic programmer
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

OIM 25501 XMultifunction oven with
12 cooking functions**Main Features**

- Easy to use electronic programmer
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Dual interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

OIM 25500 XPyrolytic multifunction
oven with 12 cooking functions**Main Features**

- Easy to use electronic programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- OdourFree cooking
- Fingerprint free stainless steel
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Turnspit
- Cooking tray
- Deep tray
- Wire shelf

OIM 25500 XP

Pyrolytic multifunction oven with
12 cooking functions

**Main Features**

- Easy to use electronic programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Pop-out rotary knobs and push-buttons
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

OIM 25500 XL

Multifunction oven with
12 cooking functions

**Main Features**

- Easy to use electronic programmer
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Side opening front door
- Dual interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf
- Telescopic pull-out shelf system

OIE 25500x

Multifunction oven with
8 cooking functions

**Main Features**

- Easy to use electronic programmer
- Nano coated, excellent clean & removable full glass inner door
- Fan assisted cooking
- Warm Keeping
- Electronic key lock
- Interior lighting
- Easily detachable side racks, 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIM 24500 BP

Pyrolytic multifunction oven with 12 cooking functions



Main Features

- Easy to use electronic programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIM 24500 B: Multifunction oven without pyrolytic function/with telescopic pull-out shelf system

OIM 24500 W

Multifunction oven with 12 cooking functions



Main Features

- Easy to use electronic programmer
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIM 25300 X

Multifunction oven with 8 cooking functions



Main Features

- Easy to use digital programmer
- Multidimensional cooking function
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OIM 25301 X: Push pop out buttons

OIE 24300 B

Multifunction oven with
6 cooking functions

**Main Features**

- Easy to use digital programmer
- Booster function for quick pre-heating
- Fan assisted cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OIE 24500 W: White color

OIM 22501 X

Multifunction oven with
12 cooking functions

**Main Features**

- Easy to use electronic programmer
- Illuminated pop-out rotary knobs and push buttons
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Dual interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels
- Fingerprint free stainless steel
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIM 22500 X: With standard push pop out buttons

OIM 22500 XP: With pyrolytic function/with

OIM 22500 XL

Multifunction oven with
12 cooking functions

**Main Features**

- Easy to use electronic programmer
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Side opening front door
- Dual interior lighting
- Easy to clean & removable full glass inner door
- Easily detachable side racks, 5 levels
- Fingerprint free stainless steel
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIE 22500 X

Multifunction oven with
8 cooking functions



Main Features

- Easy to use electronic programmer
- Fan assisted cooking
- Warm keeping
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

OIM 22300 X

Multifunction oven with
8 cooking functions



Main Features

- Easy to use digital programmer
- Multidimensional cooking function
- Electronic key lock
- Interior lighting
- Enamelled cavity
- Easy to clean full glass inner door

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OIM 22301 X: Easily detachable side racks,
5 levels push in pop out buttons

OIE 22300 X

Multifunction oven with
6 cooking functions



Main Features

- Easy to use digital programmer
- Booster function for quick pre-heating
- Fan assisted cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OIM 22100 X

Multifunction oven with
8 cooking functions

**Main Features**

- Easy to use mechanic programmer
- Multidimensional cooking function
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OIE 22101 X

Multifunction oven with
6 cooking functions

**Main Features**

- Easy to use mechanic programmer
- Booster function for quick pre-heating
- Fan assisted cooking
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

OIC 22101 X

Conventional Oven with
4 cooking functions

**Main Features**

- Easy to use mechanic programmer
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels
- Catalytic side walls with wire racks
- Electric grill

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Wire shel

OIE 22100 X

Multifunction oven with
6 cooking functions



Main Features

- Easy to use mechanic programmer
- Booster function for quick pre-heating
- Fan assisted cooking
- Interior lighting
- Easy to clean full glass inner door

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OIE 22000 X: without Mechanic programme
version

OIC 22100 X

Conventional Oven with
4 cooking functions



Main Features

- Easy to use mechanic programmer
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity
- Electric grill

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Wire shelf

OIC 22000 X: without Mechanic programme
version

OIC 21000 X

Conventional Oven with
4 cooking functions



Main Features

- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity
- Electric grill

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Wire shelf

OIC 21000 W: White colour with
painted glass door

OIM 27200 A

Multifunction Rustic oven with
8 cooking functions

**Main Features**

- Colour: Anthracite
- Easy to use analogue programmer
- Booster function for quick pre-heating
- Easy to clean full glass inner door
- Fan assisted cooking
- Interior lighting
- Easily detachable side racks, 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

OIM 27200 AV: Avena
OIM 27200 C: Cream

OIG 12101 X

Gas oven with
electric grill functions

**Main Features**

- Easy to use mechanic programmer
- Integrated electronic ignition
- Flame failure device
- Interior lighting
- Easy to remove side racks

Technical Features

- Natural gas usage for G20-20 mbar
- Adaptable to G30-30 natural gas
- Cavity Volume: 49 litres
- Product Dimensions (HxWxD):
594x596x550 mm

Accessories

- Cooking tray
- Wire shelf
- Turnspit

OIG 12100 X

Gas oven with
gas grill functions

**Main Features**

- Easy to use mechanic programmer
- Integrated electronic ignition
- Flame failure device
- Interior lighting
- Easy to remove side racks

Technical Features

- Natural gas usage for G20-20 mbar
- Adaptable to G30-30 natural gas
- Cavity Volume: 40 litres
- Product Dimensions (HxWxD):
594x596x550 mm

Accessories

- Cooking tray
- Wire shelf
- Turnspit

OIW 19900 X

90 cm Multifunction oven with 8 cooking functions




OUM 25520 X

Multifunction oven with 12 cooking functions



OUM 22520 X

Multifunction oven with 12 cooking functions



Main Features

- Easy to use digital programmer
- Electronic child lock
- Defrosting system
- Interior lighting
- Side racks

Technical Features

- B energy efficiency class
- Extra Large Oven Cavity Volume: 100 litres
- Product Dimensions (HxWxD): 480x898x563 mm

Accessories

- Cooking tray
- Wire shelf
- Turnspit

Main Features

- Easy to use electronic programmer
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks. 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf
- Turnspit

60 cm Vitroceramic Hob

- Stainless steel frame
- 4 cooking zones
- Front Left: 180/120 mm-1.7/0.7 kW duo hi-light
- Rear Left: 140 mm-1.2 kW
- Front Right: 140 mm-1.2 kW
- Rear Right: 170/265 mm-2.4/1.5 kW extended hi-light
- 6 cooking levels per zone

Main Features

- Easy to use electronic programmer
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Dual interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks. 5 levels
- Catalytic back wall

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD): 595x594x 567 mm

Accessories

- Baking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left: 180/120 mm-1.7/0.7 kW duo hi-light
- Rear Left: 140 mm-1.2 kW
- Front Right: 140 mm-1.2 kW
- Rear Right: 180 mm-1.7 kW
- 6 cooking levels per zone

OUM 22323 X

Multifunction oven with
8 cooking functions

**Main Features**

- Easy to use digital programmer
- Multidimensional cooking function
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity
- Easy to remove side racks. 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

60 cm Induction Hob

- Inox Frame
- 4 cooking zones
- Front Left: 200mm - 2300W/3000W (Boost)
- Rear Left: 160mm - 1400W
- Front Right: 160mm - 1400W
- Rear Right: 200mm - 2300W/3000W (Boost)

OUM 22320 X

Multifunction oven with
8 cooking functions

**Main Features**

- Easy to use digital programmer
- Multidimensional cooking function
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

60 cm Vitroceramic Hob

- Stainless steel frame
- 4 cooking zones
- Front Left : 180/120 mm-1.7/0.7 kW duo hi-light
- Rear Left: 140 mm-1.2 kW
- Front Right: 140 mm-1.2 kW
- Rear Right: 170/265 mm-2.4/1.5 kW extended hi-light
- 6 cooking levels per zone

OUE 22320 X

Multifunction oven with
6 cooking functions

**Main Features**

- Easy to use digital programmer
- Fan assisted cooking
- Booster function for quick pre-heating
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks. 5 levels

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left: 180/120 mm-1.7/0.7 kW duo hi-light
- Rear Left: 140 mm-1.2 kW
- Front Right: 140 mm-1.2 kW
- Rear Right: 180 mm-1.7 kW
- 6 cooking levels per zone

OUE 22120 X

Multifunction oven with
6 cooking functions



Main Features

- Easy to use mechanic programmer
- Fan assisted cooking
- Booster function for quick pre-heating
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left: 180 mm-1.7 Kw
- Rear Left: 140 mm-1.2 kW
- Front Right: 140 mm-1.2 kW
- Rear Right: 180 mm-1.7 Kw
- 6 cooking levels per zone

OUE 22020 X:without Mechanic programme
version

OUE 22001 X

Multifunction oven with
6 cooking functions



Main Features

- Fan assisted cooking
- Booster function for quick pre-heating
- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 65 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Baking tray
- Wire shelf

OUC 22020 X

Conventional Oven with
4 cooking functions



Main Features

- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity
- Electric grill

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Deep tray
- Wire shelf

60 cm Vitroceramic Hob

- 4 cooking zones
- Front Left: 180 mm-1.7 Kw

OUC 22000 X

Conventional Oven with
3 cooking functions

**Main Features**

- Interior lighting
- Easy to clean full glass inner door
- Enamelled cavity

Technical Features

- A energy efficiency class
- Extra Large Oven Cavity Volume: 67.5 litres
- Product Dimensions (HxWxD):
595x594x567 mm

Accessories

- Cooking tray
- Wire shelf

OUC 22000 W: White
OUC 22000 B: Black

OCM 25701 X

Multifunction oven with
14 cooking functions and
52 automatic cooking programmes

**Main Features**

- Easy to use interactive LCD programmer
- Steamaid cooking function
- Nano coated, excellent Clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Interior lighting
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD):
455x594x567 mm

Accessories

- Baking tray
- Wire shelf

OCM 25700 X: 35 automatic cooking programs without steamaid cooking function

OCM 25600 XP

Pyrolytic multifunction compact oven with 12 cooking functions

**Main Features**

- Easy to use touch control programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD):
455x594x567 mm

Accessories

- Baking tray
- Wire shelf

OCM 25600 X

Multifunction compact oven
with 12 cooking functions

**Main Features**

- Easy to use touch control programmer
- Nano coated, excellent clean & removable full glass inner door
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Interior lighting
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD): 455x594x567 mm

Accessories

- Baking tray
- Wire shelf

OCM 25500 XP

Pyrolytic multifunction compact
oven with 12 cooking functions

**Main Features**

- Easy to use electronic control programmer
- Pyrolytic and eco pyrolytic cleaning programmes
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Cool door with four glass layers
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD): 455x594x567 mm

Accessories

- Baking tray
- Wire shelf

OCM 25500 X

Multifunction compact oven
with 12 cooking functions

**Main Features**

- Easy to use electronic control programmer
- Multidimensional cooking function
- Booster function for quick pre-heating
- Pizza cooking
- Slow cooking function
- Warm keeping
- Electronic key lock
- Pop-out rotary knobs and push-buttons
- Interior lighting
- Easy to clean & removable full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD): 455x594x567 mm

Accessories

- Baking tray
- Wire shelf

OCW 45300 X

Microwave oven with
Grill and Fan Heating

**Main Features**

- Easy to use digital programmer
- Booster function for quick pre-heating
- Defrost functions
- Pizza cooking
- Door closed grilling
- Electronic key lock
- Interior lighting

Technical Features

- 3400 W rated power
- 1000 W MWO output power
- Oven Cavity Volume: 32 litres
- Product Dimensions (HxWxD): 455x594x472 mm

Accessories

- Baking tray
- Wire shelf
- Glass tray

OCM 22300 X

Multifunction compact oven
with 8 cooking functions

**Main Features**

- Easy to use digital programmer
- Multidimensional cooking function
- Fan assisted cooking
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD): 455x594x567 mm

Accessories

- Baking tray
- Wire shelf

OCE 22300 X

Multifunction compact oven
with 6 cooking functions

**Main Features**

- Easy to use digital programmer
- Fan assisted cooking
- Booster function for quick pre-heating
- Electronic key lock
- Interior lighting
- Easy to clean full glass inner door
- Easy to remove side racks, 3 levels

Technical Features

- A energy efficiency class
- Oven Cavity Volume: 42.5 litres
- Product Dimensions (HxWxD): 455x594x567 mm

Accessories

- Baking tray
- Wire shelf



Warming drawers & compact ovens: The Perfect Culinary Couple

The compact oven and warming drawer can fit perfectly in the existing 60 cm oven niche of your kitchen. This exceptional culinary combo provides enhanced flexibility that enables you to keep your main dish warm on the side while you continue cooking other dishes or dessert.



Prewarm your service plates

Serving a hot meal on a cold plate can spoil the consistency, texture and taste of a dish. Beko warming drawers can pre-warm up to six service plates at a time. The drawer is strong enough to carry a load of up to 25 kg. Due to the multi-levels of temperature adjustment, the drawer can also be used for defrosting, preheating of food, or dough raising.



Easy access

The drawer can be pulled out with the telescopic shelf system, thus providing a great deal of convenience when loading and unloading. Since both sides of the drawer are open, the dinner sets and the oven trays can be easily accessed, picked up, or placed. When not in use during food preparation, the warming drawer provides an ideal storage space for extra cooking trays.



Quality and taste come first

Timing is tricky when you're preparing a big meal, trying to ensure that everybody's food is prepared and ready at the right temperature at the right time as taste also depends on the temperature of your dish.

That's why warming drawers are the perfect solution for keeping food warm on the side while waiting for guests to arrive or while preparing other courses in the meantime. The temperature can be adjusted between 40 °C and 80 °C.

DRW 11400 FX

Warming
Drawer



DRW 11400 DX

Warming
Drawer



Main Features

- Telescopic drawer for easy access
- 5 functions: Dough raising, defrost, pre-heating, warm keeping, pre-warming crockery & utensils
- Easy to clean glass heating plate and cross flow blower with heater
- 4 levels of temperature adjustment between 40 °C and 80 °C
- Stainless steel cavity
- Serving plates of 6 people:
 - 6x24 cm dinner plates
 - 6x10 cm soup bowls
 - 1x19 cm serving dish
 - 1x17 cm serving dish
 - 1x32 cm meat plate
- Fingerprint free stainless steel
- 25 kg capacity
- Can be installed: By itself or together with a 45 cm high Built-in compact oven

Technical Features

- Product Dimensions (HxWxD): 140x594x555 mm



Main Features

- Telescopic drawer for easy access
- Pre-warming crockery & utensils
- Anti slip mat
- Cross flow blower with heater
- 3 levels of temperature adjustment between 40 °C and 70 °C
- Stainless steel cavity
- Serving plates of 6 people:
 - 6x24 cm dinner plates
 - 6x10 cm soup bowls
 - 1x19 cm serving dish
 - 1x17 cm serving dish
 - 1x32 cm meat plate
- 25 kg capacity
- Can be installed: By itself or together with a 45 cm high Built-in compact oven

Technical Features

- Product Dimensions (HxWxD): 140x594x555 mm

DRW 11400 FW

Warming
Drawer

DRW 11400 FB

Warming
Drawer



Main Features

- Telescopic drawer for easy access
- 5 Functions: Dough raising, defrost, pre-heating, warm keeping, pre-warming crockery & utensils
- Easy to clean glass heating plate and cross flow blower with heater
- 4 levels of temperature adjustment between 40 °C and 80 °C
- Stainless steel cavity
- Serving plates of 6 people:
 - 6x24 cm dinner plates
 - 6x10 cm soup bowls
 - 1x19 cm serving dish
 - 1x17 cm serving dish
 - 1x32 cm meat plate
- 25 kg capacity
- Can be installed: By itself or together with a 45 cm high Built-in compact oven

Technical Features

- Product Dimensions (HxWxD): 140x594x555 mm



Main Features

- Telescopic drawer for easy access
- 5 Functions: Dough raising, defrost, pre-heating, warm keeping, pre-warming crockery & utensils
- Easy to clean glass heating plate and cross flow blower with heater
- 4 levels of temperature adjustment between 40 °C and 80 °C
- Stainless steel cavity
- Serving plates of 6 people:
 - 6x24 cm dinner plates
 - 6x10 cm soup bowls
 - 1x19 cm serving dish
 - 1x17 cm serving dish
 - 1x32 cm meat plate
- 25 kg capacity
- Can be installed: By itself or together with a 45 cm high Built-in compact oven

Technical Features

- Product Dimensions (HxWxD): 140x594x555 mm







Microwave ovens: Strong, durable and stainless steel interiors.

Efficient Solutions

Ranging from 20 to 30 litre-capacity, Beko microwave ovens offer practical cooking solutions to help you keep up with a fast-paced life. The range is well equipped with advanced functions, including Quick Start, Auto Weight Defrosting, Auto Cooking Menu and Low and Strong Grilling.



Cooking Functions

Selected models feature combined cooking functions, including convection & microwave; grill & convection; grill & microwave. Fan heating can also be used on its own for convection cooking.

MWB 3010 EX

30 litres Microwave Oven
with Grill and Fan Heating



Main Features

- Fan heating function for even browning for baking and faster roasting
- Digital programmer
- 6 auto step cooking functions
- 5 microwave power levels
- 2 grilling levels
- Defrost function
- Quick start
- Electronic child lock
- Fingerprint free stainless steel
- Interior lighting
- Built-in installation with frame*

Technical Features

- MWO Power Level: 900 W
- Grill Power: 1200 W
- Fan Heating Power: 1350 W
- Product Dimensions (HxWxD): 300x520x530

* Frame code MWK 3010 X

MWB 2510 EX

25 litres
Microwave Oven with Grill



Main Features

- Digital programmer
- 6 auto step cooking functions
- 5 microwave power levels
- 2 grilling levels
- Defrost function
- Quick start
- Electronic child lock
- Fingerprint free stainless steel
- Interior lighting
- Built-in installation with frame*

Technical Features

- MWO Power Level: 900 W
- Grill Power: 1200 W
- Product Dimensions (HxWxD): 310x510x382 mm

* Frame code MWK 2510 X

MWB 2310EX

23 litres
Microwave Oven with Grill



Main Features

- Digital programmer
- 6 auto step cooking functions
- 5 microwave power levels
- 2 grilling levels
- Defrost function
- Quick start
- Electronic child lock
- Stainless steel cavity
- Interior lighting
- Built-in installation with frame*

Technical Features

- MWO Power Level: 900 W
- Grill Power: 1200 W
- Product Dimensions (HxWxD): 310x510x382 mm

* Frame code MWK 2310 X

MWB 2000EX

20 litres
Microwave Oven



Main Features

- Digital programmer
- 6 auto step cooking functions
- 5 microwave power levels
- Defrost function
- Quick start
- Electronic child lock
- Interior lighting
- Built-in installation with frame*

Technical Features

- MWO Power Level: 800 W
- Product Dimensions (HxWxD): 282x470x377 mm

* Frame code MWK 2000 X






Hobs

2





Induction Cooking Technology



Safety, efficiency and cleanliness

This is the latest and most efficient cooking technology available. Induction hobs heat up only when there's a pot on the vitroceramic surface, while the rest of it gets barely warm.

Inside the induction hob, there is a coil that creates a magnetic field. When the pot is placed on the induction zone, this magnetic field transfers heat directly to the cooking pan. There's no flame or glowing hot surface. The only result is a rapid increase in food temperature that can be precisely regulated. This method of heating ensures minimum energy loss and maximum speed.



Safe Cooking

Beko induction hobs are built with extra safety features that enable you to cook with ease. There are no open flames and it's only your pot that is heated up while cooking. If there's no contact with a pot, or if a pot is left on the cooker for an unusually long period, the heating stops automatically. The smart heat control feature will limit maximum heat to 300 °C. Should any liquid spill over on the control panel, the cooker will automatically turn itself off. The small object safety feature ensures that the hob will not be activated by any other extraneous object - such as a tea spoon that might have accidentally been dropped on the hob.




Quick & Easy Cleaning

Since the vitroceramic surface doesn't heat up, spilt food won't burn on the hob, which makes it easy to clean.



Efficient & Quick Cooking

The rapid heat induced by Induction hobs is distributed evenly and consistently to your pot. Compared to standard cookers, Beko induction hobs with power boost can reduce cooking time by up to 56% and energy consumption by 43%.



Comparison of energy and time required to heat 2 litres of water from 20°C to 90°C.



IndyFlex™ Beko Hob

New technology Beko IndyFlex™ Hob gives flexibility to use more space on expanded flexible cooking surface.

Two cooking zones can be linked together to act as a larger cooking zone and give flexibility to you. Thanks to this extended cooking surface, it is possible to use larger pans and pots according to your needs. IndyFlex™ hob not only provide flexibility but also contribute energy efficiency by heating the pots rather than the whole zone.

Touch & Slide Control for Beko Hobs

Touch & Slide Control Beko hobs feature 19 different level for each cooking zone separately with Touch & Slide Control* which allows you to make the heat adjustments according to your needs. The timer allows you to set a cooking time for each cooking zone separately. Moreover, when the cooking time is up, the hob will automatically switch off the zone and a buzzer will signal the end of cooking.

** Touch & Slide Control feature is available with selected vitroceramic and induction hobs.*

Stop & Go

Stop & Go function allows you to switch off all zones while they are working and you can switch them on just with a single touch with the same adjustments.

If you urgently need to leave home or your baby needs you or an old friend stops by, you can use the stop & go technology by switching off all the cooking zones and when you return to the kitchen you can continue your cooking with the same adjusted features.

Memory Function

Memory function allows you to save the cooking temperature for all cooking zones. Thanks to this feature you can store the saved cooking time of your favorite meals in order to enjoy your meals every time with the same taste.

Safety Features

In order to ensure your safety Beko Touch & Slide Control Hobs are equipped with safety features.

- When cooking zone is not cool enough to touch safely, the residual heat indicators warn you with a visible "H" on the display.
- The anti overflow system automatically shuts off the power in case of liquid boiling over the control panel.
- If the cooking zone is left on for a long period of time, the hob automatically switches itself off.

Warming Function

Warming mode allows you to keep food warm by a single touch.

Wipe Guard

Wipe Guard function allows you to lock the control settings when you want to wipe of food spilled on the hob when you are cooking. With a single touch, the settings are locked for 20 seconds, if the key lock is pressed for a short time.



HII 64500 FT
60 cm
IndyFlex™ Beko Hob



Main Features

- Touch & Slide control
- 4 induction zones, 1 flexinduction zone
- Front Left:
180 mm-1800 W/2500 (boost)
- Front Right:
145 mm-1400 W/1800 (boost)
- Rear Left:
180 mm-1800 W/2500 (boost)
- Rear Right:
210 mm-2200 W/3200 W (boost)
- 19 cooking levels per zone
- Direct select option
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system
- Cleaning lock

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (h x w x d):
55x582x512 mm

HII 64500 FTX: inox frame

HII 64500 T
60 cm
Induction Hob



Main Features

- Touch & Slide control
- 4 induction zones
- Front Left:
180 mm-1800/2500 W (boost)
- Front Right:
145 mm-1400/1800 W (boost)
- Rear Left:
180 mm-1800/2500 W (boost)
- Rear Right:
210 mm-2200/3200 W (boost)
- Memory function
- 19 cooking levels per zone
- Direct select option
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system
- Cleaning lock

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (H x W x D):
55x582x512 mm

HII 64500 TX: inox frame

HII 64501 T
60 cm
Induction Hob



Main Features

- Touch & Slide control
- 4 induction zones
- Front Left:
180 mm-1800/2500 W (boost)
- Front Right:
145 mm-1400/1800 W (boost)
- Rear Left:
145 mm-1400/1800 W (boost)
- Rear Right:
180 mm-1800/2500 W (boost)
- Memory function
- 19 cooking levels per zone
- Direct select option
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system
- Cleaning lock

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (H x W x D):
55x582x512 mm

HII 64501 TX: inox frame

HII 63500 T
60 cm
Induction Hob



Main Features

- Touch & Slide control
- 3 induction zones
- Front Left:
180 mm-1800/2500 W (boost)
- Rear Left:
145 mm-1400/1800 W (boost)
- Right Center
280 mm-2400/3600 W (boost)
- Memory function
- 19 cooking levels per zone
- Direct select option
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system
- Cleaning lock

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (HxWxD):
55x582x512 mm

HII 63500 TX: inox frame

HII 64400 T
60 cm
Induction Hob



Main Features

- Front touch control
- 4 induction zones
- Front Left:
180 mm-1800 W/2500 W (Boost)
- Front Right:
145 mm-1400 W/1800 W (Boost)
- Rear Left:
180 mm-1800 W/2500 W (Boost)
- Rear Right:
210 mm-2200 W/3200 W (Boost)
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 7.2 kw
- Product Dimensions (HxWxD):
55x580x 510 mm

HII 64401 T
60 cm
Induction Hob



Main Features

- Front touch control
- 4 induction zones
- Front Left:
180 mm-1800 W/2500 W (Boost)
- Front Right :
145 mm-1400 W/1800 W (Boost)
- Rear Left:
145 mm-1400 W/1800 W (Boost)
- Rear Right:
180 mm-1800 W/2500 W (Boost)
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (HxWxD):
55x580x510 mm

HII 64401 TX: inox frame

HII 64301 T
60 cm
Induction Hob



Main Features

- Front touch control
- 3 induction zones
- Front Left:
180 mm-1800 W/2500 W (Boost)
- Front Right:
210 mm-2200 W/3200 W (Boost)
- Rear Left:
180 mm-1800 W/2500 W (Boost)
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (HxWxD):
55x580x510 mm

HII 64300 T
60 cm
Induction Hob



Main Features

- Front touch control
- 3 induction zones
- Front Left:
180 mm-1800 W/2500 W (Boost)
- Right Center:
280 mm-2400 W/3600 W (Boost)
- Rear Left:
145 mm-1400 W/1800 W (Boost)
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light


Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (HxWxD):
55x580x510 mm

HII 64400 AT
60 cm
Induction Hob



Main Features

- Front touch control
- 4 induction zones
- Front Left:
180 mm-2000 W/2300 W (Boost)
- Front Right:
145 mm-1600 W/1800 W (Boost)
- Rear Left:
180 mm-2000 W/2300 W (Boost)
- Rear Right:
210mm-2100 W/2300 W (Boost)
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features


- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 7.2 kW
- Product Dimensions (HxWxD):
55x582x512 mm

HII 64400 ATX: inox frame

HII 64401 AT
60 cm
Induction Hob




- Main Features**
- Front touch control
 - 4 induction zones
 - Front left: 180 mm-2000 W
 - Front Right: 145 mm-1600 W
 - Rear Left: 145 mm-1600 W
 - Rear Right: 180 mm-2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.2 kW
 - Product Dimensions (HxWxD): 55x582x512 mm

HII 63400 AT
60 cm
Induction Hob



- Main Features**
- Front touch control
 - 4 induction zones
 - Front left: 180 mm-2000 W
 - Rear Left: 145 mm-1600 W
 - Right Center: 240 mm-2000 W/2300 W (boost)
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.2 kW
 - Product Dimensions (HxWxD): 55x582x512 mm



Vitroc ceramic Hobs: Touch Sensitive Control



Safety Features

For absolute safety, the touch control vitroc ceramic hobs are equipped with a number of advanced safety features:

- Residual heat indicators are easily visible. They indicate that the surface on an individual cooking zone is not yet cool enough to touch. The indicators turn off only when the surface temperature has dropped below 60 °C.
- The electronic child lock can be activated to lock the functions of your hob so as to prevent little fingers from accidentally activating it.
- The overflow liquid-sensitive control unit automatically shuts off the hob when food or water spills onto the touch control area.
- The automatic shut-off feature is activated when the cooking zones are on for an unusually long period of time.



Choosing Flexibility

Beko ceramic hobs are equipped with versatile cooking zones that offer the flexibility of choosing between single, double, triple, or extended operation levels according to the size of your pot. This means that whether you use a small or a big pot, you're only using the amount of heat you need. Furthermore, the warming zone on selected models keeps food warm, tasty, and ready to serve without the risk of overcooking.

Easy to Clean

The smooth yet scratch-resistant glass surface not only enhances the beauty of your kitchen, but is extremely easy to clean as well.



19 different cooking levels

Touch & Slide control hobs feature 19 different cooking levels for each cooking zone and the temperature can be set individually for each zone with the touch of a finger. The set cooking level for each zone is digitally displayed on the control area. The working space on the hob is maximized thanks to the central front positioning of the touch-sensitive control area. Beko ceramic hobs turn cooking into a joyous experience, with various advanced features that include: a timer and buzzer, which enable you to program a separate cooking duration for each cooking zone.

Once the cooking time is over, the buzzer alarm is activated. You can deactivate the alarm by touching any key on the control panel. A booster function allows you to program each cooking zone to start at maximum power. When the food comes to a boil, the temperature continues in the set mood until the food is completely cooked.



HIC 85502 T
80 cm
Vitroceramic Hob



Main Features

- Touch & Slide control
- 5 vitroceramic zones
- Front Left: 120/210 mm-600/2000 W
- Front Right: 140 mm-1200 W
- Rear Left: 160 mm-1500 W
- Rear Right: 100 W
- Central: 140/250 mm-1100/2000 W
- Memory function
- 19 cooking levels per zone
- Eco-timer function
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light


Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.8 kW
- Dimensions (HxWxD): 55x770x510 mm

HIC 84500 T
80 cm
Vitroceramic Hob



Main Features

- Touch & Slide control
- 4 Vitroceramic zones
- Front Left: 120/210 mm-750/2000 W
- Front Right: 140 mm -1200 W
- Rear Left: 160 mm-1500 W
- Rear Right: 140/250 mm-1100/2000 W
- Memory function
- 19 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.7 kW
- Dimensions (HxWxD): 55x770x510 mm

HIC 85402 T
80 cm
Vitroceramic Hob



Main Features

- Front slim touch control
- 5 Vitroceramic zones
- Front Left: 210/120mm-2000/600W
- Rear Right: 100W
- Central: 140/250mm-1100/2000 W
- Front Right: 140 mm -1200 W
- Rear Left: 160 mm-1500 W
- Memory function
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features


- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.8 kW
- Dimensions (HxWxD): 55x770x510 mm

HIC 85402 TX: inox frame

HIC 85400 T
80 cm
Vitreoceramic Hob




- Main Features**
- Front slim touch control
 - 5 vitroceramic zones
 - Front Left: 120/210 mm-600/2000 W
 - Front Right: 140 mm-1200 W
 - Rear Left: 160 mm-1500 W
 - Rear Right: 170/265 mm-1500/2400 W
 - Central: 100 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.2 kW
 - Dimensions (HxWxD): 55x770x510 mm

HIC 84402 T
80 cm
Vitreoceramic Hob




- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left: 145/200/350 mm
 - Front Right: 900/1750/2100 W
 - Front Right: 140 mm-1200 W
 - Rear Right: 120/210 mm-600/2000 W
 - Central: 100 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 5.4 kW
 - Dimensions (HxWxD): 55x770x510 mm

HIC 84400 T
80 cm
Vitreoceramic Hob




- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left: 120/210 mm-600/2000 W
 - Front Right: 180 mm-1800 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 170/265 mm-1500/2400 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.4 kW
 - Dimensions (HxWxD): 55x770x510 mm

HIC 64503 T
60 cm
Vitroceramic Hob



Main Features

- Touch & Slide control
- 4 vitroceramic zones
- Front Left: 120/210 mm-750/2200W
- Front Right: 160 mm-1500 W
- Rear Left: 140 mm-1200 W
- Rear Right: 140/250 mm-1100/2000 W
- Memory function
- 19 cooking levels per zone
- Eco-timer function
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.9 kW
- Product Dimensions (HxWxD):
55x582x512 mm

HIC 64503 TX: inox frame

HIC 64502 T
60 cm
Vitroceramic Hob



Main Features

- Touch & Slide control
- 4 vitroceramic zones
- Front Left: 120/210 mm-750/2200 W
- Front Right: 160mm-1500 W
- Rear Left: 140 mm-1200 W
- Rear Right: 180 mm-1800 W
- Memory function
- 19 cooking levels per zone
- Eco-timer function
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features


- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.7 kW
- Product Dimensions (HxWxD):
55x770x510 mm

HIC 64502 TX: inox frame

HIC 63501 T
60 cm
Vitroceramic Hob



Main Features

- Touch & Slide control
- 3 vitroceramic zones
- Front Left: 180 mm-1800 W
- Rear Left: 140mm-1200 W
- Right Center: 210/270 mm-1800/2700 W
- Memory function
- 19 cooking levels per zone
- Eco-timer function
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light


Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 5.7 kW
- Product Dimensions (HxWxD):
55x582x512 mm

HIC 64404 T
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left: 120/175/210 mm 800/1600/2300 W
 - Front Right: 160 mm-1500 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 140/250 mm-1100/2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 7.0 kW
 - Product Dimensions (HxWxD): 55x580x510 mm

HIC 64403 T
60 cm
Vitreoceramic Hob



- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left: 120/210 mm-750/2200W
 - Front Right : 160 mm-1500 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 140/250 mm-1100/2000 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.9 kW
 - Product Dimensions (HxWxD): 55x580x510 mm

HIC 64402 T
60 cm
Vitreoceramic Hob




- Main Features**
- Front slim touch control
 - 4 vitroceramic zones
 - Front Left: 120/210 mm-750/2200 W
 - Front Right : 160 mm-1500 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Timer and buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.7 kW
 - Product Dimensions (HxWxD): 55x580x510 mm

HIC 64401 T
60 cm
Vitroceramic Hob



Main Features

- Front slim touch control
- 4 vitroceramic zones
- Front Left: 210 mm-2300 W
- Front Right: 160 mm-1500 W
- Rear Left: 140 mm-1200 W
- Rear Right: 180 mm-1800 W
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light


Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.8 kW
- Product Dimensions (HxWxD): 55x580x510 mm

HIC 64400
60 cm
Vitroceramic Hob



Main Features

- Front slim touch control
- 4 vitroceramic zones
- Front Left: 180 mm-1800 W
- Front Right: 140 mm-1200 W
- Rear Left: 140 mm-1200 W
- Rear Right: 180 mm-1800 W
- 9 cooking levels per zone
- Booster function for quick heating
- On-off indicator light


Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 6.0 kW
- Product Dimensions (HxWxD): 55x580x510 mm

HIC 63401 T
60 cm
Vitroceramic Hob



Main Features

- Front slim touch control
- 3 vitroceramic zones
- Front Left: 180 mm-1800 W
- Rear Left: 140 mm-1200 W
- Right Center: 210/270 mm - 1800/2700 W
- 9 cooking levels per zone
- Booster function for quick heating
- Timer and buzzer
- On-off indicator light

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off
- Overheat safety system

Technical Features

- Electric Power: 5.7 kW
- Product Dimensions (HxWxD): 55x580x510 mm

HIC 64402 E
60 cm
Vitreoceramic Hob




- Main Features**
- Front touch control
 - 4 vitroceramic zones
 - Front Left: 120/210 mm-750/2200 W
 - Front Right: 160 mm-1500 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.7 kW
 - Product Dimensions (HxWxD): 55x580x510 mm

HIC 64401 E
60 cm
Vitreoceramic Hob



- Main Features**
- Front touch control
 - 4 vitroceramic zones
 - Front Left: 210 mm-2300 W
 - Front Right: 160 mm-1500 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Buzzer
 - On-off indicator light

- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.8 kW
 - Product Dimensions (HxWxD): 55x580x510 mm

HIC 64400 E
60 cm
Vitreoceramic Hob



- Main Features**
- Front touch control
 - 4 vitroceramic zones
 - Front Left: 180 mm-1800 W
 - Front Right: 140 mm-1200 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 180 mm-1800 W
 - 9 cooking levels per zone
 - Booster function for quick heating
 - Buzzer
 - On-off indicator light


- Safety Features**
- Electronic child lock
 - Residual heat indicator
 - Overflow safety
 - Automatic shut-off
 - Overheat safety system

- Technical Features**
- Electric Power: 6.0 kW
 - Product Dimensions (HxWxD): 55x580x510 mm

HIC 64104


60 cm

Vitroceramic Hob

**HIC 64103**


60 cm

Vitroceramic Hob

**HIC 64102**

60 cm

Vitroceramic Hob

**Main Features**

- Side control
- 4 vitroceramic zones
- Front Left: 120/210 mm-750/2200 W hi-light
- Front Right: 140 mm-1200 hi-light
- Rear Left: 140 mm-1200 hi-light
- Rear Right: 120/180 mm-700/1700 W hi-light
- 6 cooking levels per zone
- On-off indicator light

Safety Features

- Residual heat indicator

Technical Features

- Electric Power: 6.3 kW
- Product Dimensions (HxWxD): 98x580x510 mm

Main Features

- Side control
- 4 vitroceramic zones
- Front Left: 120 mm-2100 W
- Front Right: 140 mm-1200 W hi-light
- Rear Left: 140 mm-1200 W hi-light
- Rear Right: 180 mm-1800 W
- 6 cooking levels per zone
- On-off indicator light

Safety Features

- Residual heat indicator

Technical Features

- Electric Power: 6.3 kW
- Product Dimensions (HxWxD): 98x580x510 mm

Main Features

- Side control
- 4 vitroceramic zones
- Front Left: 180 mm-1700 W
- Front Right: 140 mm-1200 W
- Rear Left: 140 mm-1200 W
- Rear Right: 180 mm-1700 W
- 6 cooking levels per zone
- On-off indicator light


Safety Features

- Residual heat indicator

Technical Features


- Electric Power: 5.8 kW
- Product Dimensions (HxWxD): 98x580x510 mm

HIC 64101
60 cm
Vitroceramic Hob



- Main Features**
- Side control
 - 4 vitroceramic zones
 - Front Left: 120/180 mm-700/1700 W hi-light
 - Front Right: 140 mm-1200 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 180 mm-1800 W
 - 6 cooking levels per zone
 - On-off indicator light
- Safety Features**
- Residual heat indicator
- Technical Features**
- Electric Power: 5.9 kW
 - Product Dimensions (HxWxD): 98x580x510 mm

HIC 64100
60 cm
Vitroceramic Hob



- Main Features**
- Side control
 - 4 vitroceramic zones
 - Front Left: 180 mm-1700 W
 - Front Right: 140 mm-1200 W
 - Rear Left: 140 mm-1200 W
 - Rear Right: 180 mm-1700 W
 - 6 cooking levels per zone
 - On-off indicator light
- Safety Features**
- Residual heat indicator
- Technical Features**
- Electric Power: 5.8 kW
 - Product Dimensions (HxWxD): 98x580x510 mm

HIC 64100 W: White





Gas Hobs

The high-power 5kW wok burner cooks food rapidly, without reducing its nutritional value. Heat is more evenly distributed at the bottom of the pan, resulting in excellent cooking performance over a shorter period of time.

Cast Iron Pan Supports

Cast iron pan supports enhance the stylish and professional look of your hob, while also providing maximum stability, thereby enabling you to use pots and pans of any size without the risk of tilting or sliding.

Safety

If the flame is accidentally extinguished by wind or by overflowing liquid, the flame failure device automatically cuts off the gas supply to prevent any gas leakage.



Easy lock function for safety

Easy lock function enables safety with the feature of shutting down all cooking burners at the same time this function can be also used as a child lock.

Simple Ignition

Integrated into the knobs, electronic ignition provides easy and simple ignition for gas burners.

HIS 75220 S

70 cm Gas Hob with
4 Standard + 1 Wok Burners

**Main Features**

- Front controls
- Front Left: 2 kW
- Front Right: 1 kW
- Rear Left: 2.9 kW
- Rear Right: 2 kW
- Central: 3.6 kW Wok
- Cast iron pan supports
- Integrated electronic ignition
- Wok adapter
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG, G20-13 mbar and G20-10 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 11.5 kW
- Product Dimensions (HxWxD): 98x680x510 mm

HIS 75221: Enamelled pan support w/o flame failure device

HIS 74220 S

70 cm Gas Hob with
3 Standard + 1 Wok Burners

**Main Features**

- Front controls
- Front left: 3.6 kW Wok
- Front right: 1 kW
- Rear left: 2 kW
- Rear right: 2 kW
- Cast iron pan supports
- Integrated electronic ignition
- Wok adapter
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 8.6 kW
- Product Dimensions (HxWxD): 98x680x510 mm

HIS 74221: Enamelled pan support w/o flame failure device

HIS 64221 S

60 cm Gas Hob with
3 Standard + 1 Wok Burners

**Main Features**

- Front controls
- Front Left: 3.6 kW Wok
- Front Right: 1 kW
- Rear Left: 2 kW
- Rear Right: 2 kW
- Cast iron pan supports
- Integrated electronic ignition
- Wok adapter
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 8.6 kW
- Product Dimensions (HxWxD): 98x590x510 mm

HIS 64223: Enamelled pan support w/o flame failure device

HIS 64220 S

60 cm Gas Hob with
4 Standard Burners



Main Features

- Front controls
Front Left: 2 kW
Front Right: 1 kW
Rear Left: 2.9 kW
Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG, G20-13 mbar and G20-10 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 7.9 kW
- Product Dimensions (HxWxD):
98x590x510 mm

HIS 64222 S: Cast iron pan support with
flame failure device

HIS 64220 W: White w/o flame failure device

HIS 64222 SW: White with cast iron pan support

HIS 64121 S

60 cm Gas Hob with
3 Standard + 1 Wok Burners



Main Features

- Side controls
Front Left: 3.6 kW Wok
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- Wok adapter
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG, G20-13 mbar and G20-10 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 8.6 kW
- Product Dimensions (HxWxD):
98x590x510 mm

HIS 64121 SW: White

HIS 64120 S

60 cm Gas Hob with
4 Standard Burners



Main Features

- Side controls
Front Left: 2.9 kW
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG, G20-13 mbar and G20-10 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 7.9 kW
- Product Dimensions (HxWxD):
98x590x510 mm

HIS 64120: w/o flame failure device

HIS 64120 W: White

HIS 64120 SW: White with flame failure device

HIG 95222 SX

90 cm Gas Hob with
4 Standard + 1 Wok Burners

**Main Features**

- Front controls
- Front Left: 1 kW
- Front Right: 2 kW
- Rear Left: 2.9 kW
- Rear Right: 2 kW
- Wok: 3.6 kW
- Cast iron pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG

Safety Features

- Flame failure device

Technical Features

- Gas Power: 11.5 kW
- Product Dimensions (HxWxD):
90x860x500 mm

HIG 75222 SX

75 cm Gas Hob with
4 Standard + 1 Wok Burners

**Main Features**

- Front controls
- Front Left: 1 kW
- Front Right: 2 kW
- Rear Left: 2.9 kW
- Rear Right: 2 kW
- Wok: 3.6 kW
- Cast iron pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG

Safety Features

- Flame failure device

Technical Features

- Gas Power: 11.5 kW
- Product Dimensions (HxWxD):
90x740x500 mm

HIMW 75235 SX

70 cm Gas Hob with
4 Standard + 1 Wok Burners

**Main Features**

- Front controls
- Front Left: 1 kW
- Rear Left: 2.9 kW
- Front Right: 1.75 kW
- Rear Right: 1.75 kW
- Wok: 5 kW
- Cast iron pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device
- Mechanical Child Lock

Technical Features

- Gas Power: 12.3 kW
- Product Dimensions (HxWxD):
100x680x510 mm

HIMW 75225 SX

70 cm Gas Hob with
4 Standard + 1 Wok Burners



Main Features

- Front controls
- Front Left: 1 kW
- Rear Left: 2.9 kW
- Front Right: 1.75 kW
- Rear Right: 1.75 kW
- Wok: 3.3 kW
- Cast iron pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device


Technical Features

- Gas Power: 10.6 kW
- Product Dimensions (HxWxD):
100x680x510 mm

HIMW 75224 SX: Stainless steel with mat
enamelled pan support and burner caps

HIMW 64225 SX

60 cm Gas Hob with
4 Standard + 1 Wok Burners



Main Features

- Front controls
- Front Left: 3.3 kW Wok
- Rear Left: 1.75 kW
- Front Right: 1 kW
- Rear Right: 1.75 kW
- Cast iron pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 8.6 kW
- Product Dimensions (HxWxD):
100x580x510 mm

HIMW 64224 SX: Stainless steel with mat
enamelled pan supports and burner caps
HIMW 64223 SX: Stainless steel with enamelled
pan supports and burner caps
HIMW 64225 SW: White with cast iron pan
supports and burner caps

HIMG 64235 SX

60 cm Gas Hob with
4 Standard Burners



Main Features

- Front controls
- Front Left: 1.75 kW
- Rear Left: 2.9 kW
- Front Right: 1 kW
- Rear Right: 1.75 kW
- Cast iron pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device
- Mechanical Child Lock

Technical Features

- Gas Power: 7.3 kW
- Product Dimensions (HxWxD):
100x580x510 mm

HIMG 64225 SX: Stainless steel with cast iron
pan supports and burner caps w/o child lock

HIMG 64223 SX

60 cm Gas Hob with
4 Standard Burners

**Main Features**

- Front controls
- Front Left: 1.75 kW
Rear Left: 2.9 kW
Front Right: 1 kW
Rear Right: 1.75 kW
- Enamelled pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 7.3 kW
- Product Dimensions (HxWxD):
100x580x510 mm

HIMG 64223 SW: White
HIMG 64224 SX: Stainless steel with mat
enamelled pan supports and burner caps
HIMG 64223 X: Stainless steel with w/o flame
failure device
HIMG 64223 W: White w/o flame failure device

HIZG 64121 SX

60 cm Gas Hob with
3 Standard + 1 Wok Burners

**Main Features**

- Side controls
- Front Left: 3.6 kW Wok
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Cast iron pan supports
- Cast iron wok adapter
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG gas

Safety Features

- Flame failure device

Technical Features

- Gas Power: 8.6 kW
- Product Dimensions (HxWxD):
87x580x510 mm

HIZG 64121 X: Enamelled pan support
w/o flame failure device
HIZG 64121 W: White

HIZG 64120 SX

60 cm Gas Hob with
4 Standard Burners

**Main Features**

- Side controls
- Front Left: 2.9 kW
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG,
G20-13 and G20-10 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 7.9 kW
- Product Dimensions (HxWxD):
87x580x510 mm

HIZG 64120 B: Black
HIZG 64120 W: White
HIZG 64120 X: w/o flame failure device

HIZG 64120 SAR

60 cm Gas Hob with
4 Standard Burners



Main Features

- Side controls
Front Left : 2.9 kW
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG,
G20-13 and G20-10 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 7.9 kW
- Product Dimensions (HxWxD):
87x580x510 mm

HIZG 64120 SAVR: Avena
HIZG 64120 SCR: Cream

HIZG 64110 SX

60 cm Gas Hob with
4 Standard Burners



Main Features

- Side controls
Front Left: 2.9 kW
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Enamelled pan supports
- Push button ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 7.9 kW
- Product Dimensions (HxWxD):
87x580x510 mm

HIZG 64110 SB: Black
HIZG 64110 SW: White
HIZG 64110 X: w/o flame failure device

HIZG 64100 X

60 cm Gas Hob with
4 Standard Burners



Main Features

- Side controls
Front Left: 2.9 kW
Front Right: 1 kW
Rear Left: 2 kW
Rear Right: 2 kW
- Enamelled pan supports
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Technical Features

- Gas Power: 7.9 kW
- Product Dimensions (HxWxD):
87x580x510 mm

HIZG 64100 B: Black
HIZG 64100 W: White

HIZG 63120 SX

60 cm Gas Hob with
2 Standard + 1 Wok Burners

**Main Features**

- Side controls
- Front Left: 3.6 kW Wok
- Front Right: 1 kW
- Rear Left: 2 kW
- Cast iron pan supports
- Cast iron wok adapter
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 6.6 kW
- Product Dimensions (HxWxD): 85x580x510 mm

HIZG 63120 X: w/o flame failure device

HIW 64221 S

60 cm Mixed Hob with
2 Vitroceramic + 2 Gas Burners

**Main Features**

- Front controls
- Front Left: 180 mm-1800 W hi-light
- Front Right: 1 kW
- Rear Left: 140 mm-1200 W hi-light
- Rear Right: 2 kW
- Cast iron pan supports
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device


Technical Features

- Gas Power: 3 kW Electric Power: 3 kW
- Product Dimensions (HxWxD): 98x590x510 mm

HIW 64222: Enamelled w/o flame failure device
HIW 64223 S: 180 mm Duo hi-light zone

HIW 64120 S

60 cm Mixed Hob with
2 Vitroceramic + 2 Gas Burners

**Main Features**

- Side controls
- Front Left: 180 mm-1700 W radiant
- Front Right: 1 kW
- Rear Left: 140 mm-1200 W radiant
- Rear Right: 2 kW
- Enamelled pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG gas, and G20-13 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 3 kW Electric Power: 2.9 kW
- Product Dimensions (HxWxD): 98x590x510 mm

HIW 64120: w/o flame failure device

HIZE 64101 X

60 cm
Electric Hob



Main Features

- Side control
- 2 rapid and 2 standard hotplates
- Front Left: 1,5 kW-180 mm
- Front Right: 1,5 kW-145 mm Rapid
- Rear Left: 1 kW-145 mm
- Rear Right: 2,0 kW-180 mm Rapid

Technical Features

- Electric Power: 6.0 kW
- Product Dimensions (HxWxD): 60x580x510 mm

HIZE 64101 W: White

HIZE 64100 X: Inox w/o rapid

HIZE 64100 W: White w/o rapid

HIZE 64100 B: Black w/o rapid

HIM 64120 S

60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate



Main Features

- Side controls
- Front Left: 3.1 kW
- Front Right: 0.9 kW
- Rear Left (Hotplate): 1.5 kW (145 mm)
- Rear Right: 2.3 kW
- Enamelled pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 6.25 kW Electric Power: 1.5 kW
- Product Dimensions (HxWxD): 101x580x510 mm

HIMM 64223 SX

60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate



Main Features

- Front controls
- Front Left: 1.75 kW
- Rear Left: 145mm - 1000 W
- Front Right: 1 kW
- Rear Right: 1.75 kW
- Enamelled pan supports and burner caps
- Integrated electronic ignition
- G20-20 mbar natural gas use
- Adaptable to G30-30 mbar LPG use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 4.4 kW Electric Power: 1.5 kW
- Product Dimensions (HxWxD): 101x580x510 mm


HIMM 64223 SW: White

HIMM 64223 X: Inox w/o flame failure device

HIMM 64223 W: White w/o flame failure device

HIZM 64121 SW

60 cm Mixed Hob with
2 Gas Burners + 2 Hotplates

**Main Features**

- Side controls
- Front Left: 180 mm-2 kW rapid
- Front Right: 1 kW
- Rear Left: 145 mm-1kW
- Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- G30-30 mbar LPG use
- Adaptable to G20-20 mbar natural gas use

Safety Features

- Flame failure device

Technical Features

- Gas Power: 3.0 kW Electric Power: 3.0 kW
- Product Dimensions (HxWxD): 87x580x510 mm

HIZM 64121 SX: Stainless steel

HIZM 64120 SX

60 cm Mixed Hob with
3 Gas Burners + 1 Hotplate

**Main Features**

- Side controls
- Front Left: 2.9 kW
- Front Right: 1 kW
- Rear Left: 1 kW-145 mm
- Rear Right: 2 kW
- Enamelled pan supports
- Integrated electronic ignition
- G20-20 mbar natural gas use
- G30-30 mbar LPG use
- Adaptable to G20-20, G20-13 and G20-10 mbar natural gas

Safety Features

- Flame failure device

Technical Features

- Gas Power: 5.9 kW Electric Power: 1 kW
- Product Dimensions (HxWxD): 87x580x510 mm

HIZM 64120 SW: White

HIZM 64120 X: w/o flame failure device





Most Enjoyable Puzzle

Domino Hobs

The Domino range offers you the most enjoyable puzzle: Select the most functional combination among all elegantly designed options.

Enjoy the freedom of choice and let your kitchen glitter with your taste.



Beko domino hobs received the Good Design Award.

HDMI 32400 DTX

30 cm
Induction Hob



Main Features

- 2 Induction Zones
- Touch control
- Timer and buzzer
- Front Zone: 160 mm - 1400 W
- Rear Zone: 200 mm - 2300/3000 W (Boost)
- Booster function for quick heating

Safety Features

- Electronic child lock
- Residual heat indicator
- Overflow safety
- Automatic shut-off

Technical Features

- Rated Power: 3,6 kW
- Product Dimensions (HxWxD): 75x288x510

HDMC 32400 TX

30 cm
Vitroceramic Hob



Main features

- 2 Vitroceramic Zones
- Touch control
- Timer
- Front Zone: 140 mm-1200 W
- Rear Zone: 180 mm-1800 W

Safety Features

- Electronic child lock
- Residual heat indicator
- Automatic shut-off
- Overflow safety

Technical Features

- Rated Power: 3 kW
- Product Dimensions (HxWxD): 75x288x510

HDMC 32200 X

30 cm
Vitroceramic Hob



Main features

- 2 Vitroceramic Zones
- Knob control
- Front Zone: 140 mm-1200 W
- Rear Zone: 180 mm-1700 W

Safety Features

- Residual heat indicator
- Automatic shut-off
- Overflow safety

Technical Features

- Rated Power: 2,9 kW
- Product Dimensions (HxWxD): 75x288x510

HDCC 32200 X
30 cm
Vitreoceramic Hob



Main features

- 2 Vitreoceramic Zones
- Knob control
- Front Zone: 140 mm-1200 W
- Rear Zone: 180 mm-1700 W

Safety Features

- Residual heat indicator
- Automatic shut-off
- Overflow safety

Technical Features

- Rated Power: 2,9 kW
- Product Dimensions (HxWxD): 75x288x510

HDMS 32220 FX
30 cm
Glass Gas Hob



Main features

- Knob control
- 2 gas burners
- Front Zone: 1 kW
- Rear Zone: 2,9 kW
- Integrated electronic ignition
- Cast iron pan support
- G20-20 mbar natural gas
- Adaptable to G30-30 mbar

Safety Features

- Flame failure device

Technical Features

- Rated Power: 3,9 kW
- Product Dimensions (HxWxD): 102x288x510

HDMS 31220 FX
30 cm
Glass Gas Hob



Main features

- Knob control
- Wok burner: 3,6 kW
- Integrated electronic ignition
- Cast iron pan support
- G20-20 mbar natural gas
- Adaptable to G30-30 mbar

Safety Features

- Flame failure device

Technical Features

- Rated Power: 3,6 kW
- Product Dimensions (HxWxD): 102x288x510

HDCG 32221 FX

30 cm
Gas Hob



Main features

- Knob control
- 2 gas burners
- Front Zone: 1 kW
- Rear Zone: 2,9 kW
- Integrated electronic ignition
- Cast iron pan support
- G20-20 mbar natural gas
- Adaptable to G30-30 mbar

Safety Features

- Flame failure device

Technical Features

- Rated Power: 3,6 kW
- Product Dimensions (HxWxD): 102x288x510

HDCG 32221 X: w/o flame failure device
HDCG 32220 FX: Enamelled pan support
HDCG 32220 X: Enamelled pan support, w/o flame failure device

HDCG 31221 FX

30 cm
Gas Hob



Main features

- Knob control
- Wok burner: 3,6 kW
- Integrated electronic ignition
- Cast iron pan support
- G20-20 mbar natural gas
- Adaptable to G30-30 mbar

Safety Features

- Flame failure device

Technical Features

- Rated Power: 3,6 kW
- Product Dimensions (HxWxD): 102x288x510

HDCE 32201 X

30 cm
Electric Hob



Main features

- Knob control
- 2 hotplates
- Front Zone: 145 mm-1500 W rapid
- Rear Zone: 180 mm-2000 W rapid

Technical Features

- Rated Power: 2,5 kW
- Product Dimensions (HxWxD): 71x288x510

HDCE 32200 X: w/o rapid






Hoods

3





Leave no
trace behind!



Cooker Hoods

Beko cooker hoods offer an odour and grease-free environment, leaving your kitchen clean and fresh.

With a ventilation capacity as high as 755 m³/hour, selected Beko cooker hoods are powerful enough to refresh the air every two minutes in an average kitchen.*

* Calculated for a kitchen of size 10 m².

Carbon Filters

Carbon filters for re-circulation come in very handy without the need of a chimney connection.

Halogen Illumination

Halogen hob illumination lights provide clear visibility while cooking.

Aluminum Cassette Filter

Aluminum cassette filters absorb any trace of grease and odour in the air. The filters are washable and very easy to clean.

Easy-to-use

An easy-to-use touch-sensitive control unit displays the set power level.

An auto air refreshment function activates the motor automatically for 10 minutes every hour at minimum speed, thus providing a continuous flow of fresh air circulation in the kitchen. The cooker hood works very efficiently on low energy consumption and low noise, and is also effective in eliminating tobacco odours. When activated, the time-controlled intensive extraction mode increases the extraction power to a maximum level. After 10 minutes, the extraction level of the hood reverts back automatically to the third level. This function is ideal for extracting the steam and intense smells from your kitchen, generated especially during frying or grilling.


Just press a Button

With the simple press of a button, you can program your hood to switch off automatically after 15 minutes while you are away.

The cooker hood extracts all traces of odour after an intense cooking session. The saturated filter indicator gives out a visual warning by blinking when it is time to clean the cassette filters or replace the charcoal filters.




CWB 9910 X
90 cm Wall Mounted
Cooker Hood



Main Features

- 703 m³/h Intensive ventilation capacity based on IN/EN 61591 standard
- 616 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 66 dB(A)re 1 pW intensive noise level (sound power) based on DIN/EN 60704-3 standard
- 63 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 56 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 4 power levels
- Touch control
- Illumination with 3x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section
- Saturated filter indicator
- Auto air refreshment
- Time controlled intensive extraction
- Auto shut off


CWB 9900 B
90 cm Wall Mounted
Cooker Hood



Main Features

- 703 m³/h Intensive ventilation capacity based on IN/EN 61591 standard
- 616 m³/h Maximum ventilation capacity based on IN/EN 61591 standard
- 66 dB(A)re 1 pW intensive noise level (sound power) based on DIN/EN 60704-3 standard
- 63 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 55 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 4 power levels
- Touch control
- Illumination with 2x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section
- Saturated filter indicator
- Auto air refreshment
- Time controlled intensive extraction
- Auto shut off

CWB 9710 X
90 cm Wall Mounted
Cooker Hood



Main Features

- 703 m³/h Intensive ventilation capacity based on IN/EN 61591 standard
- 616 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 66 dB(A)re 1 pW intensive noise level (sound power) based on DIN/EN 60704-3 standard
- 63 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 56 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 4 power levels
- Touch control
- Illumination with 2x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section
- Saturated filter indicator
- Auto air refreshment
- Time controlled intensive extraction
- Auto shut off

CIB 9600 X
90 cm Island Type
Cooker Hood



CWB 9600 X
90 cm Wall Mounted
Cooker Hood



CWB 9510 X
90 cm Wall Mounted
Cooker Hood



Main Features

- 703 m³/h Intensive ventilation capacity based on IN/EN 61591 standard
- 616 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 66 dB(A)re 1 pW intensive noise level (sound power) based on DIN/EN 60704-3 standard
- 63 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 56 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 4 power levels
- Electronic soft touch button
- Illumination with 4x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section
- Saturated filter indicator
- Auto air refreshment
- Time controlled intensive extraction
- Auto shut off

Main Features

- 464 m³/h Maximum ventilation capacity based on IN/EN 61591 standard
- 59 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 49 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 7600 X: 70 cm width
CWB 6600 X: 60 cm width

Main Features

- 380 m³/h Maximum ventilation capacity based on IN/EN 61591 standard
- 58 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 49 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 9500 X
 90 cm Wall Mounted
 Cooker Hood

Main Features

- 464 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 59 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 49 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 9500 X: 60 cm width

CWB 9441 X
 90 cm Wall Mounted
 Cooker Hood

Main Features

- 420 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 61 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 49 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 9441 W: White

CWB 6930 X
 60 cm Wall Mounted
 Cooker Hood

Main Features

- 577 m³/h Intensive ventilation capacity based on IN/EN 61591 standard
- 436 m³/h Maximum ventilation capacity based on IN/EN 61591 standard
- 65 dB(A)re 1 pW intensive noise level (sound power) based on DIN/EN 60704-3
- 58 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3
- Ducted or recirculated usage
- 4 power levels
- Touch control
- Illumination with 2x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section
- Saturated filter indicator
- Auto air refreshment
- Time controlled intensive extraction

CWB 9930x: 90 cm version


CWB 6610 X
 60 cm Wall Mounted
 Cooker Hood

Main Features

- 577 m³/h Intensive ventilation capacity based on IN/EN 61591 standard
- 436 m³/h Maximum ventilation capacity based on IN/EN 61591 standard
- 65 dB(A)re 1 pW intensive noise level (sound power) based on DIN/EN 60704-3
- 58 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3
- Ducted or recirculated usage
- 4 power levels
- Electronic soft touch
- Illumination with 2x20 Watt halogen lamps
- Washable aluminium cassette filters
- Height adjustable chimney section
- Auto air refreshment
- Time controlled intensive extraction
- Auto shut off

CWB 6660 X: Curved glass
CWB 9610 X: 90cm width
CWB 6510 X
 60 cm Wall Mounted
 Cooker Hood

Main Features

- 380 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 58 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 49 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 6441 X
 60 cm Wall Mounted
 Cooker Hood

Main Features

- 420 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 61 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 49 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 6441 W: White
CWB 6441 B : Black

CWB 6410 AVR60 cm Wall Mounted
Cooker Hood**Main Features**

- 430 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 68 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- Rustic design, avena colour
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x40 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 6410 AR : Rustic Anthracite Colour
CWB 6410 CR : Rustic Cream Colour

CWB 6430 X60 cm Wall Mounted
Cooker Hood**Main Features**

- 363 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 61 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 50 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 6430 W: White

CWB 6420 X60 cm Wall Mounted
Cooker Hood**Main Features**

- 363 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 61 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 50 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Push button control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters
- Height adjustable chimney section

CWB 9420 X: 90 cm width

CTB 6407 X60 cm Telescopic
Cooker Hood**Main Features**

- 280 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 63 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 52 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters

CTB 6407 W: White

CCB 6486 W55 cm Canopy
Cooker Hood**Main Features**

- 390 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 70 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 58 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- 2 motors
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters

CFB 9433 X90 cm Standard
Cooker Hood**Main Features**

- 350 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 68 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 57 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Illumination with 2x20 Watt lamps
- 2 motors
- Washable aluminium cassette filters
- Glass cover

CFB 9431 W
 90 cm Standard
 Cooker Hood

Main Features

- 350 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 68 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 57 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Glass visor
- 2 motors
- Illumination with 2x20 Watt lamps
- Washable metal filter

CFB 6432 X
 60 cm Standard
 Cooker Hood

Main Features

- 240 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 69 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 58 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Glass visor
- Illumination with 1x20 Watt lamp
- Washable metal filter

CFB 6432 XG : With glass visor
 CFB 6432 W : White version
 CFB 5432 W : 50cm white version

CFB 6434 S
 60 cm Standard
 Cooker Hood


Main Features

- 350 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 68 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 57 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Glass visor
- 2 motors
- Illumination with 2x20 Watt lamps
- Washable metal filter

CFB 6433 X
 60 cm Standard
 Cooker Hood

Main Features

- 350 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 68 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 57 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Glass visor
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters

CFB 6431 W
 60 cm Standard
 Cooker Hood

Main Features

- 240 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 69 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 58 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Glass visor
- Illumination with 1x20 Watt lamp
- Synthetic filter

CFB 6437 W
 60 cm Standard
 Cooker Hood

Main Features

- 200 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 61 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 50 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Illumination with 1x20 Watt lamp
- Synthetic filter

CFB 6436 X
60 cm Standard
Cooker Hood



Main Features

- 350 m³/h maximum ventilation capacity based on IN/EN 61591 standard
- 68 dB(A)re 1 pW maximum noise level (sound power) based on DIN/EN 60704-3 standard
- 57 dB(A)re 20 µPa noise level (sound pressure) based on DIN/EN 60704-2-13 standard
- Ducted or recirculated usage
- 3 power levels
- Sliding control
- Glass visor
- Illumination with 2x20 Watt lamps
- Washable aluminium cassette filters



Dishwashers

4



Smart Solutions for Dishes



Save more, consume less!

The need to save energy and resources has never been more important than now. Beko with its environment-friendly approach produces **A++ energy** efficient dishwashers.



Save water, save the world!

Smart Beko dishwashers use active wash technology to provide efficient and gentle washing according to the sensitivity and dirt level of your dishes.

This technology applies different water pressures to the lower and upper baskets. Heavily soiled dishes in the lower basket are subjected to higher water pressure while lightly soiled delicate items such as glassware are kept under lower pressure. The innovative brushless DC motor allows the use of active wash technology.



Fingerprint-free stainless steel

Thanks to a special coating on the stainless steel surfaces of selected models, fingerprints are avoided. The appliance always looks spotless, clean and shiny.





SteamGloss™

Beko SteamGloss™ Dishwasher enables you to dry your dishes without losing their brightness. Your glasses will shine %30 more with the help of steam technology. Leave your dishes for a gentle steam touch and enjoy spotless, shiny dishes. Comparison between SteamGloss™ mode on/off.



Quiet Operation

Beko smart dishwashers operate in silence. Enjoy your conversations with your friends next to your quiet dishwasher. Beko quiet dishwasher operates at a sound level of 41 dBA, an intensity commonly found at a library.

*Vacuum cleaner,
distance 1 m: 70 dBA
Conversational speech,
1 m: 60 dBA
Average home: 50 dBA
Quiet library: 40 dBA*



Time Management

The wash cycle can be delayed for three, six, or nine hours (up to 24 hours on digital models) enabling you to plan your wash time more flexibly while taking advantage of minimum electricity consumption.



Flexible Half Load

There's no need to wait for both racks to be fully loaded. The Flexible Half Load option enables you to load the upper, the lower, or both racks together. With its excellent storage solution, it's easy to cut down on electricity, water and energy consumption.



Tablet Detergent Button

Tablet detergents are compact and easy to use, but they may have some drawbacks at times, like unsatisfactory drying results or un-dissolved tablet residue left on the dishes. Beko dishwashers are equipped with a tablet detergent button to avoid such unwanted results and ensure maximum performance when tablet detergents are used.



The Active Fan Drying

System uses a fan to increase air circulation in the dishwasher to reach perfect drying results, and to cool your perfectly dried dishes into the cupboard immediately after the washing programme is completed. This way you can handle your dry dishes immediately to put them away without burning your hands.



BekoOne Smart Dishwasher

The BekoOne smart dishwasher senses dirtiness, amount of the dishes loaded and the hardness level of the water. In addition, you do not have to think about the program selection anymore since it chooses the most convenient washing program parallel to your needs. BekoOne handle the rest for you and will always provide you perfectly clean dishes along with minimum water and energy consumption. All these and more are possible with a single touch of your finger.



BEKO one
Create miracles with one touch.

A++ Performance

BekoOne features "A++" energy, "A" cleaning and "A" drying performance, achieving the best cleaning and drying results while using minimum energy. At the end of the washing cycle, BekoOne will display total energy and water consumption figures.



WaterSafe+

BekoOne comes with double security system to prevent water leakage. Besides the main water safety system that shuts off the water inlet, Waterstop provides extra safety by automatically shutting off the water supply if the water inlet hose begins to leak. Your home will thus be protected against any possible leaks.



Active Wash Technology

BekoOne uses active wash technology to provide efficient and gentle washing. This technology adjusts water pressures to the lower and upper baskets. Heavily soiled dishes in the lower basket are subjected to higher water pressure while lightly soiled delicate items such as glassware are kept under lower pressure. The innovative brushless DC motor allows the use of active wash technology.



Quiet Operation

The BekoOne extra silent 44 dBA noise level turns your kitchen into a peaceful realm.



Smart Technology with Sensors

Smart Sensors

provide BekoOne with the ability to analyze the situation and decide on the best washing program to apply. Based on the information received from smart sensors BekoOne goes through an analyzing process to find the best washing program to apply. 11 separate sensors inside the machine contribute to the BekoOne smart System where 3 unique sensors operate as the leading elements in creating this smart and cutting-edge technology.

Dirt Sensor

Decides how dirty the dishes are and smart chooses the most appropriate washing program.

Load Sensor


Senses the amount of dishes loaded in the machine and smart decides the necessary amount of water.

Water Hardness Sensor

Determines the water hardness level and adjusts it for an effective and gentle wash. Upon completion of the analysis of the smart sensors, BekoOne will choose the most convenient one among the 5 different program options, based on the degree of dirtiness and the amount of the dishes.



XL Capacity: Washes 25% more



XL capacity dishwashers wash up to **15 place settings** instead of the standard 12.

Such increased washing capacity offers substantial benefits. Reducing the number of wash cycles means:

- Saving 25% on detergent,*
- Prolonged product lifetime – up to 2 years,**
- Saving 15% on water and energy consumption.***

* If standard tablet detergents are used

** Lifetime simulation tests of dishwashers are based on 280 cycles / year.

*** When consumptions per setting are compared between standard and XL Capacity models.

Easy Assembly

With the easy door-balancing system, door balance can be adjusted for different weights of Built-in doors directly from the front, without the need for taking apart the sidewalls of the dishwasher.

The height of the rear feet can be adjusted from the front without taking the dishwasher out of its niche.

Thanks to the smart front feet design, the appliances can be adjusted to fit a niche with +/-100 mm range, from 820 mm up to 920 mm.

Extra-high interior with 86 cm height

Specially designed for the new generation of worktops with a height of 86 to 92 cm, dishwashers with an extra-high interior provide greater inner dimensions, thus offering the capacity for loading trendy XL sized plates in the lower basket.





Smart Programs for Dishes

Auto Program

With auto program, sensors automatically detect the soil level of dishes to determine the appropriate wash cycle for the job at hand. Dishes are washed using the minimum required amount of energy and water, ensuring the program remains both practical and economical.

Quick & Clean

Quick & Clean, a unique program from Beko, guarantees exceptional class A washing performance, not only for lightly soiled items, but for normally soiled pots and dishes as well. Class A wash cycle cleans your dishes in just 58 minutes, which is quicker than even washing by hand.

Mini 30'

Perfect for lightly soiled dishes and glasses, the Mini 30' program washes a full load in 30 minutes at 35 °C, thus saving time and energy.

Quick & Clean vs. washing by hand*

	Washing by hand	Quick & Clean Program
Washing Time	79 minutes	58 minutes

* According to a study by University of Bonn, Germany, 07/02-03/03





BabyProtect Line: Extra hygiene & care for your baby!

BabyProtect Program

Ensure that your children's eating utensils are sparkling clean and germ free. Beko BabyProtect Line dishwashers combine an intensive wash cycle with an extra hot rinse cycle in order to provide total hygiene for your baby's utensils, plates and bottles. This baby protect program provides 99.99% hygiene, as certified by the LGA.

Bottle Holder

The baby-bottle holder accessory integrated into the lower basket is a design solution that guarantees the convenient, efficient and safe cleaning of your baby's bottles.

Antibacterial Seal

Due to the dirt accumulation over time, bacteria reproduction may occur on the gasket of the dishwashers. The Antibacterial Seal on Beko dishwashers acts as a guardian to block this formation.



Ease of Use and Flexibility



Acrobat System

Thanks to the acrobat system, the height of the upper basket can be easily adjusted even when the basket is full, providing extra space for larger dishes and pans.



Adjustable Shelves

Height-adjustable shelves for mugs offer maximum utilization of the available space. Tall mugs and small cups can be placed on top of each other, or alternatively, the upper part can be used for long utensils.



Plate Support

Plate supports can be folded away easily to accommodate large pans and pots.

Functional Accessories



Rack Handles

The upper and lower rack handles make it ergonomically easier to pull the racks out, even when they are loaded.



Sideway sliding Cutlery Basket

Beko's New Cutlery Basket slides right or left in the lower basket of the dishwasher. Improved flexibility provides easy loading.

If you don't have any cutlery to wash, then you can remove the cutlery basket and load plates instead. This will also help to increase the capacity of the lower basket.



Multipurpose Removable Cutlery Drawer

A great new option available on selected models is the third pull out basket. A convenient way to wash cutlery, small items and espresso cups or it can be filled with other utensils by removing the multipurpose third basket.



Safety Features

Child Lock

The child lock option can be activated to prevent children from tampering with the buttons.

Activating the child lock option prevents any change from being made to the selected program.



WaterSafe and WaterSafe+

In case of overflow, the Water Safe system of Beko dishwashers cuts off the water flowing into the machine. Selected models are equipped with the **WaterSafe+** provides you a double security against water leakage. Besides the main water safety

system that shuts off the water inlet, Waterstop provides extra safety by automatically shutting off the water supply if the water inlet hose begins to leak. Your home will thus be protected from water damage from leaks.



DSN 71046 FX660 cm Semi-Integrated
Dishwasher**Programmes**

10 wash programs: Auto 40-65 °C, Prewash, Super Mini 20', 30 Min., Delicate 40 °C, Eco 50 °C, Quick&Clean 60 °C, Intensive 70 °C, BabyProtect 70 °C, Active wash

Specifications

- LCD Display
- 13 place settings
- Stainless Steel
- Brushless DC
- Auto half load
- Time delay up to 18 hr
- Remaining time indicator
- Active fan drying
- Inner illumination
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Removable cutlery drawer
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,92 kWh
- Water consumption: 6 liters
- Noise level: 47 dBA
- Annual energy consumption: 262 kWh
- Annual water consumption: 1680 liters
- Child lock
- WaterSafe+
- Warning indicators: tap closed, water leakage, door open, filter clogged

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 71045 FX60 cm Semi-Integrated
Dishwasher**Programmes**

10 wash programs: Auto 40-65 °C, Prewash, Super Mini 20', 30 Min., Delicate 40 °C, Eco 50 °C, Quick&Clean 60 °C, Intensive 70 °C, BabyProtect 70 °C, Active wash

Specifications

- LCD Display
- 12 place settings
- Stainless Steel
- Brushless DC
- Auto half load
- Time delay up to 18 hr
- Remaining time indicator
- Active fan drying
- Tablet detergent option, Fast option, Extra drying option, Night mode option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 1,02 kWh
- Water consumption: 7 liters
- Noise level: 41 dBA
- Annual energy consumption: 291 kWh
- Annual water consumption: 1960 liters
- Child lock
- WaterSafe+
- Warning indicators: tap closed, water leakage, door open, filter clogged

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 6841 FX60 cm Semi-Integrated
Dishwasher**Programmes**

8 wash programs: Prewash, Mini 30' 35 °C, Eco 50 °C, Quick&Clean 60 °C, Intensive 70 °C, BabyProtect 70 °C, Active wash, Auto 40-65 °C

Specifications

- LCD Display
- 13 place settings
- Stainless Steel
- Brushless DC
- Time delay up to 24 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option, Fast option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Baby bottler holder


Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,92 kWh
- Water consumption: 10 liters
- Noise level: 44 dBA
- Annual energy consumption: 262 kWh
- Annual water consumption: 2800 liters
- Child lock
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 6840 FX Extra
60 cm Semi-Integrated
Dishwasher



Programmes

8 wash programs: Super Mini 20', Mini 30' 35 °C, Eco 50 °C, Quick&Clean 60 °C, Intensive 70 °C, BabyProtect 70 °C, Active wash, Auto 40-65 °C

Specifications

- LCD Display
- 15 place settings
- Stainless Steel
- Brushless DC
- Time delay up to 24 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option, Fast option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Removable cutlery drawer
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 0,97 kWh
- Water consumption: 13 liters
- Noise level: 45 dBA
- Annual energy consumption: 279 kWh
- Annual water consumption: 3640 liters
- Child lock
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 6835 FX
60 cm Semi-Integrated
Dishwasher



Programmes

8 wash programs: Prewash, Mini 30' 35 °C, Eco 50 °C, Quick&Clean 60 °C, Intensive 70 °C, BabyProtect 70 °C, Active wash, Auto 40-65 °C

Specifications

- LCD Display
- 13 place settings
- Stainless Steel
- Brushless DC
- Time delay up to 24 hr
- Remaining time indicator
- Active fan drying
- Steam option, Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Removable cutlery drawer
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 0,94 kWh
- Water consumption: 10 liters
- Noise level: 46 dBA
- Annual energy consumption: 272 kWh
- Annual water consumption: 2800 liters
- Child lock
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 6835 B Extra
60 cm Semi-Integrated
Dishwasher



Programmes

8 wash programs: Prewash, Mini 30' 35 °C, Eco 50 °C, Quick&Clean 60 °C, Intensive 70 °C, BabyProtect 70 °C, Active wash, Auto 40-65 °C

Specifications

- LCD Display
- 15 place settings
- Black
- Brushless DC
- Time delay up to 24 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option, Fast option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded - the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 0,97 kWh
- Water consumption: 13 liters
- Noise level: 45 dBA
- Annual energy consumption: 279 kWh
- Annual water consumption: 3640 liters
- Child lock
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

Product Code	Panel Color
DSN 6835 B Extra	Black
DSN 6835 Extra	White

DSN 6635 X

60 cm Semi-Integrated Dishwasher

**Programmes**

6 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 13 place settings
- Stainless steel panel
- Brushless DC
- Time delay up to 24 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option, Fast option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports

Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,92 kWh
- Water consumption: 10 liters
- Noise level: 46 dBA
- Annual energy consumption: 262 kWh
- Annual water consumption: 2800 liters
- Child lock
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 4532 FX

60 cm Semi-Integrated Dishwasher

**Programmes**

5 wash programs:
Prewash,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
Auto 40-65 °C

Specifications

- LED control
- 12 place settings
- Stainless steel
- 3-6-9 hr time delay
- Active fan drying
- Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate and glass supports
- Sliding cutlery basket

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 1,02 kWh
- Water consumption: 13 liters
- Noise level: 46 dBA
- Annual energy consumption: 290 kWh
- Annual water consumption: 3640 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSN 2532 X

60 cm Semi-Integrated Dishwasher

**Programmes**

5 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 12 place settings
- Stainless steel
- 3-6-9 hr time delay
- Half load option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Height adjustable shelves for mugs
- Easy fold plate supports
- Sliding cutlery basket

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 15 liters
- Noise level: 47 dBA
- Annual energy consumption: 307 kWh
- Annual water consumption: 4200 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

Product Code	Panel Type
DSN 2532 X	Stainless Steel
DSN 2532 B	Black
DSN 2532	White

DSN 1430
60 cm Semi-Integrated
Dishwasher



Programmes

4 wash programs:
Prewash,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 12 place settings
- White
- Half load option
- Electronic salt indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Height adjustable shelves for mugs

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 15 liters
- Noise level: 52 dBA
- Annual energy consumption: 307 kWh
- Annual water consumption: 4200 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

Product Code	Panel Type
DSN 1430	White
DSN 1430 X	Stainless Steel
DSN 1430 XP	Stainless Steel Painted

DDN 1001 X
60 cm Built-Under
Dishwasher



Programmes

1 wash programs:
Auto 40-70

Specifications

- Touch control LCD display
- 12 place settings
- Stainless steel
- Brushless DC
- Remaining time indicator
- Active fan drying
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate and glass supports
- Sliding cutlery basket
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,9 kWh
- Water consumption: 10 liters
- Noise level: 44 dBA
- Annual energy consumption: 257 kWh
- Annual water consumption: 2800 liters
- Child lock
- WaterSafe+
- Warning indicators: tap closed, water leakage, door open, filter clogged

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DDN 5834 XXL
60 cm Built-Under Dishwasher
With Extra High Interior



Programmes

8 wash programs:
Prewash,
Mini 30' 35 °C,
Delicate 40 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 12 place settings
- Stainless Steel
- Automatic door opening
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility


- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Removable cutlery drawer
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 13 liters
- Noise level: 46 dBA
- Annual energy consumption: 309 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DDN 5833xExtra
 60 cm Built-Under
 Dishwasher

Programmes

8 wash programs:

 Prewash,
 Mini 30' 35 °C,
 Delicate 40 °C,
 Eco 50 °C,
 Quick&Clean 60 °C,
 Intensive 70 °C,
 BabyProtect 70 °C,
 Auto 40-65 °C

Specifications

- LCD Display
- 15 place settings
- Stainless Steel
- Brushless DC
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 0,97 kWh
- Water consumption: 13 liters
- Noise level: 44 dBA
- Annual energy consumption: 279 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DDN 1531 B
 60 cm Built-Under
 Dishwasher

Programmes

5 wash programs:

 Prewash,
 Eco 50 °C,
 Quick & Clean,
 Intensive 70 °C,
 Auto 40-65 °C

Specifications

- LCD Display
- 12 place settings
- Black
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate and glass supports
- Sliding cutlery basket

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 13 liters
- Noise level: 46 dBA
- Annual energy consumption: 309 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

Product Code	Panel Type
DDN 1531 B	Black
DDN 1531 X	Stainless Steel

DIN 5834
 60 cm Fully-Integrated
 Dishwasher

Programmes

8 wash programs:

 Prewash,
 Mini 30' 35 °C,
 Delicate 40 °C,
 Eco 50 °C,
 Quick&Clean 60 °C,
 Intensive 70 °C,
 BabyProtect 70 °C,
 Auto 40-65 °C

Specifications

- LCD Display
- 13 place settings
- Stainless steel
- Brushless DC
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Removable cutlery drawer
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,92 kWh
- Water consumption: 10 liters
- Noise level: 44 dBA
- Annual energy consumption: 261 kWh
- Annual water consumption: 2800 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIN 5837
60 cm Fully-Integrated
Dishwasher



Programmes
8 wash programs:
Prewash,
Mini 30' 35 °C,
Delicate 40 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 12 place settings
- Stainless steel
- Brushless DC
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded - the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate and glass supports
- Baby cutlery tray
- Sliding cutlery basket
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 1,02 kWh
- Water consumption: 7 liters
- Noise level: 44 dBA
- Annual energy consumption: 291 kWh
- Annual water consumption: 1960 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIN 5833 Extra
60 cm Fully-Integrated
Dishwasher



Programmes
8 wash programs:
Prewash,
Mini 30' 35 °C,
Delicate 40 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 15 place settings
- Black/inox
- Brushless DC
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded - the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 0,97 kWh
- Water consumption: 13 liters
- Noise level: 44 dBA
- Annual energy consumption: 279 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DIN 5833 XL
60 cm Fully-Integrated Dishwasher
With Extra High Interior



Programmes
8 wash programs:
Prewash,
Mini 30' 35 °C,
Delicate 40 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 12 place settings
- Stainless Steel
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Column mounting
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded - the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports
- Sliding cutlery basket
- Removable cutlery drawer
- Baby bottler holder

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 13 liters
- Noise level: 46 dBA
- Annual energy consumption: 309 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DIN 5833

60 cm Fully-Integrated Dishwasher

**Programmes**

8 wash programs:

Prewash,
Mini 30' 35 °C,
Delicate 40 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 12 place settings
- Stainless steel
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when loaded - the Acrobat system
- Height adjustable shelves for mugs
- Easy fold plate and glass supports
- Sliding cutlery basket
- Removable cutlery drawer
- Baby bottle holder

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 13 liters
- Noise level: 46 dBA
- Annual energy consumption: 309 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIN 1536 Extra

60 cm Fully-Integrated Dishwasher

**Programmes**

5 wash programs:

Prewash, Eco 50 °C,
Quick & clean,
Intensive 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 15 place settings
- Stainless steel
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility

- Height adjustable upper rack when loaded - the Acrobat system
- Height adjustable shelves for mugs
- Lower rack shelves for long items
- Easy fold plate and glass supports

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,14 kWh
- Water consumption: 14 liters
- Noise level: 46 dBA
- Annual energy consumption: 323 kWh
- Annual water consumption: 3920 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIN 1531

60 cm Fully-Integrated Dishwasher

**Programmes**

5 wash programs:

Prewash,
Eco 50 °C,
Quick & clean,
Intensive 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 12 place settings
- Stainless steel
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Active fan drying
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Height adjustable shelves for mugs
- Easy fold plate supports
- Sliding cutlery basket

Performance & Safety

- Energy efficiency class: A+
- Cleaning/Drying Performance: AA
- Energy consumption: 1,02 kWh
- Water consumption: 13 liters
- Noise level: 46 dBA
- Annual energy consumption: 290 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIN 1530
60 cm Fully-Integrated
Dishwasher



Programmes
5 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 12 place settings
- Stainless steel
- Half load option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Height adjustable shelves for mugs
- Easy fold plate supports
- Sliding cutlery basket

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 15 liters
- Noise level: 49 dBA
- Annual energy consumption: 308 kWh
- Annual water consumption: 4200 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DIN 1421
60 cm Fully-Integrated
Dishwasher



Programmes
4 wash programs:
Prewash,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 12 place settings
- Stainless steel
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Height adjustable shelves for mugs
- Easy fold plate supports
- Sliding cutlery basket

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 1,09 kWh
- Water consumption: 15 liters
- Noise level: 49 dBA
- Annual energy consumption: 308 kWh
- Annual water consumption: 4200 liters
- WaterSafe

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DSS 6831 X
45 cm Semi-Integrated
Dishwasher



Programmes
8 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Active wash,
Auto 45-65 °C

Specifications

- LCD Display
- 10 place settings
- Stainless steel
- Brushless DC
- Time delay up to 24 hr
- Remaining time indicator
- Half load option, Tablet detergent option, Fast option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Easy fold plate supports

Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,74 kWh
- Water consumption: 9 liters
- Noise level: 47 dBA
- Annual energy consumption: 211 kWh
- Annual water consumption: 2520 liters
- Child lock
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSS 2532 X

45 cm Semi-Integrated Dishwasher

**Programmes**

5 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 10 place settings
- Stainless steel
- 3-6-9 hr time delay
- Half load option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Easy fold plate supports

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 0,91 kWh
- Water consumption: 13 liters
- Noise level: 49 dBA
- Annual energy consumption: 257 kWh
- Annual water consumption: 3640 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DSS 1312

45 cm Semi-Integrated Dishwasher

**Programmes**

3 wash programs:
Prewash,
Eco 50 °C,
Intensive 70 °C

Specifications

- LED control
- 10 place settings
- White
- Half load option
- Electronic salt indicator

Flexibility

- Height adjustable upper rack when unloaded

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AB
- Energy consumption: 0,91 kWh
- Water consumption: 13 liters
- Noise level: 51 dBA
- Annual energy consumption: 257 kWh
- Annual water consumption: 3640 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIS 5831

45 cm Fully-Integrated Dishwasher

**Programmes**

8 wash programs:
Prewash,
Mini 30' 35 °C,
Delicate 40 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
BabyProtect 70 °C,
Auto 45-65 °C

Specifications

- LCD Display
- 10 place settings
- Stainless steel
- Brushless DC
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Half load option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Easy fold plate supports

Performance & Safety

- Energy efficiency class: A++
- Cleaning/Drying Performance: AA
- Energy consumption: 0,74 kWh
- Water consumption: 9 liters
- Noise level: 47 dBA
- Annual energy consumption: 211 kWh
- Annual water consumption: 2520 liters
- WaterSafe+

Dimensions (HxWxD)

82-87x59,8x54,8 cm

Product Code	Panel Type
DSS 1312	White
DSS 1312 XP	Stainless Steel Painted

DIS 1522
45 cm Fully-Integrated
Dishwasher



Programmes

5 wash programs:
Prewash,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C,
Auto 40-65 °C

Specifications

- LCD Display
- 10 place settings
- Stainless steel
- Time Delay up to 0:30-9:30 hr
- Remaining time indicator
- Half load option, Tablet detergent option
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front
- Easy door balance adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Easy fold plate supports

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 0,91 kWh
- Water consumption: 12 liters
- Noise level: 49 dBA
- Annual energy consumption: 259 kWh
- Annual water consumption: 3360 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DIS 1520
45 cm Fully-Integrated
Dishwasher



Programmes

5 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 10 place settings
- Stainless steel
- Electronic salt and rinse aid indicator
- Easy rear feet adjustment from front

Flexibility

- Height adjustable upper rack when unloaded
- Easy fold plate supports

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AA
- Energy consumption: 0,91 kWh
- Water consumption: 13 liters
- Noise level: 49 dBA
- Annual energy consumption: 261 kWh
- Annual water consumption: 3640 liters
- WaterSafe+

Dimensions (HxWxD)

82-92x59,8x54,8 cm

DIS 1501
45 cm Fully-Integrated
Dishwasher



Programmes

5 wash programs:
Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Quick&Clean 60 °C,
Intensive 70 °C

Specifications

- LED control
- 10 place settings
- Stainless steel
- Electronic salt and rinse aid indicator

Flexibility

- Height adjustable upper rack when unloaded

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AB
- Energy consumption: 0,91 kWh
- Water consumption: 13 liters
- Noise level: 51 dBA
- Annual energy consumption: 261 kWh
- Annual water consumption: 3640 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm

DIS 1401

45 cm Fully-Integrated
Dishwasher



Programmes

4 wash programs:

Prewash,
Mini 30' 35 °C,
Eco 50 °C,
Intensive 70 °C

Specifications

- LED control
- 10 place settings
- Stainless steel
- Electronic salt indicator

Flexibility

- Height adjustable upper rack when unloaded

Performance & Safety

- Energy efficiency class: A
- Cleaning/Drying Performance: AB
- Energy consumption: 0,91 kWh
- Water consumption: 13 liters
- Noise level: 51 dBA
- Annual energy consumption: 261 kWh
- Annual water consumption: 3640 liters
- WaterSafe

Dimensions (HxWxD)

82-87x59,8x54,8 cm







Washing
Machines

5

Technology Solutions for Laundry Care




AquaFusion™

Beko washing machines help you to save detergent as well as energy and water. In regular washing machines which do not have a detergent saving system (AquaFusion) nearly 20% of the detergent is lost during the washing process. Specially developed AquaFusion Technology featured in Beko washing machine reduces this amount. You save up to 5.5 kg of detergent every year.



Liquid Detergent Compartment

This special compartment is designed for alternative detergent usage, compatible with liquid and concentrated liquid detergents and gives opportunity to use liquid detergent with time delay option.



AquaWave™ Technology

Beko aquawave drum technology provides gentle yet effective washing conditions for all garments, making them last longer. This special technology is inspired by nature. Clothes like new, wash after wash.


The full interior design of the washing machine is replicating the gentle and also effective power of waves.

Specially designed drum pattern gently carries the laundry away like a wave from the drum. Thus, garments move smoothly around in the drum. Paddles with wave form also contribute in gentle care of your laundry.



Hi-tech Heater™

The Heating Element is an essential component of a washing machine. The new Beko heating element incorporates a state-of-the-art nickel metal surface coating technology resulting in 50% less surface roughness, ensures perfect corrosion protection, and reduces lime-scale buildup by 40%. The Hi-tech Heater has an extended life of up to 100 times more than a standard heating element.



Smart Solutions for Laundry Care



Xpress Super Short

This programme is developed for slightly soiled, unstained and small amounts of laundry, such as socks, towels, bed sheets and t-shirts that have been used only once.

Xpress Super Short washes a 2 kg capacity load at 0-30 °C in just 14 minutes.



Freshen Up

This program is suitable for the clothes that aren't really dirty but need freshening up. **2 kg laundry will be washed in 17 minutes** without any heating process.



BabyProtect+™

It is known that 12% of all babies are allergic. The specially developed antiallergic BabyProtect+ program targets to provide antiallergic laundry for your sensitive skin and for your baby. You can get maximum hygienic cleansing results by the help of additional drum movements and sensitive temperature control. Temperature is continuously maintained at a certain level throughout the wash cycle.

Additional rinse cycle provides perfect rinsing results which is very important for you and for your baby. This program is designed for allergens which can be found in daily life that are house dust mites, dog and cat allergens, pollens, live mites, bacterias and fungus. Moreover this program is also capable of removing all sorts of hair as well. 99,9% hygienic and antiallergic BabyProtect+ program tested by Allergy UK. Perfect for babies suffering from allergy.



Eco Clean 20 °C

Eco Clean 20 °C provides excellent wash performance with its superb energy efficient features that **save up to 70% energy** when compared with **Synthetics 40 °C** program. Thanks to its impressive energy efficiency, it ensures maximum cleaning even at low temperatures.



Dark Care

Stop worrying about dark colored garments in your wardrobe. With Beko's special programme for dark-colored synthetic or cotton-based laundry, your garments keep their original colours as the day they were purchased. This dark garment programme works flawlessly at low temperatures and on low Spin Speed with slow mechanical movements by taking in more water on the rinse cycle. The Dark Care programme washes a half- capacity load at 30-40 °C. Liquid detergent or wool shampoo is recommended for dark coloured garments.





WMI 81242

WMI 71241

WMI 71241 H



A++ Energy Efficiency 8 kg Aquafusion Hi-tech Heater	Prewash Express Rinse Plus Easy Ironing Liquid Detergent Compartment Aquawave Technology
A+ Energy Efficiency 7 kg Aquafusion Hi-tech Heater	Prewash Express Rinse Plus Easy Ironing Liquid Detergent Compartment Aquawave Technology
A+ Energy Efficiency 7 kg Aquafusion Hi-tech Heater	Prewash Express Rinse Plus Easy Ironing Liquid Detergent Compartment Aquawave Technology

Programs

16 programs including; Daily Xpress, Xpress super short, BabyProtect, Freshen up, Self Clean, Hand wash, Woolen, Dark Care, Eco clean 20, Sports

Specifications

- 1200 rpm spin speed
- LCD display,
- Time delay up to 24 hr
- Remaining time indicator
- Program follower
- Temperature selection
- Spin speed selection
- 54 cm depth

Performance & Safety

- Energy efficiency class: A++
- Spin drying efficiency class: B
- Annual energy consumption: 218 kWh
- Annual water consumption: 11000 liters
- Automatic water control system
- Child lock
- Overflow safety

Programs

16 programs including; Daily Xpress, Xpress super short, BabyProtect, Freshen up, Self Clean, Hand wash, Woolen, Dark Care, Eco clean 20, Sports

Specifications

- 1200 rpm spin speed
- LCD display,
- Time delay up to 24 hr
- Remaining time indicator
- Program follower
- Temperature selection
- Spin speed selection
- 54 cm depth

Performance & Safety

- Energy efficiency class: A+
- Spin drying efficiency class: B
- Annual energy consumption: 210 kWh
- Annual water consumption: 9020 liters
- Automatic water control system
- Child lock
- Overflow safety

Programs

16 programs including; Daily Xpress, Xpress super short, BabyProtect+, Freshen up, Self Clean, Hand wash, Woolen, Dark Care, Eco clean 20, Sports

Specifications

- 1200 rpm spin speed
- LCD display,
- Time delay up to 24 hr
- Remaining time indicator
- Program follower
- Temperature selection
- Spin speed selection
- 54 cm depth

Performance & Safety

- Energy efficiency class: A+
- Spin drying efficiency class: B
- Annual energy consumption: 210 kWh
- Annual water consumption: 9020 liters
- Automatic water control system
- Child lock
- Overflow safety





Refrigerators

6



Functionality & Style blended in harmony





Drawer type construction

The Beko Built-in cooling range includes a drawer-type fridge (BUDL 700) and a drawer type frost-free freezer (BUDZ 700). Drawer type built-under models feature two drawers with telescopic rails that can be completely taken out, to organize the food inside or for cleaning purposes. The interiors are practically designed for better organisation of food, and the units can be placed under the counter close to the hob or sink for easier access to fresh or frozen food while cooking.




Frost-free system

The frost-free system eliminates the formation of ice on food and in the interior part of the appliance, therefore, no defrosting is required. You can enjoy the hassle-free lifelong use of your product without all those tedious de-icing procedures.

Energy Efficiency

The need to save energy resources has never been more important than now. Beko with its environmental vision provides products with A++ and A+ energy rating. An A++ refrigerator consumes up to 40% less energy than an identical A product.







Whisper Quiet

Kitchens are undoubtedly the most intimate and peaceful spots of our homes. Inspired by serenity, new outstanding Beko built-in refrigerators turn your kitchen into a realm of joy & comfort. All built-in Beko refrigerators are standardised using a special cooling system design which works twice as silent as standard refrigerators. Beko's new cooling system, optimized the instability of the noise level caused by refrigerant flow are brought under control with usage of sound absorbing materials and design changes. Enjoy the sound of whisper quiet with smart Beko refrigerators with 29 and 32 dBA noise levels.



Fixed Hinge

The fixed hinge helps to link furniture parts and refrigerator door by the brackets. With the help of Beko's special hinges, you can add more weight to the door, and open it at a larger angle, making the refrigerator accessible and more user-friendly. Moreover, 3D fixed adjustment system allows you quick and easy installation.

Sliding Hinge

With the help of sliding hinge balance between different pivot points of the furniture and refrigerator door is well maintained. The hinged furniture door is attached to the appliance with a series of brackets. As the furniture door opens, the appliance door is opened via the sliding bracket arrangement

Functional Interior

Beko Built-in refrigerators are equipped with a number of functional accessories:

- Chrome-coated wine rack
- Safety glass shelves
- See-through freezer compartments with see through transparent front

CBI 7771

177 cm Built-in Refrigerator
Semi Frost Free Combi Fridge Freezer



Fridge

- 193 lt net volume
- Chrome bottle rack
- Fresh Store
- Glass shelves

Freezer

- 49 lt net volume
- 3 compartments
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD):
1776x540x535 mm
- Furnishings Dimensions (HxWxD)
1778-1788 * min 560 * min 550

Product Code / Hinge type
CBI7771F / 3D Fixed

CBI 7702

177 cm Built-in Refrigerator
Frost Free Combi Fridge Freezer



Fridge

- 180 lt net volume
- Chrome bottle rack
- Fresh Store
- Glass shelves

Freezer

- 55 lt net volume
- 3 compartments
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD):
1776x540x535 mm
- Furnishings Dimensions (HxWxD)
1778-1788 * min 560 * min 550

Product Code / Energy
CBI7702 / A++

CBI 7705

177 cm Built-in Refrigerator
Combi Fridge Freezer



Fridge

- 189 lt net volume
- Glass shelves

Freezer

- 55 lt net volume
- 3 compartments
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD):
1776x540x535 mm
- Furnishings Dimensions (HxWxD)
1778-1788 * min 560 * min 550

RBI 6301

144 cm Built-in Refrigerator
Top Mount Fridge Freezer

**Fridge**

- 170 lt net volume
- Chrome bottle rack
- Glass shelves

Freezer

- 45 lt net volume
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD):
1446x540x535 mm
- Furnishings Dimensions (HxWxD)
1450-1460 * min 560 * min 550

RBI 6101

121 cm Built-in Refrigerator
Top Mount Fridge Freezer

**Fridge**

- 125 lt net volume
- Bottle holder
- Glass shelves

Freezer

- 45 lt net volume
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD):
1222x540x535 mm
- Furnishings Dimensions (HxWxD)
1225-1229 * min 560 * min 550

LBI 3001

177 cm Built-in Refrigerator
Larder Fridge

**Fridge**

- 310 lt net volume
- Chrome bottle rack
- 5 Glass shelves

Built Details

- Reversible doors
- Fixed hinges

Technical Information

- Product Dimensions (HxWxD):
1772x543x545 mm
- Furnishings Dimensions (HxWxD)
1778-1788 * min 560 * min 550

Product Code / Energy
LBI3002F / 3D Fixed / A++

LBI 2201

121 cm Built-in Refrigerator
Larder Fridge



Fridge

- 204 lt net volume
- Bottle holder
- 4 Glass shelves

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD)
1216x540x535 mm
- Furnishings Dimensions (HxWxD)
1225-1229 * min 560 * min 550

Product Code / Hinge type
LBI2201F / 3D Fixed / A+
LBI2002F / 3D Fixed / A++

RBI 2301

121 cm Built-in Refrigerator
Single Door Fridge Freezer



Fridge

- 164 lt net volume
- Bottle holder
- Glass shelves

Freezer

- 20 lt net volume
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD)
1216x540x535 mm
- Furnishings Dimensions (HxWxD)
1225-1229 * min 560 * min 550

Product Code / Hinge type
RBI2301F / 3D Fixed

RBI 2302 F

121 cm Built-in Refrigerator
Single Door Fridge Freezer



Fridge

- 164 lt net volume
- Bottle holder
- Glass shelves

Freezer

- 20 lt net volume
- Ice cube tray

Built Details

- Reversible doors
- 3D Fixed hinges

Technical Information

- Product Dimensions (HxWxD)
1216x540x535 mm
- Furnishings Dimensions (HxWxD)
1225-1229 * min 560 * min 550

FBI 5850

177 cm Built-in Refrigerator
Frost Free Upright Freezer
Electronic Control

**Freezer**

- 196 lt net volume
- 8 compartments
- Ice bank

Built Details

- Reversible doors
- Fixed hinges

Technical Information

- Product Dimensions (HxWxD)
1772x543x545 mm
- Furnishings Dimensions (HxWxD)
1778-1788 * min 560 * min 550

B 1801

86 cm Built-in Refrigerator
Table Top Larder

**Fridge**

- 126 lt net volume
- Glass shelves

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD):
866x540x548 mm
- Furnishings Dimensions (HxWxD)
870-880 * min 560 * min 550

Product Code / Hinge Type / Energy
B1802 / Fixed / A++
B1802F / 3D Fixed / A+

B 1751

86 cm Built-in Refrigerator
Table Top Fridge

**Fridge**

- 97 lt net volume
- Glass shelves

Freezer

- 13 lt net volume
- Ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD)
866x540x548 mm
- Furnishings Dimensions (HxWxD)
870-880 * min 560 * min 550

Product Code / Hinge type / Energy
B1752 / 3D Fixed / A++
B1752F / Fixed / A+

B 1901

86 cm Built-in Refrigerator
Table Top Freezer Electronic Control



Freezer

- 85 lt net volume
- 3 compartments
- ice cube tray

Built Details

- Reversible doors
- Sliding hinges

Technical Information

- Product Dimensions (HxWxD)
866x540x548 mm
- Furnishings Dimesions (HxWxD)
870-880 * min 560 * min 550

BU 1101

82 cm Built-Under Refrigerator
Table Top Larder



Fridge

- 128 lt net volume
- 3 glass shelves

Built Details

- Reversible doors
- Fixed hinges

Technical Information

- Product Dimensions (HxWxD)
820x598x545 mm
- Furnishings Dimesions (HxWxD)
820-870 * min 600 * min 550

BU 1152 HCA

82 cm Built-Under Refrigerator
Table Top Fridge



Fridge

- 105 lt net volume

Freezer

- 18 lt net volume
- ice cube tray

Built Details

- Reversible doors
- Fixed hinges

Technical Information

- Product Dimensions (HxWxD)
820x598x545 mm
- Furnishings Dimesions (HxWxD)
820-870 * min 600 * min 550

Product Code / Hinge type
BU 1153 / Fixed / A++

BU 1201

82 cm Built-Under Refrigerator
Table Top Freezer
Electronic Control



Freezer

- 87 lt net volume
- 3 compartments
- Ice bank

Built Details

- Reversible doors
- Fixed hinges

Technical Information

- Product Dimensions (HxWxD)
820x598x545 mm
- Furnishings Dimesions (HxWxD)
820-870 * min 600 * min 550

BUDL 701

82 cm Built-Under Refrigerator
Drawer Type Larder
Electronic Control



Fridge

- 94 lt net volume
- Active cool system
- 2 telescopic removable drawers
- Separators
- Storage boxes

Technical Information

- Product Dimensions (HxWxD)
820x598x545 mm
- Furnishings Dimesions (HxWxD)
820-870 * min 600 * min 550

BUDF 701

82 cm Built-Under Refrigerator
Drawer Type Freezer
Electronic Control



Freezer

- 72 lt net volume
- Active freeze system
- 2 telescopic removable drawers
- Separators
- Storage boxes

Technical Information

- Icemaker and icebox
- Product Dimensions (HxWxD)
820x598x545 mm
- Furnishings Dimesions (HxWxD)
820-870 * min 600 * min 550

WBI 1200

87 cm Table Top Wine Cooler
Electronic Control

**Wine Cooler**

- 36 bottles capacity
- 4 wooden shelves
- 2 wire bottle holders
- Carbon filter
- Illumination with white LED

Built Details

- Glass door with UV filter
- Fixed hinges

Technical Information

- Product Dimensions (HxWxD)
871x540x525 mm
- Furnishings Dimensions (HxWxD)
876 - 880 * min 560 * min 550



We proudly present...



Beko DPU 7340x received Stiftung Warentest Award - 1,9 "good" – Due to heatpump technology it achieves 10% energy saving efficiency compared to A energy class. Stiftung Warentest is Germany's most reputable consumer organization.



BEKO SS 137030 PX received Stifutg Warentest Award - 1,9 „good“ - with its 0 °C Superfresh-Zone and A++ energy Stifutg Warentest is Germany's most reputable consumer organization.



The Beko DSN 6634F FX dishwasher has been recognised as Test Champion for its high quality, ease of use and energy efficiency, by Stiwa, Germany's most reputable consumer organization.



DPU 8340x and DPU 7340xBeko heat pump tumble dryers have been awarded by Eco Top Ten indicating that these products meet the EcoTopTen criteria. Eco Top Ten is guiding consumers to the most energy efficient appliances. Products recommended by Eco Top Ten convince with high quality, a good price-performance ratio and satisfying eco criteria.



Beko DCU 7330 coded condenser tumble dryer was selected "Gut" by ETM Magazine in Germany. ETM Testmagazin is a competent and comprehensive guideline for purchasing decisions.



Beko OIM 25900x received KitchenInnovation of the Year Award in product benefit, innovation, user-convenience, design and ecology categories. KitchenInnovation actively helps consumers to make the right purchasing decisions.



Beko four-door refrigerator and two washing machine models were selected as "Best Buy" by Which? Magazine.



Beko received 6 "Plus X" Awards in technology and design categories with refrigerator, built-in oven, warming drawer, washing machine and two dishwasher models.



2009

Beko OIM 25500x oven received IF product design award.



red^{dot} design award

Beko LED TV received the Red Dot – Honourable Mention Award.



Beko 84 cm Wide 4 Door Combi Refrigerator received the Good Design Award.



Beko domino hobs received the Good Design Award.



Beko LED TV received the Good Design Award.



Beko LLC received the "Best Company Award for the Production of Energy Efficient Products" in Russia.



Beko Plc received "The Home Appliance Supplier of the Year" Award from Currys and "The Domestic Appliance Supplier of the Year" Award from CIH-Euronics in the UK.



The first home appliance manufacturer to receive "JIPM Special" Award after "Excellence" Award for Eskişehir Refrigeration Plant from the Japan Institute of Plant Maintenance.



Beko product's declaration truthfulness has been approved by Atlete Project. Beko is one of the few brands with correct labelling where product test (CSA 24002, TLDA 521, FSA 21300) was approved.



Plimsoll Portfolio Analysis declared Beko Plc as "The Best Durable Goods Company" and "The Fastest Growing Company" in its sector in the UK.



The first home appliance manufacturer to receive a "Platinum Certificate" for "Energy Efficiency in Green Factories" with 4 of its production facilities, and a "Gold Certificate" with another 4 of its production facilities



Finalist in the Management category at the "European Business Awards for the Environment 2010, European Programme", organized by the EU Commission.

From Beko “Sponsor of basketball” to the entire world with pride...

Beko is a global brand who believes in the importance of sports in people's lives. For this reason Beko supports all sporting events, mainly basketball. Beko's “dynamic, entertaining and young” character is inline with the nature of basketball. Beko also believes that sports play a major role in the growth of young generations. Basketball is a sports that leads to the development of communication and social skills such as teamwork, quick thinking and self esteem.

Basketball represents the same values and targets that Beko possesses, competing in a fair setting with ever-growing ambition to be the leader. Beko commenced its basketball adventure in 2006 by becoming the title sponsor of the Turkish Basketball League. The league has been running under the name of “Beko Basketball League” for 6 years. It has also become the name sponsor of Basketball Bundesliga, one of the most significant basketball leagues, for six years since 2009/2010 season. As a competitive league, Beko Basketball Bundesliga has always had a good reputation in the international arena. In 2011 Beko carried its international league sponsorships one step further and became the sponsor of Russian Basketball League as well. The league has started to be named as “Beko Professional Basketball League” in 2011, Beko has become the name sponsor of Lithuania Basketball League, LKL. Lithuania is known with their love in basketball and LKL is one of the most successful Leagues of Europe as well.

Beko aside from the league sponsorships, gave great support to international championships as well starting with main sponsorships for “2009 FIBA Asian Basketball Championships” organized in China and “Eurobasket 2009” organized in Poland. Beko challenged itself and became the “Presenting Sponsor” of 2010 World Basketball Championship, which shall be held every four years, bringing the strongest teams together.

Beko was also the presenting sponsor of the European Basketball Championships 2011 held in Lithuania.



Built-in Collection

Due to continual improvements through research and development, Beko reserves the right to make any changes to the specifications and features of the products without prior notice. As a result, you may find differences between the products described in the catalogue and the product you receive. Beko can not be held responsible for printing mistakes.