

RACKS BRAX.®

COMPATIBILITY POCKET GUIDE

FOR

BUNDUTEC

CAMPING MADE EASY **AUS**

FAST ON!
FAST OFF!

AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

BUNDUTEC® BUNDUAWN 360 HYBRID (CUSTOM) 2.45m, 2.95m..... 3

BUNDUTEC® BUNDUAWN HALF WING (4-ARM) 2.45m (AU & US only)..... 4

BUNDUTEC® BUNDUAWN L-SHAPE 270 (SQUARE BACK) 2.45m, 2.75m 5

BUNDUTEC® BUNDUAWN L-SHAPE 270 2.45m, 2.95m..... 6

BUNDUTEC® BUNDUAWN STANDARD 360 2.45m, 2.95m 7

BUNDUTEC® BUNDUAWN 360 HYBRID (CUSTOM)

2.45m, 2.95m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	

- ✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

BUNDUTEC® BUNDUAWN HALF WING (4-ARM)

2.45m (AU & US only)

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	

- ✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

BUNDUTEC® BUNDUAWN L-SHAPE 270 (SQUARE BACK) 2.45m, 2.75m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
-----------------	---

BRACKETS NEEDED

- ✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	9010 – XD Wall Mounts ⁺
------------------	------------------------------------

- ✓ LOCKED GARAGES
- ✓ WORKSHOP WALLS

UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
--------------------	---

- ✓ OPEN CARPORTS
- ✓ PUBLIC/SHARED GARAGE AREA

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

BUNDUTEC® BUNDUAWN L-SHAPE 270 2.45m, 2.95m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
-----------------	---

BRACKETS NEEDED

- ✓ **FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)**

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ **FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)**

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	9010 – XD Wall Mounts ⁺
------------------	------------------------------------

- ✓ **LOCKED GARAGES**
- ✓ **WORKSHOP WALLS**

UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
--------------------	---

- ✓ **OPEN CARPORTS**
- ✓ **PUBLIC/SHARED GARAGE AREA**

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

BUNDUTEC® BUNDUAWN STANDARD 360 2.45m, 2.95m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
-----------------	---

BRACKETS NEEDED

- ✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	9010 – XD Wall Mounts ⁺
------------------	------------------------------------

- ✓ LOCKED GARAGES
- ✓ WORKSHOP WALLS

UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
--------------------	---

- ✓ OPEN CARPORTS
- ✓ PUBLIC/SHARED GARAGE AREA

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.