# **USER MANUAL (English)**

### **Product Parameters**

Model	OH-51	Use Distance	≤10m
Version	V5.0	Battery Capacity	400mAH
Stand-by Time	≤180 hours	Talk Time	≤ 10 hours
Power Input	DC5V/200mA	Charging Time	1 hours
Noise Reduction	CVC6.0	Protocol	HFP/HSP/A2DP/
			AVRCP/APTX
Skip	Support	Voice Prompt	Support
Function	Caller report,line control answer/hang		
	up/rejection/on-off,redial,mute,volume adjustment,Chinese-English		
	shifting.Intelligent one-driving-two,music pause/play,up and		
	downsong switching		
Product	Support any mobile phones with Bluetooth device, iPad and desktop		
Application	computer.The desktop computer without Bluetooth function can be		
	used by matching with the Bluetooth adapter.		

#### **Pairing and Connection**


- 1. Keep the distance between the mobile phone and theheadset within 1 m; the closer, the better.
- 2. Press and hald the key " / M " for about 5 seconds, and thenrelease it when the red and the blue lamps alternately blink. At this time, the headset has entered the paring mode.

  3. Enable the Bluetooth function of the mobile phone, search the Bluetooth equipment, select "B39" for paring and connection. After connection is successful, the blue indicating lamp oft heheadset slowly blinks.

#### **Notes:**

•The pairing mode will be maintained for 5 minutes. If pairing and connection are unsuccessful beyond 2 minutes, the headset will automatically switch to the stand-by mode.

•After pairing iscompleted, the headset and the handset willremember eachother, without pairing



TF memory card socket(less than 32G)

Pause/play/answer/hang up

Press three times to switch on the color light

Switch key/mode switching

Charging socket


Next song (long press volume +)

Last song (long press volume -)

Microphone hole

Indicator light

Audio line cocket



## FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connect ed.

Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.